

THE THOUGHT RECORDER

See Page 12

TR

E 54

170.1.

Serials

R 100,000 COPIES MONTHLY LARGEST CIRCULAT

Learn Electricity

Thousands of Electrical experts are needed to help rebuild the world. Come to Chicago to the great shops of Coyne and let us train you quickly by our sure, practical way, backed by twenty years of success. Hundreds of our graduates have become experts in less than four months. You can do the same." Now is your

In the Great Shops of

Hundreds of our graduates have become experts in less than four months. Yo big opportunity. Come—no previous education necessary.

Earn \$125 to \$300 a Month

In the Electrical business. Come here where you will be trained in these great \$100,000 shops. Experts show you everything and you learn right on the actual apparatus. You work on everything from the simple bell to the mighty motors, generators, electric locomotives, dynamos, switchboards, power plants, everything to make you a master electrician. We have thousands of successful graduates. Just as soon as you have finished we assist you to a good position.

Become an Expert in 3¹/₂ Months

No need of taking from 1 to 4 years to become an expert, we have proved this in thousands of cases. The Coyne method of practical training eliminates all books, useless theory and other non-essentials and trains you in just what you need to know to become an expert.

Earn Your Way

Don't tell yourself you haven't got the money to come to Coyne. If you have ambition and the nerve of a real man, that's all you need. Dozens of our students every year work in their spare time and earn their living expenses. Dozens of others work in the day time, earn all their expense and attend our evening school. Our employment department will help you without charge.

COYNE TRADE AND ENGINEERING SCHOOLS Dept. 25 39-51 E. Illinois Street, Chicago, III. MAIL COUPON FOR FREE BOOK

Day or Evening Courses

Don't worry about the money. Anyone with ambition can learn here. Our tuition is low with small easy payments if desired. All tools and equipment is furnished free. Our students live in comfortable homes in the best section in Chicago—on the lake—just a few minutes' walk from our school.

Electricity, Drafting Motion Picture Operating Plumbing

We teach all these trades and professions quickly and in such a thorough, practical way that when finished you are ready to step right into a position of responsibility and big pay.

Send Today for Big Free Book

Write today, *now*, for the book. It tells what Coyne graduates have done. What you can do. Fill in the coupon, check the trade you are most interested in or send a postal card, do it *now*.

Name..

Learn Drafting

The country is crying for skilled draftsmen in all lines. Thousands of positions open with princely salaries. We give you the advantage of our hig shops. No other school can do this. Now is the time to get into this big field. Experts train you under practical working conditions, no books and theory go here. Check drafting on the coupon below and mail it at once for full particulars.

COYNE TRADE AND ENGINEERING SCHOOLS Bennett W. Cooke, Director Dept. 25, 39-51 E. Illinois St. Chicago, Ill. Please send at once your big Free Book—I am interested in Electricity [] Drafting [] Plumbing [] Motion Picture Operating (Check trade interested in)

Address.....

You benefit, by mentioning the "Electrical Experimenter" when writing to advertisers.

May, 1919

ELECTRICAL EXPERIMENTER

ELECTRICITY AS EXPERTS KNOW

Learn electricity as you would in actual PRACTICE-in accordance with the methods employed by the highest paid electrical experts in America. The New McGraw-Hill Library of Practical Electricity contains the actual working facts which you need in order to succeed in the electrical field. Terrell Croft, formerly with the Westinghouse Company makes the conquest easy for you.

A new standard in electrical literature

The New Library of Practical Elec-tricity by Terrell Croft marks a new era in electrical literature.

The great field of electrical engi-neeriog, with its limitless possibili-ties of earning power, is brought to you in a form that makes success easy. The Library is a creation—an achievement that is without parallel in technical literature, because it sticks to practice throughout its 3000 pages.

\$2 per month starts you to bigger pay.

LIBRAR BRARY **BRARY BRARY** THRARY LIBRAR LIBRARY PHARID ANCTION L **NOTCAL** MOTICAL RACTICAL Pananal PRIME 3 201-01 LE TRIOT (Alegal STERING R SITES OF SPIS BILL limson 2 1 $(\mathbf{1})$ 6 3 5 **UTION** MOTION West CENTRAL Mancul CROTHER. Hope and FINES 13 1 1 10 UNICOTI STATIONS L DATI TOTAL BUILD Concept. CBR Chairt GROFT

Croft's New Library of Practical Electricity. 8 vols.-3000 pages-2100 illustrations

Now is the time to prepare for a high salary-Now is the time to master electricty. XAMINATION COUPON

Old books won't do. Amateurish books won't do. Books compiled by "desk authors" or men with no practical experience will not serve your purpose.

Practical books are easiest mastered. Practical books, written by practical men, teach you accurately and rapidly. There is nothing in the Croft Library which you cannot understand. Terrell Croft tells you the secrets of success in electricity in plain words, figures and illustrations. Nothing is left to the imagina-tion. There is no guesswork. There is no theory or higher mathematics.

Send now for these eight volumes. No matter how many books on electricity you possess, you are unfair to yourself unless you take advantage of this free examination privilege. No matter whether you are be-ginner or expert, these books will show you the clear road to success. Inspection will prove this.

Mc Iraw-Hill Book Co. 9nc. 239 W. 39th St., New York.

You bencht by mentioning the "Electrical Experimenter" when writing to advertisers.

thing to you-

Payor

11.01

8

Not one cent in advance-

Examine this new Library for ten full days without expense. Find out for yourself why it is now taking the lead in electrical book sales in America. Use the books as you see fit for ten days. Look at the hundreds of illustrations that elear up all the mysteries in electrical practice. Stick a couple of the volumes in your pockets, and refer to them during the day. Figure out in an instant the problems that have beretofore taken hours.

City and State.

His Addre

Your Position

Just the Coupon

Then send us \$2 per month for eight months, or return the set entirely at our expense. You risk nothing hy returning the attached coupon.

ACT

NOW

McGraw-Hill Book Company, Inc., 239 West 39th Street, New York, N. Y.

Gentlemen: In an attempt Gentlemen: In an attempt to express myself about CROFT'S NEW LIBRARY OF PRACTICAL ELEC-TRICITY, I have never seen and do not believe there was ever printed in the English language, a more comprehensive set of books. It is a library that is just as valuable to the novice as to the expert, be-cause it is all practice. Respectfully. Respectfully,

GUY H. PEIFER, Chief, Doplan Silk Cor-joration, Hazleton, Pa.

Gentlemen: Please send me the Library of Practical Electricity (ship-ping charges prepaid) for 10 days' free examination. If atis-factory, I will send \$2 in ten days and \$2 per month until \$16 bas been paud. If not wanted I will write you for return shipping instructions.

ersity of JOR'

A letter that means some-

"See them

First — Pay afterwards"

Electrical Experimenter

233 FULTON STREET, NEW YORK Publisht by Experimenter Publishing Company, Inc. (H. Gernshack, President; S. Gernsback, Treasurer;) 233 Fulton Street, New York MAY, 1919 No. 1 Vol. VII. Whole No. 73 THE THOUGHT RECORDER......Front Cover From a painting by Howard Brown THE THOUGHT RECORDER.....From a painting by Howard Brown FUTURE RAPID TRANSIT.....By Re. T. Brondsdon WILL MAN FREEZE THE EARTH TO DEATH...... By E. T. Brondsdon HOW THE FRENCH LOCATED SUBMARINES.... VEHICULAR TUNNEL UNDER THE HUDSON RIVER.... By H. Winfield Secor THE THOUGHT RECORDER—NO. 2 FUTURE INVENTIONS... By H. Gernsback PARIS LETTER, by Jacques Boyer, Paris Correspondent of the ELECTRICAL EXPERIMENTER.... NOVEL ELECTRICAL TALKING SIGN..... NOVEL ELECTRICAL TALKING SIGN. THE NEW YORK AËRO SHOW.... MONSTER ESCALATOR FOR NEW YORK SUBWAY.... BRITISH SUBMARINE LOCATER.... PUTTING IT OVER ON FRITZ......By K. K. Sammerin COLD LIGHT—WHAT IT IS.......By Rogers D. Rusk, M.A. POPULAR ASTRONOMY—ASTRONOMICAL DISTANCES...... By Isabel M. Lewis 32 32 33 **9** 10 12 34 35 36 "THE ORACLE"..... 46 1111/1/ MILL Practical Science HE wonderful age in which we are living has never been paralleled in history. We have more comforts, more conveniences, more of everything than human beings ever had, since the creation of the world. perspiration soaks his clothing. Finally he sinks down into the snow, exhausted, and if it is cold enough he is soon frozen stiff. Now Eskimos, who have learned a bit of science by hard experience, prefer to live pleas-antly thru the worst snowstorm, with the temperature below zero. If the Eskimo becomes lost in the wilder-press he knows better than to run shout circled. Nevertheless, our lives become more and more complex, as time rolls on, while the ness he knows better than to run about aimlessly. He more complex, as time rolls on, while the average human being becomes more perplexed at the strange surroundings in which he finds himself. Our electro-mechanical age brings forth new sur-prises constantly, and he who does not know the rudi-mentaries of mechanics, electricity and general physics is like a blind man in a circus. He hears what is going on, but all is meaningless to him—he cannot get the full benefit of the performance. ness he knows better than to run about amlessly. He promptly digs a cave into the snow, with the entrance away from the wind, using only his hands for tools. In-side of ten minutes he is safely ensconced in a com-paratively warm shelter. He then closes up the entrance almost entirely, sits down, drops his head on his knees, and has a refreshing sleep. The next morning he digs himself out, and is on his way. If the writer had not known something about elec-tricity, he, too, might not be here to write these lines If the writer had not known something about elec-tricity, he, too, might not be here to write these lines. As a boy he went down into an unoccupied cellar. The wind blew the wooden door shut, locking him in, as the iron latch was outside. The only other exit was an open window hole barricaded with stout iron rods, thru which the wind roared. The temperature was be-low zero. The cellar was empty, save for a few wooden crates, the object of the visit. The cellar being distant from the house and other habitations, the parents away, and the caretaker off for the night, there was every pos-sibility of his freezing to death. No tools to break down the door, no matches to make a fire. But there was a portable light, with two large electric dry cells in a wooden box, which the writer had brought along to light his way. benefit of the performance. benefit of the performance. Where humanity now finds itself surrounded by ma-chines, and by electrical wires at every hand, it behooves every man to know something about them. Thousands of lives are lost every year because laymen refuse to learn a little about science in general. They get killed because they fight short-circuits with water, when ten minutes of study would have told them that water is a minutes of study would have told them that water is a minutes of study would have told them that water is a conductor, and that a few handfuls of dry sand—which is a non-conductor—would have saved the life, and the house which burnt down due to the short-circuit. If the father had told his boy that a wet rope is a good conductor for electricity that boy would be alive today. Instead, the boy threw the wet rope over the high tension line, while holding it in his hand, and was killed. If the six hundred auto owners who were asphyxiated light his way. last year-the casualties become larger each year-had He unraveled the stranded electric cord and extracted last year—the casualties become larger each year—had known a bit of chemistry, they, too, would be living to-day. But they insisted upon running their engines in a garage with closed doors, and unfortunately, you can't smell carbon monoxid, even if it is deadly. Then, too, hundreds of people perish in snow storms every year quite unnecessarily. Usually they freeze to death. The white man runs about in a frenzy when he knows himself lost. He becomes overheated, and the a single thin copper strand an inch long. With this he short-circuited the dry cells. The wire became white hot. A piece of paper was touched to it, which burst into flame; a broken piece of crate wood was ignited by the flame, and a fire soon roared. A burning crate set the cellar door on fire, and in ten minutes the adventure had come to a close. H. GERNSBACK.

The ELECTRICAL EXPERIMENTER is publisht on the 15th of each month at 233 Fulton Street, New York, There are 12 numbers per year. Subscription price is \$2.00 a year in U. S. and possessiona. Canada and foreign countries, \$2.50 a year. U. S. coin as well as U. S. stamps accepted (no foreign coins or stamps). Single copies, 26 cents eaco. A sample copy will be sent gratis on request. Cbecks and money orders should be drawn to order of EXPERIMENTER PUBLISHING CO., INC. If you change your address notify us promptly, in order that copies are not miscarried or lost. A green wrapper indicates expiration. No copies sent after expiration.

All communications and contributions to this journal should be addrest to: Editor, ELECTRICAL ENTERIMENTER, 233 Fulton Streat, New York, Unaccepted contributions cannot be returned unless full postage has been included. ALL accepted contributions are paid for on publication. A special rate is paid for novel experiments; good photographs accompanying them are highly desirable. ELECTRICAL EXPERIMENTER. Monthly, Entered as second-class matter at the New York Post Office under Act of Courcess of March 3, 1879. Title registered U. S. Patent Office. Copyright, 1919, by E. P. Co., Inc., New York. The Conjents of this magazine are copyrighted and must not be reproduced without giving full credit to the publication. The ELECTRICAL EXPERIMENTER is for sale at all newsstands in the United States and Canada; also at Brentano's, 37 Avenue de l'Opers, Paris. Member of the Audit Buresu of Circulation.

The Secret of Being a Convincing Talker

How I Learned It in One Evening By GEORGE RAYMOND

AVE you heard the news about Frank Jordan?"

This question quickly brought me to the little group which had gathered in the center of the office. Jordan and I had started with the Great Eastern Machinery Co., within a month of each other, four years ago. A year ago Jordan was taken into the accounting division and I was sent out as salesman. Neither of us was blessed with an unusual amount of brilliancy, but we got by in our new jobs well enough to hold them.

Imagine my amazement, then, when I heard:

"Jordan's just been made Treasurer of the Company!"

I could hardly believe my ears. But there was the "Notice to Employees" on the bulletin board, telling about Jordan's good fortune. Now I knew that Jordan was a capable fel-

low, quiet, and unassuming, but I never would have picked him for any such sudden rise. I knew, too, that the Treasurer of the Great Eastern had to be a big man, and I wondered how in the world Jordan landed the place.

The first chance I got, I walked into Jor-dan's new office and after congratulating him warmly, I asked him to let me "in" on the details of how he jumped ahead so quickly. His story is so intensely interesting that I am going to repeat it as closely as I remember.



FREDERICK HOUK LAW As educator, lecturer, execu-tive, traveler and suthor few wen are so well equipped by experience and training as Dr. Law to teach the art of effec-tive speaking. His "Mastery of Speech" is the fruit of 20 years' active lecturing and instruction in Eastern schools and colleges preceded by an educstion at Oxford Academy, Amherst Col-fege, Columhia University, The Teachers College, Brown Uni-rective, He holds the degrees of A.B., AM, and Ph.D. Dr. Law is the author of two additor of six achool lext-books. At present he is lecturer in fugilish in New York University, lecturer in Pedagogy in the Extension Work of the Collego of the City of New York, Head of the Dept, of English in the Bruyresant H. S. and writer of the Unependent. FREDERICK HOUK LAW

"I'll tell you just how it happened, George, because you may pick up a pointer or two that will help you. "You re-

member how scared I used to be when-ever I had to talk to the chief? You remember how you used to tell me that every time I opened my mouth I put my foot into it, meaning of course that every time I spoke I got into trouble? You remember when Ralph Sinton left to take charge of the Western office and I was asked to pre-sent bim with

the loving cup the boys gave him, how flustered I was and how I couldn't say a word be-cause there were people around? You remember how confused I used to be every time I met new people? I couldn't say what I wanted to say when I wanted to say what I wanted to say when I wanted to say it; and I deter-mined that if there was any possible chance to learn how to talk I was going to do it. "The first thing I did was to buy a number

of books on public speaking, but they seemed to be meant for those who wanted to become orators, whereas what I wanted to learn was not only how to speak in public but how to speak to individuals under various conditions in business and social life.

"A few wecks later, just as I was about to give up hope of ever learning how to talk in-terestingly, I read an announcement stating that Dr. Frederick Houk Law of New York University had just completed a new course in business talking and public speaking entitled 'Mastery of Speech.' The course was offered on approval without money in advance, so on approval without money in advance, so since I had nothing whatever to lose by exam-ining the lessons, I sent for them and in a few days they arrived. I glanced through the entire eight lessons, reading the beadings and a few paragraphs here and there, and in about an hour the whole secret of effective speaking was opened to me.

"For example, I learned why I had always lacked confidence, why talking had always seemed something to be dreaded whereas it is really the simplest thing in the world to 'get up and talk.' I learned how to secure complete attention to what I was saying and how to make everything I said interesting, forceful and con-vincing. I learned the art of listening, the value of silence, and the power of brevity. Instead of being funny at the wrong time, I learned how and when to use humor with telling effect.

"But perhaps the most wonderful thing about the lessons were the actual examples of what things to say and when to say them to meet every condition. I found that there was a knack in making oral reports to my superiors. I found that there was a right way and a wrong way to present complaints, to give estimates, and to issue orders.

"I picked up some wonderful pointers about how to give my opinions, about how to answer complaints, about how to ask the bank for a loan, about how to ask for extensions. Another thing that struck me forcibly was that, instead of antagonizing people when I didn't agree with them, I learned how to bring them around to my way of thinking in the most pleasant sort of way. Then, of course, along with those lessons there were chapters on speaking before large audiences, how to find material for talking and speaking, how to talk to friends, how to talk to servants, and how to talk to children.

"Why, I got the secret the very first evening and it was only a short time before I was able to apply all of the principles and found that my words were beginning to have an almost magical effect upon everybody to whom I spoke. It seemed that I got things done in-stantly, where formerly, as you know, what I said 'went in one ear and out the other.' I began to acquire an executive ability that surprised me. I smoothed out difficulties like a true diplomat. In my talks with the chief I

spoke clearly, simply, convincingly. Then came my first promotion since I entered the accounting department. I was given the job of answer-ing complaints, and I made good. From that I was given the job of making collections. When Mr. Buckley joined the Officers' Training Camp, I was made Treasurer. Between you and me, George, my salary is now \$7,500 a year, and I

expect it will be more from the first of the year. "And I want to tell you sincerely, that I attribute my success solely to the fact that I learned how to talk to people."

When Jordan finished, I asked him for the address of the publishers of Dr. Law's Course and he gave it to me. I sent for it and found it to be exactly as he had stated. After studying the eight simple lessons I began to sell to people who had previously refused to listen to

me at all. After four months of record break-ing sales during the dullest season of the year, I received a wire from the chief asking me to return to the home office. We had quite a long talk in which I explained how I was able to break sales records-and I was appointed Sales Manager at almost twice my former salary. I know that there was nothing in me that had changed except that I had acquired the ability to talk where formerly I simply used "words without reason." I can never thank Jordan enough for telling me about Dr. Law's Course in Business Talking and Public Speaking. Jordan and I are both spending all our spare time making public speeches on war subjects, and Jordan is being talked about now as Mayor of our little town.

So confident is the Independent Corporation, publishers of "Mastery of Speech," Dr. Law's Course in Business Talking and Public Speaking, that once you have an opportunity to see in your own home how you can, in one hour, learn the secret of speaking and how you can apply the principles of effective speech under all conditions, that they are willing to send you the Course on free examination.

Don't send any money. Merely mail the coupon or write a letter and the complete Course will be sent, all charges prepaid, at once. If you are not entirely satisfied send it back any time within five days after you re-

ceive it and you will owe nothing. On the other hand, if you are as pleased as are the thousands of other men and women who have used the Course, send only S5 in full payment. You take no risk and you have everything to gain, so mail the couonn now

octore cars remarkable offer is withdrawn.
FREE EXAMINATION COUPON
Independent Corporation
Publishers of The Independent Weekly
Dept. L-1105 119 West 40th Street, New York
Please send me Dr. Frederick Houk Law's "Mas- tery of Speech," a Course in Business Talking and Public Speaking in eight lessons. I will either re- mail the Course to you within five days after its receipt, or send you \$5.
Name

Address	•••••	•••••	
			Elect. Exp. 5-19

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

The Burgess BLUE BOOK for all Practical Men and Electrical Students

(See review of this book by Editor in December issue of your Electrical Experimenter page 568)

I have prepared a pocket-size note book especially for the practical man and those who are taking up the study of electricity. It contains drawings and diagrams of electrical machinery and connections, over two hundred formulas for calculations, and problems worked out showing how the formulas are used. This data is taken from my personal note book, which was made while on different kinds of work, and I am sure it will be found of value to anyone engaged in the electrical business.

The drawings of connections for electrical apparatus include Motor Starters and Starting Boxes, Överload and Underload Release Boxes, Reversible Types, Elevator Controllers, Tank Controllers, Starters for Printing Press Motors, Automatic Controllers, Variable Field Type, Controllers for Mine Locomotives, Street Car Controllers, Connections for Reversing Switches, Motor and Dynamo Rules and Rules for Speed Regulation. Also, Connections for Induction Motors and Starters, Delta and Star Connections and Connections for Auto Transformers, and Transformers for Lighting and Power Purposes. The drawings also show all kinds of lightruppess. The drawings also show all kinds of light-ing circuits, including special controls where Three and Four Way Switches are used. The work on Calculations consists of Simple Electri-cal Mathematics, Electrical Units, Electrical Connec-

WHAT PRACTICAL MEN SAY ABOUT THE "BURGESS BLUE BOOK"

Received your "Blue Book" and must say it is the best book I ever saw. I showed it to a friend of mine and he refused to give it back to me but he paid me a dollar and told me to get another. Rather than be without this book I am sending Money Order for three of them so I can show them to two more of my friends and have one left for myself. Wishing you would mail them at once. I am Yours very truly.

JOSEPH BRAITH, Electrician, Madison, Wisconsin.

Your "Blue Book" received and it is just the book I have been looking for. Please mail me three more by return mail for which I am enclosing Money Order. Respectfully, V. E. JOHNSON, Western Union Tel. Co., Marion, Ohio.

Have received the copy of the "Burgess Blue Book" and am very well pleased with the easily found formulas and data con-tained in it. I am enclosing Money Order for four additional copies. Very truly yours, THURE C. ANDERSON, Ridgeway, Penn.

Dear Sir:—There can be no possible question as to the service you are rendering Electrical Workers. To date 1 have received 78 Burgess Blue Books and hope my friends will dup-

tions, Calculating Unknown Resistances, Calculation of Current in Branches of Parallel Circuits, How to Figure Weight of Wire, Wire Gauge Rules, Ohm's Law, Watt's Law, Information regarding Wire used for Electrical Purposes, Wire Calculations, Wiring Calculations, Illumination Calculations, Shunt Instruments and How to Calculate Resistance of Shunts, Power Calculations, Efficiency Calculations, Measuring Unknown Resistances, Dynamo and Dynamo Troubles, Motors and Motor Troubles, and Calculating Size of Pulleys.

Also Alternating Current Calculations in finding Impedance, Reactance, Inductance, Frequency, Alterna-tions, Speed of Alternators and Motors, Number of Poles in Alternators or Motors, Conductance, Susceptance, Admittance, Angle of Lag and Power Factor, and formulas for use with Line Transformers.

licate their order to you. Go ahead with this good work. Yours truly,

EDW. C. RAY, Brooklyn, New York.

l am enclosing three dollars for which please send me three copies of the "Burgess Blue Book". I showed the copy I got last week to some friends and three of them asked me to get them one. Very truly yours,

CHAS. H. DAVIS, Los Angeles, Cal.

I received your "Blue Book" and after I looked over it I see that it is a very useful book. After I showed it to some fellows they wanted a copy also and I am enclosing Money Order for which please send me three at once. Yours very truly, R. S. SWANSON, St. Paul, Minn.

I received the three books I sent for and the next day I sold them. The fellows think they are well worth the price. Please send me three more for which I am enclosing Money Order. Yours very truly,

R. S. SWANSON, St. Paul, Minn.

NOTICE

To help get the "Burgess Blue Book" to the men who need it the most, we have established a resale discount to which those who have purchased a book from us are entitled. In this way the "Blue Book" is sold by those who know its value and we feel that this arrangement is much more satisfactory to the purchaser, than if he bought it through the regular book-selling channels. The book practically sells on sight, as a man engaged in practical work realizes when he sees it, it contains information which is extremely useful and which is difficult to obtain.

The Burgess BLUE BOOK Will Be Shipped, Postpaid, on Receipt of \$1.00

Send dollar bill, money order or check. I guarantee satisfaction or will return your money if you decide not to keep the book after using it for five days

BURGESS ENGINEERING CO., YORKE BURGESS, 747 East 42nd Street YORKE BURGESS, Consulting Engineer Chicago, Illinois

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

Was \$100

Some of the tamous users

U. S. Steel Corporation Pennsylvania Railroad Nat'l City Bank of New York

Morris & Company

Encyclopedia Britannica

Boston Elevated Railways Otis Elevator Co.

Corn Products Refining Company Columbia Graphophone Co.

N. Y. Edison Co.

Hart, Schaffner & Marx

Diamond Match Co.

Baldwin Locomotive Works American Bridge Co.

Over 700,000 Sold (4.02)

The Famous Oliver For Free Trial-Then Save \$43

This is the identical \$100 Oliver, Model 9, our latest and best. We continue to sell it under the plan we adopted during the war.

We learned economies then in selling which enable us to save the \$43 it formerly cost us to sell you an Oliver.

We learned that it was unnecessary to have great numbers of traveling salesmen and numerous, expensive branch houses throughout the country. We were also able to discontinue many other

superfluous, costly sales methods. Vou benefit by these savings. Only our sales plan has changed. Not the Oliver. Our new plan is to ship direct from the factory to you, depending upon the Oliver to be its own salesman.

You may order direct from this

You may order direct from this advertisement, without sending a penny. The coupon brings an Oliver for free trial. When the Oliver comes to you, let it prove its superiority and saving. You be the judge, with no cager salesman present to influence you

If you do not agree that it is the finest typewriter built, regardless of price, simply return it, ex-press collect. Even the outgoing transportation charges will then be refunded.

The Oliver for \$57 makes a \$100 price appear extravagant.

Remember this is not second-hand or rebuilt machine. If any type-writer is worth \$100, it

is this brand new Oliver. Furthermore, it is as easy to buy The Oliver as it is to try it. If, after trying it five days If, . you decide to keep it,

> Save \$43 by using this coupon

you mercly pay \$3 per month un-til the \$57 is paid. This is less than

10c per day. This Oliver is being bought by the thousands. Our plan, conceived when this country entered the war, has met a tremendous welcome. We have repeatedly increased our production facilities. Note at the left a few of the great concerns using the Oliver. And remember that it is being bought by thousands of individuals. It has been aptly called the people's type-

been aptly called the people's type-writer. In every particular, this splendid Oliver is the finest that 24 years of experience can produce. A better type-writer is impossible. It has all the tatest improvements. It is noted for its handsome appearance, richly enam-eled olive green and polished nickel; its durability and workmanship. Do you know of any typewriter which comhines so many advantages, yet offered at such a low price and easy terms? This Oliver has a standard key-board. So anyone may turn to it is speedy and has an untiring action-with lightest touch. Don't huy-don't rent-until you have investigated this fine economical Oliver. Note that the coupon below brings either an Oliver for Free Trial, or this to the source of the second

Canadian Price, \$72

The Oliver Typewriter Co.

675 Oliver Typewriter Bldg.

Chicago, Illinois

THE OLIVER TYPEWRITER COMPANY
675 Oliver Typewriter Building, Chicago, tll.
Ship me a new Oliver Nino for five days free insuc- tion. If I keep it, I will pay \$57 at the rate of \$3 per month. The title to remain in you until fully paid for. My shipping point is This does not place me under any obligation to buy. If I choose to return the Oliver, I will ship it back at your extense at the end of 5 days. Du not send a machine until I order it. Mail me your book The Remedy." your de luxo catalog and further in- formation.
Name
Street Address
CityState
Occupation or Business

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.



New York Electrical School 29 W. 17th St., New York, N. Y.

Please send FREE and without obligation to me your 64-page book.

	 (NAME)
.	 (ADDRESS)

Master Electricity By Actual Practice

The only way you can become an expert is by doing the very work under competent instructors, which you will be called upon to do later on. In other words, *learn by doing*. That is the method of the New York Electrical School.

Five minutes of actual practice properly directed is worth more to a man than years and years of book study. Indeed, Actual Practice is the only training of value, and graduates of New York Electrical School have proved themselves to be the only men that are fully qualified to satisfy EVERY demand of the Electrical Profession.

The Only Institution of the Kind in America

At this "Learn by Doing" School a man acquires the art of Electrical Drafting; the best business method and experience in Electrical Contracting, together with the skill to install, operate and maintain all systems for producing, transmitting and using electricity. A school for Old and Young. Individual instruction.

Over 5,500 Graduates are Successful Men in the Electrical World

No previous knowledge of electricity, mechanics or mathematics is necessary to take this electrical course. You can begin the course now and by steady application prepare yourself in a short time. You will be taught by practical electrical experts with actual apparatus, under actual conditions.

Let us explain this course to you in person. If you can't call, send now for 64-page book—it's FREE to you



29 West 17th Street, New York



Future Rapid Transit

PEOPLE who have traveled abroad will remember having seen the remarkable suspended aerial railway of Elberfeld (Germany), the cars hav-

markable suspended aerial railway of Elberfeld (Germany), the cars having wheels on the roof instead of underneath, and but one rail being used. This form of construction gives, among other considerations, much greater flexibility to the speeding cars or trains, as for example when they wish to turn sharp curves at comparatively high speed. Possibly many will remember having seen this interesting suspended railway in the motion picture travelogues given by Burton Holmes. It has always seemed to us, however, that these cars have a little too much freedom of movement to make the ride as comfortable as it might be to the passengers, owing to the constant swinging or sidewise rolling motion produced by this cradle suspension arrangement. Apparently there are other people who have entertained similar ideas, for in the accompanying illustration there is shown a new development of a monorail car, which might be termed an "Aërial Monoflier," and which has been recently invented and patented by the celebrated French engineer, M. Francis Laur of Paris. As M. Laur points out in his description of the invention, his scheme relates to an improvement in a vehicle for use in high speed locomotion in connection with a monorail or single track. A very novel idea of the project is a passengercarrying vehicle somewhat in the form of *(Continued on page 66)*



The Aërial Monoflier of Tomorrow—Equipt with Wings, Like an Airplane, it Will Skim Along Thru the Air, Guided by the Monorail. The Cars Are Propelled by Motor-Driven Propellers, Which Derive Their Power from Third Rails, as the Car Glides Along at Speeds of 200 to 300 Miles Per Hour. When in Motion the Entire Weight is Practically Carried by the Wings, the Same as in an Airplane.

Will Man Freeze the Earth to Death?

By E. T. BRONDSDON

"TO RENT: Ten-room suburban home. Three baths. Sun, sleeping and breakfast porches. Radium heating system (20 pounds) . . ." To find this advertisement, look in

To find this advertisement, look in the classified columns of any metropolitan newspaper five or six centuries hence. Our great-great-grandchildren fifteen times removed will be worrying about paying the rent on some such dwelling. Have you paid your "Radium Rent" will be a common slogan then.

Radium power, light and heat for apartment and home will seem as much of a commonplace to them as soft coal furnaces seem to us. In tomes of ancient history they will read stories of how their ancestors struggled thru the smoky winter of 1918, and they will marvel at our lack of understanding. Soft coal then will have a place' only in museums.

Twenty pounds of radium gives off an amount of heat in six months equivalent to that secured by burning four and one-half tons of the best Pocahontas or anthracite coal. The ten-room house mentioned above would be adequately heated, however, on twenty pounds, because a radium heating plant would be one hundred per cent efficient. Even with hot water and hard coal from eighty to ninety per cent of the heat our plants generate goes up the chimney. A radium system would have no chimney. Every single heat unit would be conserved for the interior of the house and distributed by any ordinary medium, such as register, radiator or the like.

In addition to this, the radium system would have the splendid recommendation

urday afternoon. Then there would be the greatest point of all. Once installed, this radium system never would have to be replaced! When one house began to disintegrate from old age, the mysterious metal could be taken out and installed in the system of a new house, and so on forever, unless some careless janitor took it out to clean and left it in the subway Coal men and ash carters would pass into that same merciful oblivion which shelters stage-coach bandits and Indians on the warpath. The reason why such a radium system

The reason why such a radium system would never have to be replaced is that radium is the one and only close approach to perpetual motion to be found on our globe. Look at a piece of radium onethousandth the size of a pin point thru a *spinthariscope*. This is an instrument consisting of a high-magnifying lens and an aluminum disc covered with zinc sulfid. When viewed in this manner millions of tiny arrows of fire are seen to be flying from the radium and impinging on the zinc sulfid with an explosion like that of a fire ball from a Roman candle.

The each of the exploding projectiles of helium—radium somehow transforms itself into active atoms of this other element looks nearly as large as the original divot of radium, you may glue your eye to the spinthariscope for hours—centuries, if you live that long—and you never will see any diminution in the discharge or in the size of the radium piece.* Scientists who have given the matter intensive study over long months and years say that they suspect radium of losing an infinitesimal part of its

> HIGHLY HEATED, ALTHO SOLID ZONE, 80 MILES IN DEPTH, CONTAINING SLIGHT AMOUNT OF RADIUM

ject unless a dynasty of scientific Methuselahs is established.

The one big obvious objection at present to the use of radium for heating plants lies in the scarcity and tremendous cost of the metal. One ounce only would cost, at the present market price, approximately \$40,000. The twenty pounds necessary for heating the ten-room house mentioned would retail at \$12,800,000, were such a quantity procurable. Figuring interest at six per cent, the cost of that radium heating system for a year—excluding the original investment, which would not appreciably deteriorate would be in the neighborhood of \$768,000, or about 4,000 times the cost of coal heating today.

The only logical reason in the world for even allowing imagination to roam on this subject lies in the terrible and undisputed fact that somewhere we are going to have to get heat if we are to live!

To get heat if we are to live! So much space has been given in the last decade to learned dissertations on our rapidly decreasing supplies of coal and petroleum that it is useless to dwell on this. Suffice it to say that the last reports of competent authorities state baldly that we will surely be out of both *forever* at the conclusion of the present century, provided our present rate of consumption is neither raised or lowered. Since we have no assurance that the rate of increase of consumption will not keep on, we may bet safely that the year 1975 will see coal and oil so scarce that only millionaires can afford them. Coal then may be \$500 a ton, and crude oil \$25 a gallon. Alas for the "flivvers"! Imagine Mr. Autoist of that day


> THE EARTH'S RADIUM SUPPLY IS SCATTERED PRINCIPALLY THRU A 30 MILE CRUST

CORE OF MOLTEN

MATERIALS

3 MILE DEPTH DF EARTH'S CRUST: PROBABLE LIMIT OF MAN'S RADIUM EXTRACTION

Copyright, 1919, by E. P. Co.



Radium Power, Light and Heat for Apartment and Dwelling Will Seem as Much of a Commonplace to Those of Future Generations as Soft Coal Furnaces Seem to Us. In Tomes of Ancient History They Will Read Stories of How Their Ancestors Struggled Thru the Smoky Winter of 1918, and They Will Marvel at Our Lack of Understanding. All Because of the Wonderful Power of "Radium" to Give Off Energy--Convertible Into Heat, Light, and Power, for a Practically Indefinite Period. At Any Rate for Thousands of Years. So the Principal Problem We Have to Solve Is--How to Find a Far Cheaper Way to Remove the Radium Than We Have at Present. And Why Should We Do This? Because, as Mr. Brondsdon Points Out, the Coal Supply of the World Is Fast Giving Out. On the Other Hand, Man Must Not Remove Too Much Radium from the Earth or the Earth May Freeze to Death.

that there would be no flues, traps or pipes to be cleaned, and no ashes would accumulate to make the householder angry on Satactual weight in the course of a few eons, but that human beings are going to have trouble gathering accurate data on the subgoing into the garage and asking for a new "can" of Radium for his "Radiobile." It can happen. (*Continued on page* 59)

"This is not strictly the case, for the zinc sulfid spinthariscope we have to-day, for while the radium will last for thousands of years, the zinc sulfid will give out in a relatively short time. However, there are undoubtedly other substances which would last much longer than zinc sulfid. Another variable factor, variable in the sense that we have not lived long enough with radium yet to tell exactly how long it will last before losing its power, is the total life of this marvelous substance. Scientists tell us that in 1,800 years radium loses one-half of its activity. In another 1,800 years one-half of the remainder will have disintegrated, etc., etc. So that on this assumption the radium will have totally disintegrated in 22,000 years.—Editor.

How the French Located Submarines


NE by one the multitudinous sci-entific secrets of the great World War are finding their way to the public press, so that the student of science may at last have his ap-petite appeased in his quest of descriptive

depending upon the operating conditions and the size of the submarine. The Walser Gear, whose construction has

been kept secret during the war, is a direc-tional apparatus for detecting and recording sounds heard thru water and thus locating

nized as the most improved type and most practicable.

The sounds are received thru a number of vibrating diaframs fitted into holes pierced in a boss, or "blister" of sheet steel, which replaces a corresponding sec-




The Walser Gear—a Type of Hydrophone Used for Submarine Listening. The Walser Gear, Whose Construction Had Been Kept Secret During the War, Is a Directional Apparatus for Detecting and Recording Sounds Thru Water and Thus Locating the Presence or Approach of Enemy Ships. This Apparatus is the Invention of Lieut. Georges Walser, of the French Navy, and is Recognized as the Most Improved Type and Most Practicable. The Sounds are Received Thru a Number of Vibrating Plates Fitted Into Holes Plerced in a Boss, or "Blister" of Sheet Iron, Which Replaces a Corresponding Section of a Ship's Hull. The Observer Works In a Sound Proof Cabin Stretching Across the Whole Width of the Ship, and Wears a Listening-helmet, Attached to Two Trumpets. Into These Trumpets the Sounds are Focused By the Vibrating Plates Attached to the "Blister." Left:—Detecting the Presence of Enemy Ships On or Under the Surface of the Sea. An Observer Using the Walser Gear in a Special Cabin Fitted Up as a Listening Post. Right:—On the Hull of the "Henriette II", a French Warship Which is Using the Apparatus, Showing the Exterior of the Sound—Collect-ing Boss or "Blister".

matter on some of the master problems which have been worked out and solved by engineers and scientific workers connected with army and navy developments. Probably no one problem in the whole war

drew more attention from laymen and scientists alike than did the one of accurately discovering and locating the whereabouts of the Kaiser's U-Boats. The United States Naval Advisory Board received thousands upon thou-sands of suggestions, all telling how very simple it was to ferret out and locate the position of an enemy submarine, just by placing a microphone or set of microphones in the hull of a vessel and connecting these up with a set of telephone receivers, so that the sound produced by the submarine pro-peller and motor would be picked up by the microphones and thus heard in the receivers. Various methods were described for taking certain definite and very precise measurements along these lines, so as to work out mathethese lines, so as to work out mathe-matically or otherwise the position of the lurking sub-sea fighter. Consider-able success was obtained with similar arrangements by the navies of the dif-ferent countries participating in the World War, but the Walser gear—a special type of hydrophone used par-ticularly for listening to submarines under water was developed and successunder water was developed and success-fully used by the French Navy and other allied vessels for accurately locating enemy submarines at distances of one mile to three miles or more,


the presence or approach of enemy ships. Many different devices for "listening" for enemy ships have been disclosed, but this apparatus, the invention of Lieut. Georges Walser, of the French Navy, is recog-



Dlagram of One "Lens" of the Walser Submarine Detector and Locater, Showing the Carefully Worked Out Balancing Scheme for Supporting the Movable Sound Trumpet Over the Various Sound Focal Points.

tion of a ship's hull. The observer works in a sound-proof cabin stretching across the whole width of the ship, and wears a listening helmet attached to two trumpets. Into

these trumpets the sounds are focust by the vibrating diaframs attached to the the "blister." Some of the disadvantages of the ordinary listening microphone arrangement for the detection of submarines are the following: Invariably the ves-sel on which they are mounted has to set on which they are mounted has to be stopt momentarily while a listening test is being made, in order that the ship's engines shall not drown out the sounds which the listening operator is endeavoring to pick up from the sea. It is interesting to mention in this con-pection, that some of the American nection, that some of the American listening devices of this type were so remarkably sensitive that even a small dynamotor used on the regular wireless apparatus on the vessel had to be less apparatus on the vessel had to be mounted on springs, so that the ex-tremely slight mechanical vibration set up by it would not interfere with the sounds picked up from the water on the submerged microphones fastened to the hull of the hoat. Another fault found with the ordinary "hydrophone" is that the different sounds received simulta-neonshy could not be distinguished very neously could not be distinguished very readily from one another, and even if but one sound was picked up, the di-rection from which the sound ema-nated was not very perfectly indicated. Practically speaking then, one of the (Continued on page 82)



The Accompanying Sectional View Shows Vividly How the New Vehicular Tunnel Under the Hudson River at New York City Will Look When Finlshed. There Seems to be No Question at Present as to the Possibility of Building This Tunnel, and the Only Remaining Details Are Engineering Considerations Such as Ventilation, Etc., Which Are Being Rapidly Solved by Some of the Crack Engineers of America, including No Less a Personage Than General George W. Goethals, Builder of the Panama Canal, and Now Holding the Position of Consulting Engineer to the Interstate Bridge and Tunnel Commissions of New York and of New Jersey. Several Other Proposals Have Been Brought Forward for the Building of This Tunnel Under the Hudson River, But the Goethals Plan Seems to be the Most Feasible, and the One Most Likely to be Adopted. The Length of This Vehicular Tunnel Will be About 9,400 Feet from Portal to Portal, with a Distance of 5,500 Feet, or More Than a Mile Separating the Buikhead Lines, if These Are Placed Back of the Shore Line. In View of the Fact that the Ventilation Problem is at Present One of the Most Important, and the One Responsible for the Most Discussion Among Tunnel Experts, We Have Several Suggestions in the Present Article and Illustrations Which Might, if Adopted, Help to Bring About the Early Adoption

HE bridging of the Hudson River, commonly known as the North River in New York City, is an engineering problem that has been before the

problem that has been before the people of the states of New York and New Jersey for probably more than thirty years. A bridge across this great water highway would no doubt have been constructed many years ago, if it had been found possible to raise sufficient funds to render this dream a living reality. Engineering experts have recently bestirred themselves with the thought of crossing the Hudson either by bridge or else by means of a tunnel, particularly a vehicular tunnel suitable for horse-drawn, electric and gasoline propelled vehicles. The bridge question seems to have been discarded practically altogether now, owing to its tremendons initial cost, which would be about \$72,000,000 at least, compared to the initial cost of \$12,000,000 for constructing a large tunnel under the Hudson on the newly revised plan proposed by General George W. Goethals, the well-known American engineer and builder of the Panama Canal. General Goethals has been appointed consulting engineer to the Interstate Bridge and Tunnel Commissions of New York and of New Jersey. There are many reasons why New York should have means of communication such as this, as its sister state supplies, either directly or indirectly, a very large portion of the food and other commodities for greater New York's population of 7,000,000, which is brought to the piers on the west side of the Hudson by numerous railroads. Right here there is a constant and prohibitive wastage of perishable food products, owing to the highly congested and inadequate terminal facilities afforded for their movement.

At the present time there is more or less agitation in the legislatures of both states between those friendly and unfriendly to the Hudson River project. So far the one great problem, according to some of the testimony being given, and which has seemed almost insurmountable, is the proper ventilation of this tube, especially where gasoline driven vehicles are to be permitted to exhaust devitiating gases into the air of the tunnel. But according to a very able engineering report on this project, given in the Journal of the Franklin Institute and prepared by Martin Schreiber, Chief Engineer of the Public Service Railway Company of New Jersey, the ventilating problem of such a tunnel as proposed by General Goethals and other engineers can be readily taken care of, as actual laboratory tests have proven, and which have provided a satisfactory basis for calculating the results of such a long tunnel as that under the Hudson. Also to back up the argument for building the tunnel, there is precedence afforded by the fact that London, England, has built two vehicular tunnels under the Thames River, one 6,200 feet long, and the other 6,883 feet long.

The editors make several new tunnel suggestions, which are shown in the illustration accompanying this article, whereby the gigantic ventilating problem could be overcome to a large extent by controlling the kinds of traffic that should be allowed to pass thru the tube. First, the writer would suggest that the engineers contemplating the building of this tunnel consider a cable-way, one of which would be provided on each roadway, east and west, for the purpose of hauling gasoline operated vehicles thru the tunnel, without their engines being operated, thus doing away with the production of the objectionable carbon monoxid and other poisonous gases emanating from their exhaust. It would not be an impossible, or even impracticable matter, if such an electric motor-operated cable-way, similar to the old cable-car systems, were used to haul the gasoline vehicles thru the tunnel to Jersey or to New York. It could be arranged to have the owners purchase a standard cable grip, which could be fitted on to any gasoline vehicle at nominal cost.

Another proposal, made by Mr. H. Gernsback, is one employing a moving roadway of sufficient width to accommodate gasoline auto trucks, the roadway being operated by electric motors spaced at suitable intervals along its length.

Another proposal suggested by the writer would be to utilize a trolley wire over the

Hudson River

By H. WINFIELD

Associate Member American

one line of traffic apportioned to gasoline vehicles on each roadway, and having the owners of these vehicles equip them with a trolley pole, but by the time the owners had installed an electric motor under the gasoline vehicles for use with it, it would probably be just as well for the tunnel operating engineers to ask the owners of such vehicles to invest in electric trucks for that particular traffic intended to go via the tunnel.

to invest in electric trucks for that particular traffic intended to go via the tunnel. All of the tunnel proposals now under consideration agree on the location, which extends from Twelfth Street, Jersey City, to Canal Street, New York. The termini of the tunnel at both ends are located in the center of the trucking and freight districts. The New Jersey terminus is also happily located adjacent to the great freight yards of the principal railroads, and close to the main ferry lines, thus providing every chance for close co-operation. Besides, the great Lincoln and other much used vehicular highways lead to the location proposed for the Jersey City terminus.

ular highways lead to the location proposed for the Jersey City terminus. The Hudson tubes as well as the Pennsylvania tunnels under the Hudson River, which are used for railway traffic exclusively, were driven by the well-known shield method. General Goethals, in his proposal for the new Hudson vehicular tunnel, has advocated the shield-driven double-deck single tube, as shown in the accompanying illustration. This tube is to have an internal diameter of 36 feet, with two 18-foot roadways, one super-imposed above the other, and a concrete floor between them. This proposal for the tunnel would permit of four lines of vehicles, two on each roadway, two of the faster moving type such as pleasure automobiles on the upper floor, and two of the slower moving vehicles, such as auto-trucks, on the lower floor.

Most of these under-river tubes have been constructed with cast-iron blocks built of segmental form, which were bolted together after being put in place, and which thus tended to resist any external hydrostatic



of the Tunnel Project. Among These Features Are the Foilowing:—First, That a Ventilator Shaft be Placed a Comparatively Short Ways Out In the River at Either Approach, So as to Simplify the Ventilating Problem by Reducing the Length Between the Bulkheads. Second, That Gasoline Vehicles be "Hauled" Thru the Tunnels So as to Eliminate the Fouling of the Air by Obnoxious Exhaust Gases, Particularly Carbon Monoxid, by Means of a Moving Platform. Third, Haul Gasoline Vehicles Thru the Tunnel by a Cableway Simllar to the Well-Known Cable Car System. Fourth, Cause the Gasoline Vehicles to be Fitted with a Trolley Pole and Electric Motor for the Purpose of passing Thru the Tunnel Without Discharging Obnoxious Gases. The Goethals Proposal Calls for a Concrete Block Tunnel, 42 Feet in Outside Diameter, with Two Road Levels, as Here Shown. One Roadway Will be for East-Bound Traffic, and the Other for West-Bound Traffic. Actual Laboratory Tests On a Short Length of Tunnel Have Shown That 750 H.P. Would be Required to Operate the Fresh Air and Exhaust Fans, with a Maximum Capacity of 360,000 Cubic Feet of Fresh Air Per Minute.

Vehicular Tunnel

Institute Electrical Engineers

pressure with great power, much in the same way that the stones of an archway tend to support the arch. The outside of these segmental steel tubes is covered over with a fairly thick coating of concrete. Here is where the Goethals proposal differs radically from former practise, and there is considerable discussion now taking place as to the feasibility and practicability of his proposed design which is as follows:

is considerable discussion now taking place as to the feasibility and practicability of his proposed design, which is as follows: General Goethals' proposition is that the tunnel be constructed of O'Rourke concrete blocks in segmental form. Outside of this tube a gravel packing is to be placed. Some experts seem to doubt whether such a tube would be thoroly water-proof, and also what would happen in case of an earthquake or other severe concussion, as when a powder boat or supply of explosives might happen to blow up in the harbor, as has occurred several times during the war, when the concrete tube might crack with an appalling loss of life.

appairing loss of fire. Detailed plans have been drawn up by the New York State Bridge and Tunnel Commission, under the direction of Major General George W. Goethals and John F. O'Rourke, which provide for the driving of the tunnel by the use of a shield forty-two feet in diameter—the method most usual when dealing with soft material. The material under the Hudson River is a soft silt and sand overlaid by still softer material of sewage origin, which is almost fluid. These conditions are complicated by the presence of ledge rock which is occasionally encountered. In a shield having a diameter of twenty-five feet, there is a difference in pressure between the top and bottom of ten pounds per square foot. This makes it difficult to guard against blow-outs and other accidents caused by the difference in pressure at the top and bottom of the shield, tunnel experts consulted by the state commissions have pointed out.

commissions have pointed out. The diameter of the shield used in driving the Hudson tunnel was 17 feet; that of the Pennsylvania tunnel shields 23 feet 6 inches. The latter were the largest ever used under either the Hudson or the East rivers. The Rotherhithe tunnel, under the Thames River in England, was driven with a shield 30 feet in diameter thru clay mixt with shells, pebbles, loam, a much firmer material than that under the Hudson.

a sheld 30 feet in diameter thru clay mixt with shells, pebbles, loam, a much firmer material than that under the Hudson. Of course, the traffic would have to be handled so that approximately half of the vehicles would move *eastward* and the other half *westward*. Once the tunnel is built, however, this becomes a problem for the traffic engineers of that year to solve. According to the Goethals plan, the fresh air duct is at the top of the tunnel, and fresh air is constantly pumped along this duct by means of powerful electricallydriven blowers and fans, while the foul air, including exhaust from the gasoline vehicles, is drawn out thru ducts at the bottom of the roadway. Besides, there are additional ventilating and foul air ducts at either side of the tunnel, walled off from the roadways.

To find out exactly what would happen in a section of such a tunnel with a number of gasoliue vehicles operating their engines therein, a test building, corresponding in cross-section to the proposed tunnels and measuring 125 feet in length, was constructed at Newark, N. J. Eight automobiles were operated in this building, which could be shut off air-tight and fresh air pumped in at the top and the exhaust pumped out at the bottom, or vice versa. A number of elaborate tests of various kinds were carefully made by experts, including Professor Gellert Alleman, of Swarthmore, Pa., and Dr. H. Jermain Creighton, of Swarthmore College. From a very elaborate and convincing analysis on the various gases present in the tube after the automobiles had been operated for a period of forty minutes, Prof. Alleman reported that when all doors were closed and the ventilators opened, after the engines of eight cars had been *running light* for forty minutes, the condition of the atmosphere was almost normal, so far as physiological action was concerned, and the amount of carbon monoxide content not dangerous This calculation was further supported by the fact that eighteen persons who remained in the tunnel during the test for a continuous period of forty minutes experienced no unpleasant sensations from breathing the air. The contaminated air in this particular test showed .075 per cent. carbon monoxid, and 6 per cent. carbon dioxid, which proved that the per cent. of carbon monoxid was so small as to be negligible. With the data thus obtained, it was calculated that air supply fans with a maximum capacity of .360,000 cubic feet of fresh air per minute, and exhaust fans having 20 per cent. more capacity, would be required to ventilate the tunnel. The total amount of horse-power computed for operating these fans was 750 H.P. The length of the proposed tunnel under the Hudson, from portal to portal, would be approximately 9,400 feet, with a distance of about one mile, or somewhat over 5,000 fect between the bulkhead lines. As a forementioned. London has built two

As aforementioned, London has built two vehicular tunnels under the Thames, one 6,200 feet long, the other 6,883 feet. Public interest in tunnels for New York was aroused about thirty years ago by Austin Corbin, who proposed tubes under both the Hudson and East Rivers. Scientists charted the bottoms of the two rivers and reported that tunnel construction was feasible. Perhaps it might have been undertaken at that time but for Mr. Corbin's death. Twenty years later William G. McAdoo undertook this work. President Cassatt, of the Pennsylvania, persuaded his directors to authorize the construction of tubes under the Hudson, also under Manhattan Island, extending under the East River to Long Island.

sylvania, persuaded his directors to authorize the construction of tubes under the Hudson, also under Manhattan Island, extending under the East River to Long Island. The total underwater section of the tube will be about 1 3/5 miles, and it is conservatively estimated that it will have a daily capacity of approximately 100,000 vehicles. Statistics compiled from data of 1917 show that during that year 4,800 vehicles crost over the five ferry lines between New York and New Jersey in the vicinity of the proposed tunnel every day. The material thru which the trench must be dug is soft silt and mud.

COMING **INVENTIONS** 2

THE THOUGHT RECORDER

When the writer first conceived the idea of the thought recorder, he asked three prominent scien-tists regarding their views on recording thoughts electrically. The letters are reproduced herewith excerpted. It will be noted that Nikola Tesla dis-agrees with the writer as to thought transmission at all, but his letter nevertheless will give con-siderable food for thought to many readers. Dr. Lee de Forest, inventor of the audion, is not too sure about thought transmission. Dr. Greenleaf Whittier Fichard the inventor of

Dr. Greenleaf Whittier Pickard, the inventor of the silicon and pericon detector, as well as many other wireless specialties, has several interesting ideas, and his letter will certainly prove a reve-lation, particularly to those interested in radio.

N studying the evolution of the human specie we must go back to the time when man proper, as we know him, had not as yet arrived on this planet. Our great biologists have irrefutable evidence that everything in Nature works

on a slow, laborious plan, one specie being developed slowly into another from the smallest animalculae up to present man. When man was still in the what we may call animal stage, i.e., when he was not "think-ing," as that term is understood, he was wholly guided by instinct. His "thoughts," if so they may be called, were probably on a much lower plane than thoughts of the average dog. The chances are that the present day dog probably "thinks" much better than prehistoric man. We also find that thought and language go hand in hand. Crudely speaking, prehistoric man had no better language than any highly de-veloped animal, such as a dog, cat or a animal stage, i.e., when he was not "thinkveloped animal, such as a dog, cat or a horse.

Thru thousands of years of evolution, however, instinct developed into crude thought, and finally there came a time when prehistoric man really began to think, when prenistoric man really began to think, as we know the term. That was the time when he began to utter his thoughts by means of his voice. At first only a few crude words were formulated, and probably consisted of not much more than the gib-berish of a chimpanzee. Little by little organized thought arrived, and words, trans-

By H. GERNSBACK

THREE FAMOUS SCIENTISTS' VIEWS ON THOUGHT TRANSMISSION

THREE FAMOUS SCIENTISTS' VIEWS ON THOUGHT TRANSMISSION.
Altho I am clinging to ideals, my conception of the universe is, I fear, grossly materialistic. As stated in some of my published articles, I have satisfied myself thoroly thru careful observation carried on for many years that we are simply automata acting in obedience to external influences, without power or initiative. The brain is not an acomains no records whatever of a phonographic or photographic kind. In other words, there is no stored knowledge or memory as usually conceived, our minds are blanks. The brain has merely the quality to respond, becoming more and more susceptible as the impressions are often repeated, this resulting in memory.
There is a possibility, however, which I have indicated years ago, that we may finally succeed in not only reading thoughts accurately, but reproducing faithfully every mental image. If can be done thrue the analysis of the retina, which is instrumental in conveying impressions to the nerve reteres and, in my opinion, is also capable of serving as an indicator of the mental processes taking place within. Evidently, when an object is seen, consciousness of the external form can only be due to the fact that those comes and rods of the retina, which are covered by the image are affected differently from the rest, and it is a speculation not too hazardous to assume that visualization is accompanied by a reflex action on thereins which might be detected by suitable instruments. In this way it might also he possible to ropost the reflex image on a screen, and with retina which might be detected visible, recorded and a will reproduced.

Vour article should be an interesting one, par-ticularly as to the audion suggestion. The audion, however, seems to have a certain wavelength limi-tation, so that unless the waves to be recorded lie between about 3×10^{10} cm, and 3×10^{2} cm, they are not apt to be "picked up." A more likely range to search would be from 3×10^{2} cm, down to 3×10^{10} cm, that is, down to the harder Gamma rays, or to even shorter wave-lengths, starting with the shorter Hertzian waves. Here the audion would be useless, save as a second stage in the detector. Greenleaf W. Pickard.

While I have little doubt that there is such a thing in nature as transference of thought from one brain to another, I am not aware that sufficient data has ever been gathered on such a highly abstruse subject to permit forming any definite oninion opinion.

Lee De Forest.

lated into speech kept pace with the ad-vancing thought of man. As the human race kept advancing at a slow pace, its thinking qualities increased little by little, and the senses correspondingly became more sharpened.

This is especially true of the human think-ing machinery which perhaps has advanced more rapidly than the senses. Thus we find that certain senses have even been retarded, such as, for instance, sight, smell and hear-ing. When man lived his wild life it was ing. When man lived his wild life it was very necessary for these senses to be much sharper than they are at present; hence our poor hearing, bad sight and very much poorer smell. On the other hand, as the battle for existence becomes more and more acute, and as moreover the battle is not as much physical as mental, it follows that the mind and its thinking machinery should naturally become more and more developed, which, in fact, it does. We may safely say that within the next hundred thousand years-which is only a small span of time in man's evolution-the human mind will be an entirely different sort of apparatus than it is today. Man's mental power will be infinitely greater than what it is at present. Already we have indications that man's thoughts, or the effects therefrom, do not necessarily have to remain within his skull, but that they actually radiate from the latter in a very imperfect manner. As the human race advances, there is no doubt that thought transference proper will become an accomplished fact. It has already been shown experimentally by Di Brazza, as well as Charpentier, that concentrated thinking will produce certain external effects, as for instance, a slight fluorescence on a zinc sulfid screen, or a suitably excited X-ray screen. This would tend to prove that thoughts are of an electrical nature, having probably a very short wave length. As most electrical effects in space are depend-(Continued on page 84)



The Thought Recorder is an Instrument Recording Thoughts Directly by Electrical Means, On a Moving Paper Tape. Our Illus-tration Shows What a Future Business Office Will Look Like When the Invention, Which as Yet Only Exists in the Imagination, Has Been Perfected. By Pushing the Button A, the Tape is Started and Stopt Automatically So That Only Thoughts That Are Wanted Are Recorded.

Paris Letter

By JACQUES BOYER


Paris Correspondent of the Electrical Experimenter Signaling Tanks.

Airplane-Radio.

Paris, February, 1919. HE war having ended thru the conclusion of the armistice, the military censor now allows the publication of information concerning various technical matters of the French Army. In this and in the following monthly

The "baby" Renault tanks now well known in the United States, played an im-portant rôle in pushing back the Huns. They had not a little to do with the Allied victory and were constructed by the French because Levie Renault. This well known engineer, Louis Renault. This well-known French technician created many different

metallic mast, the four lower legs of which are mounted on a revolving cupola which makes it possible for the mast to be imme-diately revolved in any direction. The top of the mast is $7\frac{1}{2}$ meters from the ground. The two searchlights are arranged in such a manner that they can send out two independent light shafts, or the two shafts can be converted into a single shaft of light. In





The "Radio-stereo-scope" is the latest in French X-ray apporetus. By its means it now be-comes possible to rapidiy locate bul-iels or fractures — owing to the per-specilve of vision thus afforded. The X-ray plates are li-luminated from be-hind, while the physicien views them thru the spe-cial coodinating in-strument shewn. Fig. 3.

letters, we will unfold thru the ELECTRICAL EXPERIMENTER the latest European technical developments as they come to our attention.

Particularly during the war, the censorship has been so rigid that many important inventions have never been even mentioned in the technical press. We shall be glad to describe these monthly for the benefit of EXPERIMENTER readers.

The accompanying photographs show the latest system of radio-telegraphy installed on French Airplaues during the war. Fig. I shows what is called the "radio-telegraph dynamo" on a Farman airplane.

All the French combat machines were equipt with this or similar apparatus. Be-tween 25 and 150 kilometers could be cov-ered by means of this apparatus weighing some thirty odd kilograms. For receiving some thirty odd kilograms. For receiving the wireless waves the aviators of course used the audion, and by use of sound-proof helmets, it was possible to receive the orders clearly, notwithstanding the terrific noise of the airplane motor. The small dynamo shown in Fig. I is operated by means of a small air propeller, and this motor works entirely independent from the power plant of the airplane. As long as the airplane is in motion the propeller will turn due to the rush of the air, and thus even if the engine becomes stalled, the aviator can still use his wireless, for the 'plane while vol-planing down furnishes enough energy to drive the small auxiliary dynamo. The wireless antenna trails behind the airplane thru the steel tube as seen in Fig. I, at the end of which there is a small pulley. At the free end of the antenna wire there is a the free end of the antenna wire there is a weight of two or three kilograms (4 to 6 pounds) which tends to keep the antenna more or less taut. The wire stays of the airplane themselves form the "ground" for the wireless system. All aviators in the air were constantly in touch with each other, and in order that one airplane should not be mistaken for another one, different wave lengths were used for each. Not only this, but other tricks as for instance, sending at a different intensity, was often re-sorted to by certain aviators in order that the ground station would know from which 'plane the signals emanated.



The "Baby" Renault Tanks Played an Important Rôle in Pushing Back the Huns. Some of These Tanks Carried Cannon and Machine Guns. The "Tank Projecteur" Here Shown Was Effectively Used for Signaling Purposes. Fig. 2.

machine guns, while others merely carried ammunition. One of the strangest ones constructed by him is the "tank projecteur" (signaling tank). It is shown in the ac-companying photograph, Fig. 2. This tank is built along the lines of the "baby" tank,

The war has brought forth a great many surprises, many of which for mili-tary reasons having remained secret, and many will continue a secret for some time to come. Our readers no doubt are very much interested in many of the war de-vices brought out during the war by our European Allies. We have therefore made arrangements with our Paris correspond-ent, Mr. Jacques Boyer to send us an article each month on hitherto unpub-lished information. The first article of the series appears on this page.—Editor.

but in the back we find on an inclined steel truss a little dynamo driven by the ma-chinery of the tank. Two "signaling pro-jectors" are mounted at the top of a light

the inside of the tank we find our usual Morse telegraphers, operating a key which Morse telegraphers, operating a key which controls the light shafts. By means of this arrangement, the ordinary Morse or Con-tinental Code can be sent out by breaking up the light shaft into "dots and dashes" the same as is done in the usual method of signaling with lights. Mr. Renault has in-corporated several refinements into the search lights, one of which is an iris ob-turator whereby the volume of the light can be increased or decreased at will.


Radio-stereoscope.

Radio-stereoscope. This apparatus has been developed by the French engineer, M. Nemirovsky, the X-ray specialist of Paris. It has given wonderful results to the French military physicians, and it now becomes possible to locate metallic or other foreign pieces in the human body in a manner not possible before. The ordinary X-ray photograph shows only the foreign body, but it is im-possible to tell how deep the penetration is, and often the physician cannot tell if a bullet is in front or in back of a certain organ. In other words, he does not know just how deep the bullet is embodied. Everyone who has looked thru the ordinary stereoscope will readily understand how stereoscope will readily understand how objects "stand out" and how they reveal their exact location to the human eye.

It is this principle which is made use of by M. Nemirovsky, who has also greatly simplified the radio-stereoscope technique. Our illustration, Fig. 3, shows the method. Two X-ray pictures taken at one time by super-imposing two plates and afterward developing them are placed side by side in an arrangement termed a "negatoscope." The plates are illuminated from behind by means of an electric lamp. The physician then regulates the radio-stereoscope by The physician means of a thumb screw as shown, until he sees the bones, and all other parts as well. The foreign body then stands out in plain relief. The physician now examines the plates carefully and he obtains a clear menplates carefully and he obtains a clear men-tal picture which subsequently gives him an exact idea as to just how deep the foreign body is emplaced. If necessary during the operation, he can frequently inspect the negatives stereoscopically in order to guide himself should this be necessary.

May, 1919

Locating Enemy Guns by Flash and Sound



Switchboards Used for Flash or Sound Spot-ting of Enemy Artillery, Photo at Left Shows a Type B-T Sound Rang-ing Set Such as Used By the United States Army Signal Corps Dur-ing the War. Many of These Switchboards Were Successfully Used At the Front. It is Slightly Larger Than the Smaller Model and Requires a Little More Time to Set Up, But On the Other Hand it Com-bines Many More Tele-phone Circuits. A Single Section Has Located as High as 117 Guns of Enemy Batteries In 24 Hours. The Right Hand Photo Shows a Small Portable Switchboard, Known as a Flash Ranging Set. This Sig-nal Board Is Used in Conjunction With an Observation Telescope for Locating the Flash of Enemy Guns and General Activities At the Extreme Front, and is Suitable for Night or Day Service.

HE accompanying photographs show respectively two of the war's newer developments, which even the veterans of the Spanish-American War were not of the Spanish-American War were not familiar with. For one thing, of course, "flash ranging" and "sound ranging," as they are called, are really two military de-velopments which were brought about by the fact that vastly greater numbers of guns were used in the great world war than were ever even dreamed of before.

Let us first consider the "flash spotter." The flash spotter usually takes up his lo-cation in the vicinity of front line trenches, or in a shell hole from which he can effecor in a shell hole from which he can effec-tively use an observation telescope for min-utely observing and locating in what direc-tion the flash of an enemy gun occurs. The electrical switchboard shown herewith forms a part of the communication link with the artillery and general intelligence headquarters, so that the position of the enemy guns can be quickly made known, and either shelled at once by counter-bat-tery fire by the artillerists, or else the lo-cation is accurately plotted on large maps for future consideration, depending upon the activity of the enemy gun or guns at the moment. moment.

The flash spotter, if he happens to be lo-The hash spotter, if he happens to be lo-cated in a listening post or shell hole, or in fact in any other forward location, in-variably has with him his trusty portable telephone connected by wire to the nearest communicating depot, where we find one of the small portable switchboards here shown. These switchboards are fitted with the These switchboards are fitted with the proper regulating instruments for creating the best working conditions on the various and disconnecting a large number of cir-cuits, in some cases, about 30 or 40 lines running out to various flash ranging obserrunning out to various hash ranging obser-vation stations, or in other cases as many as 100 or more lines. The work of the flash spotter is finished for any particular case when his observations, as to the angle in which the flash was observed, and a similar which the hash was observed, and a similar or different angle measured by a co-observer somewhere down the line, have reached the engineers. These experts, by means of special slide rules and tables, quickly solve the distance of the enemy gun and its defi-nite location geographically by the information afforded thru the observation data submitted by two or more flash ranging ob-servers. In other words, it is triangulation, which mathematical quantity has been raised to the n'th power by Uncle Sam's

artillery experts. The work of the "sound ranging" experts in locating enemy guns, both large and small, is somewhat different from that of

the flash ranging corps. One of the switchboards used in connection with the sound ranging of enemy guns is illustrated here-with. Hundreds of these switchboards were successfully used at the front during the progress of the war. A single section of sound-ranging equipment located as high as 117 guns of enemy batteries in 24 hours. (Continued on page 68)

World's Largest Generator

The accompanying illustration shows one of the largest water-wheel type generators ever built, and its gigantic dimensions may be judged by comparison with the figure of the man standing beside it. This is one of several water-wheel generators built for the Keokuk electric generating station of the Mississippi River Power Company. This mastodonic generator has 52 poles and de-livers a current at 11,000 volts potential. This is a high voltage for a generator to This is a high voltage for a generator to produce, owing to the strains on the re-volving windings, etc. Much higher volt-ages are frequently used for the transmis-sion line, and voltages of 50,000 to 75,000 are common for such transmission, these extra high potentials being obtained by means of stationary transformers in the power station where the generators are lo-cated. cated.

The large field or stator frame here shown forms the stationary part of the generator, and the rotating member which is also of gigantic size and mounted on a steel shaft several feet in diameter, is put steel shaft several feet in diameter, is put in place and lined up with high accuracy when the stator frame of the generator is put in place and bolted to its foundation. These large machines are invariably built in sections which can be bolted together after they have reached the site of their installation

The transformer comprises a laminated sheet iron core on which there are two windings or series of windings, one of which forms a low voltage primary which is connected with the generator, driven by a water-wheel or other source of primary power; while the second set of windings form a high voltage or secondary circuit, in which any desired potential current is in-

duced by induction, the primary and secondary windings being linked magnetically by means of the iron core. Transmission lines are in use at the present day with po-tentials of 150,000 volts and higher.—Photo Courtesy G. E. Co.



Note the Relative Size of the Man Compared to the Huge Stator of the Largest Water-Wheel Type Generator Ever Built. It De-velops a Current of 11,000 Volts.

Novel Electric Talking Sign

time; it is then released by pressing a single

HE accompanying illustrations, Figs. 1, 2 and 3, show the design, construc-tion and method of operation of an electric bulletin board, operated by a typewriter, which is said to be the latest achievement in the electric sign in-dustry. This new illuminated

sign called the Electrograph has been erected on the Dispatch Building in Co-lumbus, Ohio, and flashes the latest ncws, fresh from the press wires, and advertising bul-letins for local national a n d concerns.

It may be stated that this Illuminated Sign has two sides, each side holding sixty monograms, arranged in three Each rows. monogram contains a clever arrangement of twenty - one lights, combinations of which form any letter or numeral and a few other characters, each one measuring two by three feet.

The "Electrograph" Talking Sign Here Illustrated is the Last Word in Electric Signs and Advertising De-vices. It is Operated by a Typewriter Keyboard, as the Upper Right View, Fig. 1, Shows. Local Adver-tising Bulletins and "News", Fresh from the Wire, Are Flashed by This System, with Great Success and at Economical Cost. The Gigantic Sign Here Seen is Located in Columbus, Ohio. It Has Two Faces, Each Side Holding Sixty Monogram Letters. DISPATCH BUREETW CAPTURE OF BREANE ADDS BIG FICTORY TO THE ALLIED CAUSE

The photograph Fig. 1 shows the operat-ing room. The typewriter method of oper-ation distinguishes this device from others of similar character. ation distinguishes this device from others of similar character. A standard machine is used and contacts are made by striking the keys just as they would be struck in ordinary typing. An extra platen, bearing silver plugs, over which a stylus rides, se-lects the monograms automatically as the writing proceeds, thus throwing the letters in their proper places on the sign. The let-ters remain in place until the bulletin is completed and may be held any length of

letters. Thus, if an error is made, it may be promptly corrected. The operator can-not see the sign as he works and so a pilot board has been provided directly in front of him, consisting of sixty green light bulbs, corresponding to the sixty monograms on either face of the board. When a letter is struck, with the platen set at any given position, the letter appears in the corre-sponding monogram and automatically lights the corresponding green light. For illustration, it will be seen that if the platen is cat with the studys on No.3 plug

platen is set with the stylus on No. 3 plug

Latest news from ordinary electric signs. the peace table fronts is bound to attract attention, and while the crowds watch for news, they read the advertisements. On election night the electrograph is the center of attraction, as the returns are flashed more promptly than is possible by any other means. This service, of course, increases means. This service, of course, increases the value of the sign to the advertisers and gets more results from them than they could get from a sign hanging in front of their places of business and at less cost.-By Frank C. Perkins.

Relieving the Car Crush

By Sidney Gernsback

HAVE you ever seen a Subway crowd being herded into a car? Of course you have, if you are living in "little old New York." If not, thank the Lord

and turn to the next page. You are not interested! Not at all! And then again you may get a notion to visit that "Burgh" one day; well, read on, it may interest you after all!

Let us go back to that Subway crowd on a rainy Monday morning between 8 and 9 A. M. and let

us try to board a car at Times Square. There our train stops, packed brimful with its rain-smelling, sneezing and coughing cargo. You think there is not room for as much as another umbrella in the car you have selected. But behold the convulsory jerking and pushing going on in the middle of the car. Our well trained eye reads these signs, like an Indian would read footprints on the warpath: These spasmodic move-ments, this pushing, twitching and thrusting


A manyin

can mean only one thing: somebody wants to get off that train! And if somebody wants to get off, a half dozen other bodies want to get on, and usually do, too.



The Cure for the "Subway Crush" .-- There Are Three Doors on Each Subway Crush",---Inere Are Three Doors on Each Subway Car: Two on Each End and One, About the Same Size as the Front and End Door Combined, in the Center. Let the Outgoing Passengers Use the End Doors Only, and the Incoming Travelers the Center Doors Only, as the Diagram Indicates.

pushes on: "Step lively!" And right here wrong about that east and west business "who never shall meet!" Take it from an old Subway traveler: they do meet! They not only meet! They clash and they col-(Continued on page 56)



write on paper in the usual manner. This

gives a complete

record of every-

thing that ap-pears on the board. The rec-

ord is used in checking adver-

tising. It is claimed

that an ordinary bulletin may be

written in ten

written in ten seconds. It usually is left burning ten or more seconds after being completed. This

indicates the amount of ad-

vertising and news that may

be flashed in an


Mr. Alton D. Spencer, of the Evening Dis-patch, points out that the news


feature gives the

electrograph an

advertising pull

not possible with





Jowent of picturing machines and devising new forms. It was a mental state of happiness about as complete as I have ever known in life. Ideas came in an uninterrupted stream and the only difficulty I had was to hold them fast. The pieces of apparatus I conceived were to me absolutely real and tangible in every detail, even to the minutest marks and signs of wear. I delighted in imagining the motors constantly running, for in this way they presented to the mind's eye a more fascinating sight. When natural inclination develops into a passionate desire, one advances towards his goal in seven-league boots. In less than two months I evolved virtually all the types of motors and modifications of the system which are now identified with my name. It was, perhaps, providential that the necessities of existence commanded a temporary halt to this consuming activity of the mind. I came to Bndapest prompted by a premature report concerning the I never can forget the deep impression that magic city produced on my mind. For several days after my arrival I roamed thrn the streets in utter bewilderment of the new spectacle. The attractions were many and irresistible, but, alas, the income was spent as soon as received. When Mr. Puskas asked me how I was getting along in the new sphere, I described the situation accurately in the statement that "the last twenty-nine days of the month are the toughest!" I led a rather strennons life in what would now be termed "Rooseveltian fashion." Every morning, regardless of weather, I would go from the Bonlevard St. Marcel, where I resided, to a bathing house on the Seine, plunge into the water, loop the circuit twenty-seven times and then walk an hour to reach Ivry, where the Company's factory was located. There I would have a woodchopper's breakfast at half-past seven o'clock and then eagerly await the lunch hour, in the meanwhile cracking hard nuts for the Manager of the Works, Mr. Charles Batchellor, who was an in-

telephone enterprise and, as irony of fate willed it, I had to accept a position as draftsman in the Central Telegraph Office of the Hungarian Government at a salary which I deem it my privilege not to disclose! Fortunately, I soon won the interest of the Inspector-in-Chief and was thereafter employed on calculations, designs and estimates in connection with new installations, until the Telephone Exchange was started, when I took charge of the same. The knowledge and practical experience I gained in the course of this work was most valuable and the employment gave me ample opportunities for the exercise of my inventive faculties. I made several improvements in the Central Station apparatus and perfected a telephone repeater or amplifier which was never patented or publicly described but would be creditable to me even today. In recognition of my efficient assistance the organizer of the undertaking, Mr. Puskas, upon disposing of his business in Budapest, offered me a position in Paris which I gladly accepted.




Fig. 1—Tesla Oscillation Transformer (Tesla Coil) Presented by Lord Kelvin Before the British Association in August, 1897. This Small and Compact Instrument, Only 8 Inches High, Developed Two Square Feet of Streamers With Twenty-Five Watts From the 110 Volt D. C. Supply Circuit. The Instrument Contains a Tesla Primary and Secondary, Condenser, and a Circuit Controller.

timate friend and assistant of Edison. Here I was thrown in contact with a few Americans who fairly fell in love with me because of my proficiency in-billiards. To these men I explained my invention and one of them, Mr. D. Cunningham, Foreman of the Mechanical Department, offered to form a stock company. The proposal seemed to me comical in the extreme. I did not have the faintest conception of what that meant except that it was an American way of doing things. Nothing came of it, however, and during the next few months I had to travel from one to another place in France and Germany to cure the ills of the power plants. On my return to Paris I submitted to one of the administrators of the Company, Mr. Rau, a plan for improving their dynamos and was given an opportunity. My success was complete and the delighted directors accorded me the privilege of developing automatic regulators which were much desired. Shortly after there was some trouble with the lighting plant which has been installed at the new rail-

Copyright, 1919, by E. P. Co. All rights reserved Mr. Tesla's articles started in our February issue road station in Strassburg, Alsace. The wiring was detective and on the occasion of the opening ceremonies a large part of a wall was blown out thru a short-circuit right in the presence of old Emperor William 1 The German Government refused to take the plant and the French Company was facing a serious loss. On account of my knowledge of the German language and past

conclusion that he knew no worthier person than myself to consume that precious beverage. This, I may say, is one of the unforgettable incidents to which I have referred. My friend urged me to return to Paris as soon as possible and seek support there. This I was anxious to do but my work and negotiations were protracted owing to all sorts of petty obstacles I encountered so that at times the situation seemed hopcless.

experience, I was entrusted with the difficult task of straightening out matters and early in 1883 1 went to Strassburg on that mission.

The First Induction Motor Is Built.

Some of the incidents in that city have left an indelible record on my memory. By a curious coincidence, a number of men who subsequently achieved fame, lived there about that time. In later life I used to say, "There were bacteria of greatness in that old town. Others caught the disease but I escaped !" The practical work, correspondence, and conferences with officials kept me preoccupied day and night, but as soon as I was able to manage I undertook the construction of a simple motor in a mechanical shop opposite the railroad station, having brought with me from Paris some material for that purpose. The consummation of the experiment was, however, delayed until the summer of that year when I finally had the satisfaction of seeing rotation effected by alternating currents of different phase, and without sliding contacts or commutator, as I had conceived a year before. It was an exquisite pleasure but not to compare with the delirium of joy following the first revelation.

Among my new friends was the former Mayor of the city, Mr. Bauzin, whom I had already in a measure acquainted with this and other inventions of mine and whose support I endeavored to enlist. He was sincerely devoted to me and put my project before several wealthy persons but, to my mortification, found no response. He wanted to help me in every possible way



Fig. 2—This Illustrates Tests With Spark Discharges From a Ball of Forty Centimeters Radius in Tesla's Wireless Plant Erected at Colorado Springs in 1899. The Ball is Connected to the Free End of a Grounded Resonant Circuit Seventeen Meters in Diameter. The Disruptive Potential of a Ball, Is, According to Tesla, in Volts Approximatelly V = 75,400 r (r Being in Centimeters), That Is, in This Case 75,400 x 40 = 3,016,000 Volts. The Gigantic Tesla Coil Which Produced These Bolts of Thor Was Capable of Furnishing a Current of 1,100 Amperes in the High Tension Secondary. The Primary Coil Had a Diameter of 51 Feet! This Tesla Coil Produced Discharges Which Were the Nearest Approach to Lightning Ever Made by Man.

THE proverbial trials and tribulations known to every inventor were not spared Tesla, the world's greatest inventor of oll times. In this article we see him, arrived at young manhood, struggling along in a cold world. Already his fame has spread far and wide and his genius is recognized. But converting genius and fame into dollars and cents is quite a different matter, and the world is full of unappreciative and unscrupu-lous men. Tesla, the idealist, cared little for money and thus was promptly taken advantage of. But let Tesla himself tell you in his own inimitable style. It is a wonder-ful story. ful story

In this month's installment Tesla also tells us how he made one of his most important as well as sensational discoveries—the Tesla Coil. Few inventions have caused such a sensation as this one which culminoted in the only man-made lightning ever produced. sensation as this one which culminoted in the only man-made lightning ever produced. The Tesla coil has so many uses and has been built in so many styles that it would take a catalog to list them all. From the spectacular high frequency stunts on the stage down to the "violet" ray machine in your home; all are Tesla coils in one form or another. Wireless without the Tesla Coil would not be possible today. Without an oscilla-tion transformer, spark gap and condenser—which is a Tesla Coil—the sending station would be crippled.

But it is for industrial purposes where the Tesla Coil will shine brightest in the future. The production of Ozone, the extraction of Nitrogen from the air in huge quantities—all are children of Tesla's fertile brain. It is coil is the key to them all. EDITOR.

and the approach of the first of July, 1919, happens to remind me of a form of "assistance" I received from that charming man, which was not financial but none the less appreciated. In 1870, when the Germans invaded the country, Mr. Bauzin had buried a good sized allotment of St. Estèphe of 1801 and he came to the

morning. Everybody brushed up, I put on my gloves and when Funke came with his retinue he was ceremoniously received. After two hours' deliberation he suddenly exclaimed : "I must be going," and pointing to a place on the ceiling, he ordered me to put the (Continued on page 64)

German "Efficiency".

Just to give an idea of German thoroness and "efficiency," I may mention here a rather funny experience. An incandescent lamp of 16 c.p. was to be placed in a hallway and upon selecting the proper location I ordered the monteur to run the wires. After working for a while he concluded that the engineer had to be consulted and this was done. The latter made several objections but ultimately agreed that the lamp should be placed two inches from the spot I had assigned, whereupon the work proceeded. Then the engineer became worried and told me that Inspector Averdeck should be notified. That important person called, investigated, debated, and decided that the lamp should be shifted back two inches. which was the place I had marked. It was not long, however, before Averdeck got cold feet himself and advised me that he had informed Ober-Inspector Hieronimus of the matter and that I should await his decision. It was several days before the Ober-Inspector was able to free himself of other pressing duties but at last he arrived and a two-

hour debate followed, when he decided to move the lamp two inches farther. My hopes that this was the final act were shattered when the Ober-Inspector returned and said to me: "Regicrungsrath Funke is so particular that I would not dare to give an order for placing this lamp without his explicit approval." Accordingly arrangements for a visit from that great man were made. We started cleaning up and polishing early in the

May, 1919




THE aëronautical exposition which was held jointly in Madison Square Garden and the 69th Regiment Arm-ory, New York City, March 1st to 15th, was the most successful aëro show and exposition ever held in the United States. Many remarkable exhibits were shown, including large bombing 'planes, small high-speed pleasure and scouting 'planes, besides a gigantic naval sea plane.

of the stations at the Madison Square Garof the stations at the Madison Square Gar-den or 69th Regiment Armory could be es-tablisht with the flying 'planes or dirigibles, and in turn wireless telephonic speech was transmitted from the aircraft to the respec-tive land stations. The effect on the public was startling, as while most of them had undoubtedly read of the wireless telephone, they did not have the slightest idea as to what the appartus used for the purpose what the apparatus used for the purpose

wonderful indeed, to stand in the crowd be-fore the radio exhibit, and hear this con-versation flitting back and forth between the operator in front of you and a second operator flying thru the air at a speed of S0 to 100 miles an hour 80 to 100 miles an hour. One day a captive propaganda balloon

broke from its moorings over the Sixty-ninth Regiment Armory and shot into the clouds, spilling leaflets, its anchorage dang-



and a powerful Caproni tri-plane. A cap-tured German 'plane of the Albatross type was also exhibited. There were also shown was also exhibited. There were also shown a number of gas type, or lighter-than-air aircraft, such as solo balloons, blimps, a naval dirigible which had seen seventeen months' service on coast patrol work, etc. The "gas bags" were filled with the new balloon gas—Helium. The individual ex-hibits included many interesting auxiliary appurtuances in the fixing world such as appurtenances in the flying world, such as appurtenances in the flying world, such as rapid-fire photographic cameras, aircraft machine guns, measuring instruments for indicating the velocity of the 'plane thru the air, et cetera, and a host of other new and highly novel devices. Radio-telephony was demonstrated by the Army Radio Corps of the Air Division in a very popular and interesting way. During the course of the exposition, various types of aircraft flew over the city, equipt with

of aircraft flew over the city, equipt with wireless telephone and telegraph installa-tions, so that communication from either

looked like, or how it worked, and many of them had a twisted notion that it had somethem had a twisted notion that it had some-thing to do with *telegraphy* somehow or other. However, Uncle Sam's radio ex-perts, as soon as they got the sets up and working, soon showed the visitors how the wireless telephone worked. The roof oper-ator, who is stationed at that point so that he could readily observe the approach of aircraft, would start calling the airplane or dirigible as soon as it came to view, somewhat in this fashion: "Hello airplane! After a few moments' pause, and when the oper-ator had manipulated the tuning of the apator had maniphlated the tuning of the ap-paratus to the right point and gotten his Audion detector and amplifiers adjusted to the proper strength, the voice of the pilot on the airplane, hovering in the air several hundred feet above the aëro show, could be heard calling, thru a large Audion am-plifier—"Hello land station! I get you all right now, land station!" It was really very ling. Up to approximately 3,000 feet it sailed, where it exploded in a burst of brown smoke, falling upon a roof in the neighborhood of Fifth Avenue. Came the wireless comment from an airplane aloft: "Did you see that? It burst about a thousand feet under us—ought to make good stuff for the reporters. By the way, are any down there?"

'Yes," broke in a newspaper man stand-ing near the land wireless set, "and will you spell your observer's name for the reporters?

"Yes-it's Sergeant S-a-u-v-e-g-e-a-u. He had a date to come to New York this afternaon, and altho be's come to New York this after-noon, and altho he's come he can't fill his date very well, unless he comes down and lands on the crankshaft. Anything else?" "No, thanks," said the reporter as he hung up on the first *interview* by wireless

telephony yet recorded.

The radio apparatus exhibited, including that in the exhibit of the United States

Navy, was that of the vacuum bulh or Au-dion type. The range of the wireless tele-phone airplane apparatus for transmitting and receiving speech signals varies, of course, with the size of the transmitting set, the length of the aerials used on the air-plane and several other factors. It is inter-

esting to note at this point that only recent-ly Secretary of the Navy Daniels carried on a wireless telephone conversation on March 11th with an airplane flying over the Potomac River at a distance of 150 miles. In this twoway wireless telephone conversation with the Secretary of the Navy, who was located at Washington, he used his ordinary desk tele-phone, which was con-nected up to the wireless transmitting set in another building. A recent report states that radio-telegraphic communication from earth to 'plane has been carried on over a dis-tance of 200 miles.

used on aircraft dur-

ing the war has been invariably that employing a quick-acting recl, on which the phosfor bronze stranded reet, on which the phosfor bronze stranded antenna cable was wound upon or released from, according to the desires of the pilot. However, in the newer aërial systems as ap-plied to the airplane, not one, but two aërials are utilized, and no reels are employed. Each wire is about 100 feet long, with a twopound lead weight at the end, and flies out from either extreme of the wings. These wires, contrary to popular conception, are said not to interfere with the maneuvering of the plane at all. One of the officers at the radio exhibit explained that the 'planes can rise and land with these wires outstretched without any trouble. One of the wires forms the aerial, while the other forms a counterpoise ground capacity. The tuning

and detecting apparatus are connected be-tween them in the cockpit. In looking over the wireless equipment on the various 'planes, one was struck by the wide-spread adoption of the wind-driven wireless dynamo, and even the gigantic foreign hombing planes, including the Hand-ley-Page, were fitted with a wind-driven radio generator. This small dynamo is usually mounted just to one side of the fuselage or cockpit, and is rigidly secured to the wing. As the airplane speeds thru the air, the propeller on the small dynamo is rapidly spun, and the necessary current

the aviator's breast, and in the front of which there is a metal plate containing three small holes about the size of a needle. The voice waves of the airplane operator impinge directly against this plate, and readily pass thru the small openings in it, thus vibrating the diafram of the micro-phone, while the violent swirling noises set


up by the airplane en-gine pass ly it without affecting the diafram thus protected.

Here are some of the outstanding electrical and other features which appealed to the which appealed to the visitor of the aero show, in looking over the airplanes of all de-signs, both large and small. On one of the 'planes one found red and green signal lights, which were placed re-spectively on the ex-treme outer ends of the lower wing. Another novelty was the electric searchlight of small size, mounted over the

thus produced for operating the radio tele-phone or telegraph instruments. Whenever an airplane or dirigible was in radio telephonic communication with the station at the show, the most frequent question heard among the audience was: "Why is it that the terrific noise of the airplane engine is not heard above the comparatively weak voice of the pilot?" The explanation is simple when you know how it is done. The explanation for the non-transmission of the airplane engine exhaust noises is as follows : airplane engine exhaust noises is as follows : Many weary weeks were spent in special re-search on this particular problem by ex-perts of the concerns who developed the radio telephone during the war, under great pressure, but thanks to their keen percep-tion of the principles involved in success-fully telephoning by radio from a moving vehicle in the air, in proximity to a terrific noise such as produced by the airplane, these engineers had the forethought to finally devise a special sound detecting in-strument or microphone, which is strapt to strument or microphone, which is strapt to

night or helping to locate the enemy in a night or helping to locate the enemy in a night attack. Many interesting exhibits were on hand of the various magneto ignition systems. A beautiful model was shown of a spark phase-angle indicator, which roused great interest among the spectators, as the sparks staggered around the edge of a spaid to the spectators of the sparks are specified. rapidly revolving two-foot black disc, which was covered over with sheet glass. Of course, there were electric lights in the aviators' quarters, or cockpit, besides many other electrical and allied features of great other electrical and alled features of great interest, such as signaling systems between the pilot and the observer, provision for supplying current to the electrically-heated aviator's clothes, which the aviators always wear on long distance trips, or in night fly-ing when it is particularly cold. Other exhibits included luminous radium tick measuring instruments and gazge also

dial measuring instruments and gages, electro-pneumatic and other forms of aerial photographic apparatus, some of which operated at very high speed, as can be read-(Continued on page 60)



irried on over a dis-nce of 200 miles. The Fastest Airplane Exhibited At the Aèro Show in New York—The "Christmas Bullet" rapidly manipulated by The form of antenna —Rated Speed 200 Miles Per Hour. Test Showed 185 M.P.H. To Be Used as "Taxiplane" the pilot or his assist-to Deliver Dispatches to Vessels One Day Out At Sea. ant, for the purpose of making landings at



Monster Escalator for New York Subway

HE New York subway system has in-corporated in its various ramifications some of the most novel engineering

accompanying illustration shows a sectional view of this subway innovation, which promises to make this station one of the

(TT)

An Innovation in Escalators is to be Tried Out at the Park Place Station of the Seventh Avenue Subway In New York City. Four Escalators Will be Available, Any Or All of Which May be Operated Either Up Or Down, Depending Upon the Direction of Traffic, Which Is Mostly Eastward in the Morning and Westward at Night.

features possest by any similar transportareatures possest by any similar transporta-tion system in the world. Moving plat-forms have been suggested and tried in various New York transportation systems, and moving stairways or escalators are not unknown to the metropolis' subway and ele-vated railroad traveling public by any means. But one of the most interesting and highest lift escalators is now being built at the Park Place and Broadway station of the 7th Avenue Subway, New York City. The

highest speed stations of its kind in the

The four escalators to be finally installed will be reversible, and several ways of operating these electric motor-driven moving stairways will be available. In the morning when this downtown station of the great metropolis is flooded with office-bound passengers, then if necessary all four of the escalators may run upward to carry the traffic to the street. After about 10 o'clock in the morning when the traffic thins down. until it is about half uptown and half downtown, then two parallel escalators can be

upward and the other two downward. If the traffic is quite light, in will be up to the station master to cut out two of the escalators and block them off, running one of the remaining pair upward and the other down-ward. As the crowd slowly changes and becomes a strong uptownbound traffic, toward the latter part of the afternoon, then all of the escalators will be run downword.

The reason for install-ing the escalators at this station was because this station was because of the fact that the 7th Avenue Subway, which dives under the Inter-boro Subway, running under Broadway at this point, has to pass under the latter Subway, and as it is located about three levels under-ground, this renders present climbing to the present climbing to the street up existing stairways a very tedious and laborions exertion, which is almost as bad as climbing the steps of the Washington Monument. Of course, the present staircases will remain in place, as under the condition

where north-bound traffic might necessitate operating all of the escalators downward, then passengers arriving on southbound trains would have to gain access up these stairways to the street. It would probably be more expedient to operate three of the escalators downward and one upwards, a problem which the traffic engineers will have to determine by careful check over a con-siderable period of time, after the escalators have been in operation for a while.

Lightning of All Kinds

Lightning photos are more or less com-Lightning photos are more or less com-mon, and a great number of them have been publisht in the various issues of this Journal from time to time, but one of the most astonishing lightning pictures ever recorded by the camera, is that shown in the accompanying view, which incorporates every form of lightning, such as bead, forked, chain and ribbon, so-called heat or flash, and ball lightning. This picture is flash, and ball lightning. This picture is extremely interesting to all photographers, who have attempted to obtain good photos of lightning discharges. It is quite a trick to photograph lightning in just the way you would like to have it appear on a finished picture.

In some cases, and as is the usual practise, excellent lightning pictures are obtained by waiting for a dark period just after a flash. and then opening the camera shutter, which has previously been set for a time exposure. As soon as the next flash of lightning oc-curs, the shutter is at once closed, and the plate then developed. This sounds simple, but as Shakespeare said, "There is many a slip twixt the cup and the lip," and one humorous instance comes to mind of an ambitious lightning photographer, who sud-(Continued on page 56)



In this Remarkable Photo Lightning of Many Kinds-Chain, Bead, Forked and Ribbon Varieties-Are Shown. A Photo Hard to Beat.

May, 1919

ELECTRICAL EXPERIMENTER

British Submarine Detector



This invention was used extensively and successfully by the British Navy during the war. Wires lead to various stations on the ship, at which listeners are posted. By this means a steady watch is kept and the approach of every indersea craft is heralded. One of the photos shows a model submarine in an experimental tank, showing the hydrophone in the tank, while the man with the receivers listens to the sounds from the propeller which warn of the approaching submarine.

Practically all of the British ships were equipt with the device, and it is acknowledged that many ships were saved by means of the instrument, which is somewhat like a dictagraph, i.e., a super-sensitive telephone transmitter connected with a low resistance telephone receiver. The sound detecting microphone is placed in a submerged part of the hull.

Electric Violin-Virtuoso a Marvel

One of the most wonderful musical instruments ever perfected is the electrically played violin-virtuoso shown herewith. Musicians said it could never be done but it has been accomplisht at last, with a range of action almost, if not, indeed, actually, miraculous.

range of action almost, if not, indeed, actually, miraculous. The control of both speed and pressure of the bows of the self playing violin is said to be perfect. Regardless of how fast or slow the tempo the proper ratio of pressure is consistently maintained. This is accomplished by means of a small electric motor possessing a speed of from 200 to 6,000 (and any intermediate rate) revolutions per minute, and so constructed that the amount of pressure applied to the bows is automatically and accurately regulated by the speed. Thus even the softest notes are clear and sweet, while the loud are



The Electrically Played Violin is Truly a Wonder of Modern Science—It Was Long Predicted That Such a Device Could Not Be Built. But it Has—and Sixty Magnetically Operated Fingers Do the Work —and Play Better Than Most Human Violinists. Four magnets Operate the Bows. rich and sonorous. Furthermore, one by one, there has been added to the Violano-Virtuoso various devices for producing not only the staccato, but the arpeggio, portamento, pizzicato, shake, trill-and all other musical variants peculiar to violin playing. Sixty "fingers" perform the action. As the contact cylinder carrying the paper (fed w a secondary cylinder), proving the state.

Sixty "fingers" perform the action. As the contact cylinder carrying the paper (fed by a secondary cylinder) revolves, and the perforations in the music roll pass given points, contact is made with one or more of the brushes and an electric current flows to finger magnets resting over the finger board. Each of these magnets attracts an armature connected with a finger operating rod acting upon the violin strings. The same current also acts simultaneously on the bow action magnets. Another magnet produces the "staccato" while the tremolo (Continued on page 56)

Push a Button--Get a Pig

The Federal Agricultural Agent up in Litchfield, Conn., being frequently called upon to help farmers find things they needed and having no definite means of knowing where they were to be had except for gossip heard on his rounds, conceived the idea of an agricultural survey. Now, if you want to locate a supply of seed corn or oats, a grain binder, a pure-bred bull, or some young pigs, in any community in five counties in that State, all you have to do is to walk into the office of the State Librarian at Hartford, run a series of cards thru an electric sorting machine, and, Presto! you have the information.

It may sound a little like the story of Aladdin's lamp, but it is only big business applied to farm affairs under war stress. The Council of Defense took up this plan and offered to back the farm hureaus to the limit in every county in the State. Five of the cight counties began surveys early in March, 1918. Forty questions, under the beadings of area, crops harvested in 1917, crops planted to be harvested in 1918, live stock on hand, machinery on hand, and employes, were included in the survey, and a corps of volunteer farmer census enumerators got busy. When the survey was completed the farm bureaus had a stack of cards containing minute information as to the resources and needs of every farm. An electric sorting machine was installed in the State Library, and any fact disclosed by the survey can be made available by throw-

ing on an electric switch. The survey has been invaluable by helping. Connecticut to mobilize her agricultural forces for peace needs.



Push a Button—Get a Pig! Sounds Incredulous, Does It Not? Yet Up in Connecticut They Have Such an Electric System in Operation. You Don't Exactly Get the Pig Or Cow by Pushing the Button, But You Do Obtain Data as to Where You Can Buy Them.

Putting It Over on Fritz

HE immediate ancestor of the "Mills" hand grenade was the "jam tin." This was an awkward and unreliable species of bomb, shaped

like a canned soup receptable, with a six- or eight-inch projecting fuse intended to burn four seconds. Sometimes it ful-filled expectations exactly, but more often the fuse was temperamental. It went off the fuse was temperamental. It went off before the time was up, or sputtered long enough, after dropping in the German trench, to allow one of the enemy to pick it up and toss it back. Because, early in the fall of 1915 when this crude weapon flour-ished, hombs of any kind were so scarce that the soldiers often made their own, few opportunities for design the energy with his opportunities for dosing the enemy with his own pills were overlooked.

The last day upon which Fritz monkeyed with "fizzers" from the Allied trenches with any degree of self-confidence was November 12th, 1915. That occasion taught him that even a "dud" jam tin has its lively moments.

For several weeks preceding the date mentioned a French ordnance engineer had been experimenting with what he termed "instantaneous fuse." This was made up, wound in waxed thread, just like the ordi-nary fuse used in jam tins. The essential and important difference between the two

By K. K. SAMMERIN

Tricks and Odd Slants of Warfare that Puzzled the Hun

Over a sixty-kilometer front in the Ver-dun sector the bombers were assembled and coached in the use of this new weapon. Simultaneously at seven in the evening "parties" started out for the German wire. Stopping here, each of the four hundred bombers participating delivered himself of four regular "jam tin" grenades and four of the "imitations" before scurrying back. Fritz noted one striking feature of the engagement. Many of the Allied missiles landed "dud"; this probably was due to the extraordinary *inefficiency* of the French ordnance department, concerning which the German privates had been told so much. All along the line German defenders picked Over a sixty-kilometer front in the Ver-

All along the line German defenders picked up the imitation duds and lighted their fuses, intending to bomb the bombers with French ammunition.

The havoc that resulted was appalling! Each grenade, of course, exploded the in-stant it was lighted. Because a raid was in progress, anyway, each individual accident received no attention at the moment. If Fritz saw Heiney go up in smoke while handling a French bomb, he thought simply exploding in the confined lane of a trench will kill three and wound six soldiers, it is fairly safe to assume that this simple trick cost the Germans at least five thousand men in killed and wounded! From that day forward it was official practise in the German lines to let French bombs severely alone.

Another point at which Allied wits bested German scheming was at forecasting re-treats by the enemy. To civilians, well-posted with data on the occasional ex-ploits of airplane observers, this does not sound sensational in the least, but doubt-less to the Huns themselves the manner in which the Allied forces knew of the last retreat in the Soissons-Reims sector in time to take full advantage of it seemed little less than miraculous. No matter what air-men may say about the photographs they took, or the observations made by telescope from a 'plane, this latter scheme could only tell of a rateat actually under your too from a 'plane, this latter scheme could only tell of a retreat actually under way-too late for much action by the Allies. On the other hand, the method described here not only would tell for certain, two weeks in advance of the first troop or supply train movement, but would mark off the exact line to be abandoned, and tell the depth to which the Germans intended to relinquish their hold! This was done sim-

This was done simply by listening in on the unintelligible gibthe unintelligible gib-berish of German trench wireless with Allied instruments. Ordinarily, of course, three-fourths of the signaling done in the front trenches is done

He Thought He Detected Something That Sounded Just a Little Like a Message! He Wound the Phono-graph and Turned Its Speed Indicator Down So That the Record Revolved Only a Few Times a Minute. Then He Applied the Needle Again. Aha! There Was Something There!

by means of tele-phone, orders being sent thru one central

station by wire to all parts of the sector. Towards the end of the war, however, the Germans began to run out of wire and tab out of wire and tele-phone instruments.

They could not replace them because of a lack of the materials. Therefore they be-gan to plan on saving every instrument and gan to plan on saving every instrument and foot of wire when a retreat was to be made. They took out the stations gradually, and as they removed them they set up trench wire-less instead. The Allies, after finding out this plan, simply watched the appearance of wireless sets where 'phone stations had been; when the wireless began to predominate it was certain that ten days or two weeks would was certain that ten days or two weeks would

varieties lay in the fact that while straight fuse fizzed off at the rate of one and one-half inches a second, the instantaneous variety burned twenty-six feet a second! Without giving the fact much publicity, several thousand jam tins identical in ap-pearance with the stock variety were made

up. In every way but one these were the same; the six-inch fuse was instantaneous, and was made with the end charred a trifle, to look as if the bomb had been lighted and had gone "dud" after being thrown.

that Heiney had been too careless-tough luck for Heiney, but he would never get caught that way. A second later another trick bomb would send him to join his Hun Comrade.

For several minutes after the bombers reached their sheltered trench the explo-sions continued across No Man's Land. It was estimated at the time that a full thousand of the grenades exploded in the hands of German soldiers before anyone found out the secret. Since the average bomb



(Continued on page 77)

Cold Light By ROGERS D. RUSK, M. A.

OLD light is one of the wonders of the modern age. Light without heat seems like a contradiction, nevertheless it is a scientific fact. Since the discovery of the electrical




Diagram Illustrating the Old Theory of Light Produced by Electricity. In This Explanation the Electron is Considered as Continuously Producing Light Waves by its Rotation. The Newer Theory of Light and Heat Waves is Shown at Fig. 2.

nature of light, the possibility of transforming electricity directly into light, without the production of heat, has been a tempting goal. For centuries, scientists dreamed of solving the mystery of the *firefly* and the *Aurora Borealis*, but dreamed in vain. They saw light without heat produced in Nature, but could not produce it themselves.

Today the discovery that light may be produced without heat, by means of electrical ionization, seems to be the key to the situation, and we can only wonder where it may lead us. At the present time over 96 per cent of all the energy used in the fifty million incandescent lamps in the United States, instead of being turned into light, is wasted in the form of heat! Moreover the astonishing production of light without heat by ionization has given us a new view of the relation between light and electricity and the great problem of the origin of light.

origin of light. It used to be thought that light could only be produced by incandescence, that is, thru heating of a solid body to white heat. Strange as it may seem, the candle and the kerosene lamp are really incandescent lights. The light they give off is due to white-hot particles of carbon liberated in the combustion process. Even the light from an arc lamp is mainly due to the crater in the positive carbon being heated to incandescence.

The fact that heat is not the only factor which effects the production of light can be easily seen in two ways. First, salts of sodium, potassium and lithium may be thrown in the same flame at exactly the same temperature, but the first gives off a bright yellow light, the second a violet, and the third a deep red. Second, light is produced by an electric spark in a partial vacuum, such as a Geissler tube, with little or no heat at all. In both of these cases the light must be produced by the breaking up of the molecules, of the solid or gas, into electrically charged particles, or ions, in a manner to be explained later.


The idea of using cold light for illuminating purposes seems to have first occurred to Nikola Tesla. Very early in his career he suggested that the effects produced in Geissler tubes might be utilized in that way. Not until recent years, however, did his suggestion bear fruit in the shape of the now famous Moore vacuum tube light, invented by McFarland Moore, which produces a fine soft light from a glass tube thirty to forty feet long, filled with carbon dioxid. The heat which this light produces is almost negligible.

Cold light is a term used to indicate luminous radiation without heat radiation, and that means maximum efficiency, i.e., a colder and a colder source. The old fashioned kerosene lamp wastes 36.4 calories of heat per second for every candlepower of light produced. The gas mantle wastes 11, and the tungsten lamp but from 1. to 2, calories.

Considering electric lights only, the heat loss in tungsten lamps has been reduced by the introduction of gases such as nitrogen into the bulb, but are lights have made a greater development. The invention of the enclosed are reduced the heat loss without reducing the illumination. Then the invention of the flaming are increased the illumination without increasing the temperature of the are. The latter is the most interesting development because part of the light from the flaming are is cold light, from the chemicals in the flame which are ionized by the electric current. The cold light from these ions plus the light from the incandescent carbons makes the flaming are nearly three hundred per cent more efficient than the ordinary incandescent lamp.


The first flaming arc appeared in 1900, known as the Bremer arc, and using carbons impregnated with several chemical salts. Later Steinmetz and Whitney used the rare metals titanium and chromium in their arcs and produced a still more efficient light. About the same time the mercury vapor light was invented, which gave a brilliant bluish white light from the mercury vapor light was compared and Hertz, that an electric current of only 4 volts, when past thru cold iodin capor, produces a faint light of definite color. When the voltage is raised to twelve, another color is obtained. This is true cold light, produced directly from the molecules as they are ionized by the current. How this is possible, and how light and heat may be produced independently of each other, will now be shown.

be shown. What the actual source of a light wave is has been one of the mysteries of science since the beginning of history. The discovery by Maxwell, Hertz and others that light is an electro-magnetic vibration, caused scientists to look for the electric charges which produce these waves. When the electron was discovered it was thought that the solution had been found, but there



How "Cold Light" May be Obtained by Exhausting an Ordinary Glass Tube. When Alr is Pumped Out of a Tube in Which There is an Electric Spark Discharge, a Stage is Reached Where the Whole Tube is Filled with a Soft Luminous glow—Cold Light.

was still one great drawhack. Scientists said that as the electron revolved about its axis in the molecule it produced light waves just like a paddle wheel in a body of water. But as all molecules of all substances con-



The New Theory of Light and Heat Waves, Which Says that Light is Produced Intermittently. Here Light is Produced by the Electron Jumping from One Orbit to Another, as the Circular Orbital Paths Indicate.

tain electrons which are constantly in motion, then all substances should give off light all the time. This was ridiculous, as everything in the world and the whole universe would be of a dazzling brightness like the sun.

The discoveries of today are changing this idea completely. One of the world's greatest physicists, Planck, says electrons cannot give off light waves continuously, but emit definite quantities at intervals. This theory he calls the quanta theory, and another physicist, Bohr, says the time the light is given off is when the motion of the electron is suddenly changed from its normal continuous motion, by its jumping from one atom to another, or from one orbit to another about the same atom. This is a very simple theory, but it is often the simplest theory which best explains the facts. When trillions of trillions of electrons are doing this at the same time, the light is to all purposes continuous. These theories have received added confirmation from work done recently by Prof. Millikan of Chicago University, who gained fame by his original measurements of the electron itself.

The principle of the new theory can be easily explained by an illustration. If a ball is whirled in a circle on the end of a string, the pull on the string is steady and continuous as long as the ball whirls with the same speed. However, if the ball is suddenly stopt or hit by something which makes it change its course, a jerk or a wave will be felt in the string. Now an electron does the same thing, only the jerk or wave is sent out in all directions by the electro-magnetic field about the electron. This jerk or wave is the little quantity which Planck calls a "quanta". The familiar way in which an electron is pictured as continuously producing light waves, by its rotation, is shown in Fig. 1, but this is wrong according to the above theory. What really must happen is shown in Fig. 2, where the two circles represent different orbits and the full line represents the path of the electron jumping from one orbit to another and at the same time emitting a quantity of radiation or *light*. The way in which electricity or some other agency causes this disturbance of the electron is not fully understood.

The most remarkable thing about it all is that heat and light waves may be produced independently. A heat wave is produced by the vibration of the whole molecule or atom as shown by the big arrows and dotted wave line in Fig. 2. And under (Continued on page 73)

Popular Astronomy Astronomical Distances

By ISABEL M. LEWIS

of the U. S. Naval Observatory

HE immensity and grandeur of the scale upon which the visible universe is fashioned lies almost beyond human comprehension. To visualize the vast extent of our own solar system which is but a single unit in the system which is but a single unit in the system of the stars we may have recourse to earthly standards of measurements, such as the mile. But when we desire to express in terms of units that can be grasped by our imagination, the distances of the stars that lie far, far beyond, we find that all ordi-nary standards of measurement become utterly inadequate for our purpose. For the measurement of celestial distances with-in the solar system the unit employed is either the familiar mile or kilometer or the "astronomical unit," which is the mean dis-tance from the earth to the sun (ninetytance from the earth to the sun (ninety-two million nine hundred thousand miles in round numbers).


the earth to the sun, "the astronomical unit." would subtend an angle equal to one second of arc. This angle is spoken of as the parallax of the star. The larger the parallax; that is, the larger the angle that the astronomical unit or radius of the earth's

orbit subtends, viewed from the star, the nearer the star is to us. The fact that there is no known star within one parsec, or three and twenty-six hundredths light years, of the sun shows the immensity of the scale of the universe of stars.

Before considering the distances of the Before considering the distances of the stars and the extent of the sidercal system of which our sun and his satellites form a part, let us undertake to express the dis-tance of the sun, moon and planets from the earth and the extent of the solar sys-tem in terms with which we are familiar. The nearest to the earth of all celestial bodies is its satellite, the moon. So near

unslackened at two hundred miles an hour. An airplane traveling at this rate would circumnavigate the earth in a little over five days and would reach the moon in seven weeks. A trip to the sun, however, would require fifty-three years. After traveling for fourteen and a frac-tion years we would pass the orbit of Venus and eighteen years later the orbit of Mer-cury. If we preferred to travel outward from the earth in the direction of Mars and the outer planets instead of toward the sun unslackened at two hundred miles an hour.

the outer planets instead of toward the sun, the outer planets instead of toward the sun, more than twenty-seven years would elapse before the orbit of Mars would be crost. An airplane journey to Jupiter would be a matter of more than two hundred years, to Saturn four hundred and fifty years, to Uranus nearly one thousand years and to Neptune about one thousand five hundred years. To cross the solar system on the diameter of Neptune's orbit would be a



Next Time When You Are Impatient and Fretting Because "Central" Keeps You Waiting Ten Seconds for a Connection, Imagine That Your Best Girl is on Neptune. You say "Hello" and It Takes Exactly 4 Hours and 2 Minutes for "Hello" to Get Up to Neptune, and Then You Have to Wait 4 Hours More to Give Your Sweetheart a Chance to Say "Hello" in Return. While If She Were on Alpha Centauri, It Would Take Your Voice Over Four Years to Get to Her and an Equal Time for Her Voice to Get Back, Altho You Know That Electricity Travels at the Rate of 186,324 Miles a Second.

The unit of measurement employed for distances beyond the solar system is either the light year or more recently the *farsec* which appears to be rapidly replacing the light year among astronomers. A "light year" is the distance that light, with its finite but almost unimaginable velocity of one hundred and eighty-six thousand miles *per second, travels in a year.* It is equal in round numbers to sixty-three thousand times the distance from the earth to the sun or approximately six thousand billions times the distance from the earth to the sun or approximately six thousand billions of miles. The parsec is equal to three and twenty-six hundredths (3.26) light years, and it is approximately two hundred thousand times the distance from the earth to the sun. It is "the distance of a star with the *parallax* of a second," a fact which its none converte us. In other words, at its name conveys to us. In other words, at the distance of one parsec the distance from

is the moon that if we should make on some great plain a model of the solar system in which the astronomical unit, the distance from earth to sun, would be four hundred feet, the distance between earth and moon would be only one foot. On the same scale the most distant planet Neptune would be two and one-quarter miles away. In round pumbers the moon is distant from us sixty two and one-quarter miles away. In round numbers the moon is distant from us sixty times the distance from the earth's center to its surface or two hundred and forty thousand miles and thru our great tele-scopes we see it as it would appear at a distance of one hundred miles. Granted that it were possible to escape the earth's gravitational bonds and to travel by our swiftest means of conveyance, the airplane, thru interplanetary space, let us consider how long it would take us to reach the moon, sun and planets if our speed were

journey of more than three thousand years. The sun's attraction reaches far beyond Neptune's orbit, however. There are comets belonging to the solar system compelled by the sun's attraction to accompany him on his travels thru space that return periodi-cally to the immediate vicinity of the sun from regions far beyond the orbit of Neptune and there is also the possibility that one or more undiscovered planets may travel around the sun in orbits exterior to Neptune's orbit. Measured in terms of familiar units, such

as are employed for the measurement of distances on our own planet, the extent of the solar system is tremendously great. Seen from Neptune, the sun presents no appreciable disk. It is in this sense star-like to the Neptunians, but seen from Nep-tune the stars appear no more brilliant and




The Fastest Vehicle Known to Man is the Alrplane. Supposing There Was Alr Instead of a Vacuum Between the Earth and the Other Heavenly Bodies, It Would Take an Airplane a Very Considerable Time to Reach These Bodies. Even to the Moon, the Nearest of All Heavenly Bodies, Only 236.000 Miles Distant, Seven Weeks Would Be Consumed in Reaching It By Airplane. To Reach Neptune, It Would Take 1359 Years. Such Are the Immense Distances of the Universe.

therefore no nearer than they do to us. To Neptune the sun, tho star-like in form, supplies a very appreciable quantity of light and heat (one nine hundredth of the amount the earth receives) while the amount of light and heat that Neptune receives from the nearest stars is entirely inappreciable. When our airplane reaches Neptune after a journey of one thousand five hundred years, it is, as it were, just clearing the ground for its flight to the stars. To cover the intervening space to the nearest star, traveled by light in four and a third years, an airplane would require fourteen and a half million years. In that time the solar system itself would be in some far distant part of the universe, for it is speeding onward thru space at the rate of twelve miles a second or about four astronomical units a year.

a year. Changing now our unit of measurement that we may express interstellar distances in comprehensible numbers, we prepare to travel from the earth to the stars with the velocity of light.

At this speed, one hundred and eightysix thousand miles per second, we circumnavigate our globe in one-seventh of a second, reach the moon in one and a fourth seconds and the sun in eight minutes. In a little over four hours we pass the orbit of Neptune and are started on our journey to the stars penetrating further and further into interstellar space. For a year we travel and reach not a single star tho we are speeding ever onward with the velocity of light. We have now covered the distance of one light year which means the waves of light from the sun we have left behind must travel for a year before they reach us. We continue our journey and find ourselves next at a distance of one parsec from the sun. We have traveled a distance of approximately three and a quarter light years, and were it possible to see the earth as well as the sun at this distance, the two would appear to be but one second of arc apart, a distance that requires the most careful adjustment and manipulation of the telescope to measure accurately. We are still one light year distant from Alpha Centauri, the nearest of the bright stars. A few of the stars may now appear so me what brighter than they appear to us on earth, but the majority of the stars appear just as we see them here on earth and the forms of the constellations remain practically unchanged in appearance, for we are only beginning our journey thru the sidereal universe and onr position in the universe has only shifted in a slight degree. If we should continue our journey to the immediate vicinity of Alpha Centauri, we would find that it is not like our own sun, a single star, but is a binary star consisting of two suns in revolution around their common center of gravity. The distance of this binary system from the solar system has been meas-(Continued on page 54)



In This Illustration, We Are Trying to Convey to the Reader an Idea of the Enormous. Unthinkable Distances of the Universe. If the Distance from the Sun to Neptune, Which in Reality is 2.791 Million Miles, is Represented By Seven Inches On This Scale, Then the Distance from the Sun to the Nearest Star, Alpha Centauri, Would Be Slightly Over One Mile. Note How Near the Earth is to the Sun, Altho 92 Million Miles Away from It. In Order to Show the Earth Without It Touching the Sun. It Was Necessary In This Drawing to Make the Earth Smaller Than Mars. In Reality Mars is Smaller Than the Earth. The Other Planets Are Shown in Their Correct Proportions.

I N refineries of different types there is always a possibility of some valuable by-products, waste, etc., being lost by gases ascending the flue. This is particu-larly true in the metal treating field. Here

the particles carried by the gases become electrified and are projected against the walls to the tubes. These tubes are ground-ed and thus the particles drop into hoppers below. Machanical restifiers convert the below.

This Power Plant Delivers 100,000 Volts and .5 Ampere, Direct Current, for Precipitating the Solid Particles in Flue Gases, Such as in the Metal Refining Field, Thus Saving as Much as 90 Per Cent of the Flue Dust.

it has been found possible to save solid and liquid particles from the flue gases by an electrical process. This consists in passing the gases thru tubes in which are suspended insulated chains charged with high voltage direct current. In passing thru the tube Mechanical rectifiers convert the low voltage alternating direct

into current current. An interesting appli-

cation of this process was recently made in a copper refinery. In this particular installa-tion there is another noteworthy fact and that is the size of the generating and transforming unit used.

The treater tubes containing the high tension electrodes and thru which the flu gases pass are arranged in six groups. The electrodes are suspended at the top from a rack which provides ample insulation, and are connected with the high tension direct - current line at the bottom. The

gases from the furnaces pass thru pipes 13 feet in diameter, a "Y" with valves being provided so that the gases can be made to go either thru the treater or directly to the stack as desired. See figure herewith.

It is stated that over 90 per cent of the flue dust can be removed and that the value of the copper, zinc and other metals re-covered will within a short time pay for the treating equipment.




Interior of High Tension, Direct Current, Electrode Chamber Inside of Flue Tube Measuring 13 Feet In Diameter. The Electrodes Are Suspended Chains Which Carry the Charge When in Use.

The transformers are of 40 kva. capacity, 200 volts low tension and 100,000 volts high tension. To the motor-generator shafts are coupled the commutating rectifiers for transforming the high-tension alternating current into direct current.


ducing mechanism. The cams and levers which operate the arms and head are thoroly concealed inside the body.



Drink Hearty, Little Girl. it's Only Some of Willie Bryan's Famous Grape Juice. An Electric Motor Solves the Mystery of This Silent and Ever-Drinking Demonstrator.



The accompanying illustration shows a novel gyrostatic bicycle model built by a London scientific instrument maker, and this machine will maintain its equilibrium for a considerable period of time. Many of us most probably have seen the street fakir shouting loud and longly about the wonderful possibilities of the toy gyroscope,



and the apparatus here shown duplicates the and the apparatus here shown duplicates the many startling maneuvers that the little twenty-five-cent toy gyro performs. When a gyroscope balance wheel is spun rapidly, and providing the rim of the wheel is suf-ficiently heavy to give it a good momentum, it will be found very difficult to shift the bicycle, or other device on which the spin-ning gyro is mounted. To demonstrate the principle of the gyroscope—which is based upon the fact that a spinning or rotating mass tends to preserve its plane of rota-tion—all one has to do is to jack up the rear wheel of a bicycle, and by turning the pedals, cause this wheel to spin rapidly. Now hold the bicycle off the ground a short distance, and endeavor to turn the complete bicycle sidewise. You will ex-perience a surprisingly strong counter-turncomplete bicycle sidewise. You will ex-perience a surprisingly strong counter-turn-ing effect, which tends to keep the bicycle in its upright plane as long as the wheel spins at a fair rate of speed. Many of these gyros are electrically driven; also it is well to keep in mind the fact that even an ordinary bicycle exerts some gyrostatic effort, and this has much to do with the success of the rider in maintaing his up-right position while spinning along on two right position while spinning along on two wheels mounted in tandem, that is, one be-hind the other. You have prohably noticed, if you have ever ridden a bicycle that the faster you go, the easier it is to maintain your balance. The increasing gyrostatic ef-fect as the rotational speed of the wheels increased was the reason.

A HARD DRINKER OF SOFT DRINKS.

This little girl is a soft drink demonstra-tor and she sits in show windows all day long pouring drink after drink of some delicious beverage into the glass and rais-ing it to her lips and draining it with the greatest ease.

She seems to like the beverage, for after each drink she nods her head a couple of times with a happy smile which seems to say, "My, that was good"; then she pours

down another one. The figure is made life size of papier maché and mounted on a tabourette, which contains the electric motor and speed re-

Try These On Your Auto

ELECTRIC CIGAR LIGHTER FOR THE AUTO.

At last-a perfect electric cigar lighter. It should prove a boon to motorists. It is handy and

c onvenient

-always within reach. The burner up is made of

heavy wire and will last indefi-

nitely

Burner tip

is protect-ed by a cap not shown Ever Try to Light a Cigar While Driving an Auto? This Electric Cigar Lighter Does the Trick Better Than Matches and Does Not "Blow Out". in cut. This neat and efficient cigar light-

er is equipt with 5½ foot cord, which automatically re-winds. The lighter is easily attached to the battery in the car and costs practically nothing to operate.

NEW MAGNETO IMPULSE STARTER.

One of the many reasons why the magneto is so firmly established as the supreme ignition system is the fact that it does not depend upon any other unit or units for its electrical output and distribution of current.

The magneto transforms mechanical energy into electrical energy. The moment the shaft of a magneto-equipt engine rethe volves, the magneto begins to generate elec-trical energy for ignition; and, following requirements, the higher the rate at which it is driven the more intense are the sparks.

To facilitate starting when necessary, the agneto here shown can be supplied, with an impulse starter, which automatically "speeds up" the magneto armature at the exact moment of firing the *initial* gas charge or charges, thus providing at even low speeds the full electrical capacity of the magneto.

In a word, the impulse starter or coupling is a mechanical device for the purpose obtaining positive and efficient starting, without the aid of batteries or a battery system of ignition.

The impulse starter is located between the magneto drive and the armature; when the engine is cranked or barred over, the armature is held stationary, while energy is being stored up by the compression of a series of springs. At a predetermined mo-ment the springs are released and the armature is given a partial revolution at high speed. In this way, intense sparks are pro-yided, and the engine given its starting impulse.

As soon as the engine commences its regular operation, or attains a speed of about 120 r.p.m., the impulse starter is auto-

Storing Up Energy in a Special Spring Coupling De-e, It Becomes Possible to Spin This Magneto at Starting, and Provide a Hot Spark.

matically disengaged, the "starter" trans-mitting the driving energy to the magneto as a flexible coupling. The control of the "starter" is by means

of a lever monnted on a shaft projecting from the front of the housing. The lever is so constructed that it can either be op-erated by hand or thru the medium of a control connection.

The impulse starter is not an attach-ment, but is provided only as a part of this new magneto.

HEADLIGHT DIMMER

An Ohio electric concern is offering the public a device known as a headlight dim-mer for use on Ford cars to dim the headlights when

driving at night. This dimmer, it is claimed by the maker, can be at-tached to any Ford car by simply clamping it over the steering post and connecting the wires to the lighting circuit. The wires are easily connected, and when in use it is said that the dimmer will not affect Here is a Sim-ple Electric Head light Dimmer, Something Every Car Re-quires by Law. It Answers to the Cail of Fords. the ignition or lighting system in a detrimental way. The control is made way. The control is made possible hy means of a push and pull switch and a barrel type resistance. It is pointed out that it

This

makes possible the use of a brighter light than can be secured thru the use of dimming lenses, yet at the same times makes it convenient to dim the lights according to requirements of traffic laws.

EFFECTIVE AUTO SIGNAL.

In this new electric auto signal there is only one signal box, which is placed on the

0

STOP

RIGHT



proaching him.

The signal is controlled for *left, right,* or *stop* by a plainly marked, single handle, three-way switch attached to the steering column immediately below the steering wheel, or in a place most accessible to the person driving. It is easily attached, and there are no moving parts to get out of order. A tell-tale buzzer indicates that the signal is functioning. A very slight amount of current from the lighting system of the car or dry cells is consumed. The signal is easily installed on the gen by one mechanic the car by any mechanic.

ELECTRICALLY HEATED PRIMER FOR QUICK STARTING OF AUTOS.



This Electrically Heated Primer Will Save Much Useless Cussing and Start Your Auto Engine in a Jiffy. The Fuel is Heated, Mixed With Air and Vaporized. Then Sucked Into the Engine. A Simple and Positive Device.

The autoist usually thinks of a primer as a means of pumping fuel into the cylinders quickly. The master primer here shown is not a pump in any sense of the word. The fuel is first heated boiling hot, vaporized by heat and mixed with air. Then drawn into the cylinders by suction of the motor. The the cylinders by suction of the motor. The suction draws only the quantity needed. Liquid gasoline will not explode. It must be vaporized. It must have air mixed with it to make it explosive. Liquid fuel in large quantities carbonizes the engine. With the throttle of the car-buretor closed, the master primer acts as

an auxiliary carburetor—supplies the motor with what it needs in any kind of weather— heated vapor. The heating coil draws 20 heated vapor. The heating coil draws 20 amperes, about the same as the horn. Without it you may turn a balky engine over a

hundred times. To operate the primer all one need do is just pull a button on the dash. The same operation as choking the carburetor. Pulling the button makes electrical contact and opens the outlet valve of the primer. When car starts let go of button; the contact is broken and valve shuts off automatically.

NEW MAGNETIZER FOR REMAG-NETIZING FORD MAGNETOS.

The Ford engine will display a great deal more "pep" if the magnets on the magneto are kept charged. We all know these mag-nets will lose their magnetism, which na-turally reduces the energy displayed by the engine. The magnetizer is constructed in


such a way that these magnets can be charged without taking the engine apart. All that is necessary is to take off the transmission cover. The magnets can then be The charged, requiring only three or four seconds to each magnet. This is done by connecting the magnetizer to a well charged 6 or 12-volt battery or a sufficient number of dry cells in series.

Ford Owners Will Hall With Delight This New Magneto Magnetizer.






May, 1919



By NIKOLA TESLA

Written Exclusively for The Electrical Experimenter

VER since the announcement of Maxwell's electro-magnetic theory scientific investigators all the world over had been bent on its experi-mental verification. They were conmental verification. They were con-vinced that it would be done and lived in an atmosphere of eager expectancy, un-



Alternator of 10,000 Cycles p.s., Capacity 10 K.W., Which Was Employed by Tesla in His First Demonstrations of High Frequency Phenomena Before the American Institute of Electrical Engineers at Columbia College, May 20, 1891. Fig. 1.

usually favorable to the reception of any evidence to this end. No wonder then that the publication of Dr. Heinrich Hertz's re-sults caused a thrill as had scarcely ever

been experienced before. At that time 1 was in the midst of pressing work in connection with the commercial introduction of my system of power transmission, but, nevertheless, caught the fire of enthusiasm and fairly burned with desire to behold the miracle with desire to behold the miracle with my own eyes. According-ly, as soon as I had freed myself of these imperative duties and resumed research work in my laboratory on Grand Street, New York, I began, parallel with high frequency alternators, the construction of several forms of apparatus with the object of ex-ploring the field opened up by Dr. Hertz. Recognizing the lim-itations of the devices he had employed. I concentrated my atemployed, I concentrated my attention on the production of a powerful induction coil but made no notable progress until a happy

inspiration led me to the invention of the oscillation transformer. In the latter part of 1891 I was already so far advanced in the development of this new principle that I had at my disposal means vastly superior




Diagram Illustrating the Circuit Connections and Tuning Devices Employed by Tesla in His Experimental Demonstrations Before the American Institute of Electrical Engineers With the High Frequency Alternator Shown in Fig. 1. Fig. 2.

to those of the German physicist. All my previous efforts with Rhumkorf coils had left me unconvinced, and in order to settle my doubts I went over the whole ground once more, very carefully, with these im-

proved appliances. Similar phenomena were noted, greatly magnified in intensity, but they were susceptible of a different and more plausible explanation. I considered this so important that in 1892 I went to this so important that in 1892 I went to Bonn, Germany, to confer with Dr. Hertz in regard to my observations. He seemed disappointed to such a degree that I re-gretted my trip and parted from him sor-rowfully. During the succeeding years I made numerous experiments with the same chiest but the results under uniformly more made numerous experiments with the same object, but the results were uniformly nega-tive. In 1900, however, after I had evolved a wireless transmitter which enabled me to obtain electro-magnetic activities of many millions of horse-power, I made a last des-perate attempt to prove that the disturb-ances emanating from the oscillator were ether vibrations akin to those of light, but met again with utter failure. For more than eighteen years I have been reading treat-ises, reports of scientific transactions, and articles on Hertz-wave telegraphy, to keep myself informed, but they have always im-prest me like works of fiction.


The history of science shows that theories are perishable. With every new truth that is revealed we get a better understanding of Nature and our conceptions and views are modified. Dr. Hertz did not discover a new principle. He merely gave material support to a hypothesis which had

IN this remarkable and complete story of his discovery of the "True Wireless" and the principles upon which transmission and reception, even in the present day systems, are based. Dr. Nikola Tesla shows us that he is indeed the "Father of the Wire-less." To him the Hertz wave theory is a delusion; it looks sound from certain angles, but the facts tend to prove that it is hollow and empty. He convinces us that the real Hertz waves are blotted out after they have traveled but a short distance from the sender. It follows therefore that the measured autenna current is no indi out after they have traveled but a short distance from the sender. It follows, therefore, that the measured antenna current is no indi-cation of the effect, because only a small part of it is effective at a distance. The limited activity of pure Hertz wave transmission and reception is here clearly explained, besides showing definitely that in spite of themselves, the radio engineers of today are employing the original Tesla tuned oscillatory system. He shows by examples with different forms of aërials that the signals picked up by the instruments must actually be induced by earth currents— not etheric space waves. Tesla also disproves the "Heaviside layer" theory from his personal observations and tests. theory from his personal observations and tests.

> been long ago formulated. It was a per-fectly well-established fact that a circuit, traversed by a periodic current, emitted some kind of space waves, but we were in ignorance as to their character. He ap-parently gave an experimental proof that they were transversal vibrations in the ether. Most people look upon this as his great accomplishment. To my mind it seems that his immortal merit was not so much in this as in the focusing of the investigators' attention on the processes taking place in the ambient medium. The Hertz-wave theory, by its fascinating hold on the imagination, has stifled creative effort in the wireless art and retarded it for twenty-five years. But, on the other hand, is impossible to over-estimate the beneficial effects of the powerful stimulus it has given in many directions.

As regards signaling without wires, the


application of these radiations for the pur-pose was quite obvious. When Dr. Hertz pose was quite obvious. When Dr. Hertz was asked whether such a system would be of practical value, he did not think so, and he was correct in his forecast. The best that might have been expected was a method of communication similar to the



Electric Transmission Thru Two Wires and Hydraulic Analog. Fig. 3.

heliographic and subject to the same or even greater limitations. In the spring of 1891 I gave my demon-

strations with a high frequency machine before the American Institute of Electrical Engineers Columbia College, which laid the foundation to a new and far more promising departure. Altho the laws of electrical resonance were well known at that time and my lamented friend, Dr. John Hopkinson, had even indicated their specific application to an alterna-tor in the Proceedings of the In-stitute of Electrical Engineers, London, Nov. 13, 1889, nothing had been done towards the prac-tical use of this knowledge and it is probable that those experiments of mine were the first public exhibition with resonant dr-cuits, more particularly of high frequency. While the spontanefrequency. While the spontane-ous success of my lecture was due to spectacular features, its chief import was in showing that all kinds of devices could be operated thru a single wire without return. This



EDITOR.

Electric Transmission Thru a Single Wire Hydraulic Analog. Fig. 4.

was the initial step in the evolution of my wireless system. The idea presented itself to me that it might be possible, under ob-

number of radical improvements. Suitable

high frequency generators and electrical os-cillators had first to be produced. The energy of these had to be transformed in effective transmitters and collected at a

tem would be manifestly circumscribed in

its usefulness if all extraneous interfer-ence were not prevented and exclusiven s-secured. In time, however, 1 recognized that devices of this kind, to be most effect-

Transmission of Electrical Energy Thru the Earth as illustrated in Tesla's Lectures Be-fore the Franklin institute and Electric Light Association in February and March, 1893, and Mechanical Analog of the Same. Fig. 7.

ive and efficient, should be designed with due regard to the physical properties of this planet and the electrical conditions obtaining on the same. I will briefly touch upon the salient advances as they were

made in the gradual development of the

pole projections and a disc armature with coils wound in one single layer which were

connected in various ways according to re-quirements. It was an excellent machine

quirements. It was an excellent machine for experimental purposes, furnishing sinu-soidal currents of from 10,000 to 20,000 cycles per second. The output was com-paratively large, due to the fact that as much as 30 amperes per square millimeter could be past thru the coils without injury. The diagram in Fig. 2 shows the circuit parangements as used in my lecture. Becon

nant conditions were maintained by means

arrangements as used in my lecture.

The high frequency alternator employed in my first demonstrations is illustrated in Fig. 1. It comprised a field ring, with 384

distance in proper receivers.

Alternator

Elevated capacity

Transmitter


system.

Such a sys

Elevated capacity

Receiver

Receiver



servance of proper conditions of resonance, to transmit electric energy thru the earth, thus dispensing with all artificial conductors. Anyone who might wish to examine impar-tially the merit of that early suggestion must not view it in the light of present day must not view it in the light of present day science. 1 only need to say that as late as 1893, when I had prepared an elaborate chap-ter on my wireless system, dwelling on its various instrumentalities and future pros-pects, Mr. Joseph Wetzler and other friends of mine emphatically protested against its publication on the ground that such idle and for factore would to use its interval. far-fetched speculations would injure me in the opinion of conservative business men. So it came that only a small part of what I had intended to say was embodied in my address of that year before the Franklin Institute and National Electric Light As-sociation under the chapter "On Electrical





Diagram Elucidating Effect of Large Capac-ity on One End. Fig. 6.

Resonance." This little salvage from the wreck has earned me the title of "Father of the Wireless" from many well-disposed fellow workers, rather than the invention of scores of appliances which have brought

wireless transmission within the reach of every young amateur and which, in a time not distant, will lead to undertakings overshadowing in magnitude and importance all past achieve-ments of the

engineer. The popular impression is that my wire-less work was begun in 1893, but as a mat-ter of fact I spent the two preceding years in investigations, employing forms of apparatus, some of which were almost like those of today. It was clear to me from the very start that the successful c o n summation could only be brought about by a



Tesla's System of Concatenated Tuned Circuits Shown and Described In U. S. Patent No. 568.178 of September 22, 1896, and Corresponding Arrangements in Wireless Transmission.

E ated to a t 2020

Tesla's System of Wireless Transmission Thru the Earth as Actually Exposed in His Lectures Before the Franklin In-stitute and Electric Light Association in February and March, 1893. Fig. 8.

of a condenser subdivided into small sections, the finer adjustments being effected tions, the timer adjustments being effected by a movable iron core within an induct-ance coil. Loosely linked with the latter was a high tension secondary which was tuned to the primary. The operation of devices thru a single wire without return was puzzling at first because of its tweather but case her seed the

because of its novelty, but can be readily explained by suitable analogs. For this purpose reference is made to Figs. 3 and 4. In the former the low resistance electric conductors are represented by pipes of large

The Forerunner of the Audion-the Most Sensitive Wireless Detector Known, as De-scribed by Tesla In His Lecture Before the Institution of Electrical Engineers, London, February, 1892. Fig. 9.

n

Reso-

section, the alternator by an oscillating piston and the filament of an incandescent lamp by a minute channel connecting the pipes. It will be clear from a glance at the diagram that very slight excursions of the piston would cause the fluid to rush


h. .

with high velocity thru the small channel and that vir-tually all the energy of movement would be t r a nsformed into heat by friction, simi-larly to that of the electric current in the lamp filament. The second

diagram will now he selfe x p lanatory. Corresponding to the terminal capacity of the electric system an elastic reser-voir is em-ployed which dispenses with the necessity of a return pipe. As the piston oscillates the bag expands and contracts, and the fluid is made to surge thru the restricted passage with great speed, this


resulting in the generation of heat as in the incandescent lamp. Theoretically considered, the efficiency of conversion of energy should be the same in both cases.

should be the same in both cases. Granted, then, that an economic system of power transmission thru a single wire is



Tesla's Four Circuit Tuned System Contrasted With the Contemporaneous Hertzwave System. Fig. 11.

practicable, the question arises how to collect the energy in the receivers. With this object attention is called to Fig. 5, in which a conductor is shown excited by an oscillator joined to it at one end. Evidently, as the periodic impulses pass thru the wire, differences of potential will be created along the same as well as at right angles to it in the surrounding medium and either of these may be usefully applied. Thus at a, a circuit comprising an inductance and capacity is resonantly excited in the transverse, and at b, in the longitudinal sense. At c, energy is collected in a circuit parallel to the conductor but not in contact with it, and again at d, in a circuit which is partly sunk into the conductor and may be, or not, electrically connected to the same. It is important to keep these typical dispositions in mind, for however the distant ac-



Arrangements of Directive Circuits Described in Tesla's U. S. Patent No. 613,809 of November 8, 1898, on "Method of and Apparatus for Controlling Mechanism of Moving Vessels or Vehicles." Fig. 12. tions of the oscillator might be modified thru the immense extent of the globe the principles involved are the same.

Consider now the effect of such a conductor of vast dimensions on a circuit exciting it. The upper diagram of Fig. 6 illustrates a familiar oscillating system comprising a straight rod of self-inductance 2L with small terninal capacities cc and a node in the center. In the lower diagram of the figure a large capacity C is attached to the rod at one end with the result of shifting the node to the right, thru a distance corresponding to self-inductance X. As both parts of the system on either side of the node vibrate at the same rate, we have evidently, (L + X) c = (L - X) C from which X = L . When the ca-

$$K = L \frac{1}{C+c}$$
. When the ca-

pacity C becomes commensurate to that of the earth, X approximates L, in other words, the node is close to the ground connection. The exact determination of its position is very important in the calculation of certain terrestrial electrical and geodetic data and I have devised special means with this purpose in view.

means with this purpose in view. My original plan of transmitting energy without wires is shown in the upper diagram of Fig. 7, while the lower one illustrates its mechanical analog, first publisht in my article in the *Century Magazine* of June, 1900. An alternator, preferably of high tension, has one of its terminals connected to the ground and the other to an elevated capacity and impresses its oscillations upon the earth. At a distant point a receiving circuit, likewise connected to ground and to an elevated capacity, collects some of the energy and actuates a suitable device. I suggested a multiplication of such units in order to intensify the effects, an idea which may yet prove valuable. In the analog two tuning forks are provided, one at the sending and the other at the receiving station, each having attached to its lower prong a piston fitting in a cylinder. The two cylinders communicate with a large elastic reservoir filled with an incom-



Diagram Exposing the Fallacy of the Gliding Wave Theory as Propounded in Wireless Text Books. Fig. 13.

pressible fluid. The vibrations transmitted to either of the tuning forks excite them by resonance and, thru electrical contacts or otherwise, bring about the desired result. This, I may say, was not a mere mechanical illustration, but a simple representation of my apparatus for submarine signaling, perfected by me in 1892, but not appreciated at that time, altho more efficient than the instruments now in use.

cient than the instruments now in use. The electric diagram in Fig. 7, which was reproduced from my lecture, was meant only for the exposition of the principle. The arrangement, as I described it in detail, is shown in Fig. 8. In this case an alternator energizes the primary of a transformer, the high tension secondary of which is connected to the ground and an elevated capacity and tuned to the imprest oscillations. The receiving circuit consists of an inductance connected to the ground and to an elevated terminal without break and is resonantly responsive to the transmitted oscillations. A specific form of receiving device was not mentioned, but I had in mind to transform the received currents and thus make their volume and tension suitable for any purpose. This, in substance, is the system of today and I am not aware of a single authenticated instance of successful transmission at considerable distance by different instrumentalities. It might, perhaps, not be clear to




Fig. 14. Diagram Explaining the Relation Between the Effective and the Measured Current in the Antenna.

those who have perused my first description of these improvements that, besides making known new and efficient types of apparatus, I gave to the world a wireless system of potentialities far beyond anything before conceived. I made explicit




Fig. 15. Illustrating One of the General Evidences Against the Space Wave Transmission.

and repeated statements that I contemplated transmission, absolutely unlimited as to terrestrial distance and amount of energy. But, altho I have overcome all obstacles which seemed in the beginning unsurmountable and found elegant solutions of all the problems which confronted me, yet, even at this very day, the majority of experts are still blind to the possibilities which are within easy attainment.

My confidence that a signal could be easily flashed around the globe was strengthened thru the discovery of the "rotating brush," a wonderful phenomenon which I have fully described in my address before the Institution of Electrical Engineers, London, in 1892, and which is illustrated in Fig. 9. This is undoubtedly the most delicate wireless detector known, but for a long time it was hard to produce and to maintain in the sensitive state. These difficulties do not exist now and I am looking to valuable applications of this device, particularly in connection with the highspeed photographic method, which I suggested, in wireless, as well as in wire, transmission.

Possibly the most important advances during the following three or four years were my system of concatenated tuned circuits

Two forms of grounded circuits equally effective





Fig. 16. Showing Unimportance of Relative Position of Transmitting and Receiving Antennae in Disproval of the Hertz-wave Theory.

and methods of regulation, now universally adopted. The intimate bearing of these inventions on the development of the wireless art will appear from Fig. 10, which illus-(Continued on page 61)

Novel Generators

MAGINE yourself wearing a set of head and listening to a voice saying, "I am right over R7 and your shells are all burst-ing 'short.' Increase range 50 yards." That was the experience of American radio operlanding gear of each 'plane, so that the air "back-wash" of the propeller drives a small two-blade wooden fan on the generator shaft. Thus the generator runs whenever the 'plane is in motion, and also while it is on the ground with the engine running. originally mounted on a light metal frame carrying a voltmeter, fuses and terminals. Quite recently an aluminum carrying-case was developed which was watertight when closed. All the switches, fuses, etc., are mounted inside.




Above:—Spring Cradle Suspension of the Wireless Generators Used or U. S. Naval Submarine Chasers and Destroyers, to Eliminate the Trans-mission of the Humming Sound Produced by Their Operation, to the Stee Hull of the Vessel and its Subsequent Interception by a Lurking U-boat The Sub-sea Sound Detector Used by the German Submarines Was so Sensitive That This Precaution Was Necessary. Steel

At Right:—Lower Right-hand View Shows the Wind-driven Airplane Radio Generator Developed During the War. Its Speed, of Course, Varies with the Velocity of the 'Plane and How Its Voltage Is Maintained Constant with Variable Speed Is One of the Interesting Problems That Radio Engineers Had to Solve Before Anything Else Could Be Done.

ators during the latter part of the war, for radio telephone sets were developed that enabled men on the ground to talk with airplanes flying over the enemy lines and aim the guns according to their directions.

An essential feature of the radio tele-phone set is a small generator to deliver direct current at from 275 to 350 volts. For airplane use, these generators also delivered current at 25 volts. One is mounted on the



At stations on the ground or on ship-board, power is taken from storage batteries, and here a small dynamotor, driven by 10-volt current, gives the required high voltage. In the field one of these sets was



Ground Officers of the U.S. Army Taiking to Airplanes in Flight by Means of Wireless Telephone. The Range of Such Communication Has Recently Been Increased to 150 Miles by Official Test.




A submarine chaser often lies motionless, waiting for a U-boat to stick its nose above the surface. So sensitive are the listening the surface. So sensitive are the listening devices on the submarines that even the slight hum of one of these dynamotors, transmitted to the chaser hull, would be-tray its position. Hence the dynamotors furnished to the Navy are mounted in a cradle of coil springs as here illustrated. *Photos courtesy Westinghouse E. & M. Co.*

Boosts Signals 1,000,000 Times

The six-step audion amplifier set here shown represents the latest development in amplifiers, and its intensifying qualities are enormously in excess of any similar appa-ratus produced heretofore. Under ordinary conditions, this set will *amplify* 1,000,000 *times*, so it is especially well adapted for use in connection with the recention of the yery with the reception of the very with the reception of the very weak signals set up by the small portable transmitters used in modern warfare. As a matter of fact, the set has been designed strictly with an eye towards military field work, and similar purposes, and has already proved its ef-ficiency along such lines. An entirely new departure in de-sign is seen in the fact that entirely new departure in de-sign is seen in the fact that only one "A" battery, and one "B" battery are employed. In addition, these batteries are practically free of adjustment, which greatly enhances the value of this set, and is a unique feature in amplifier construction construction.

In connection with the above apparatus, it may be mentioned that the success of the French armies was in part due to the wonderful results achieved with such amplifiers



The Most Powerful Vacuum Tube Amplifier Now Standardized and Built. It Is a Six-stage Amplifier and Possesses an Amplifying Power of 1,000,000 Times. It Solved Many Knotty Problems During the War.

on the various battle-fronts. Amplifiers using as many as nine steps were employed

with marked success in trench

with marked success in trench communication, aerial com-munication, and similar work. In the lower left-hand cor-ner of the panel is mounted a simple two-way switch, by means of which the first bulb can be made either a detector for radio signals or the firststep amplifier for audio-fre-quency currents. When used as a detector, the connections from the tuner are made to the upper pair of external binding posts. When used as an amplifier, the connections from the detector (or the two-ground terminals, in case one is receiving conduction or induction currents thru the earth) are made to the lower pair of external binding posts. To the other pair of binding posts is connected the six-volt storage battery.

The telephone cord terminates in a plug, which can be plugged into the third, fourth, fifth or sixth jack cord to the degree of amplification which is desired.

U. S. Adopts Multiplex Radio

THE recent announcement that the Government had decided to adopt the nultiplex system of radio telegraphy and telephony, makes possible some entirely new methods of communication. The multiplex radio system is a complex one. The multiplex system of ordinary

telegraphy permits the sending and receiv-

ing of eight different messages on one wire at the same time. Thus it may be seen what a great advantage it holds over the old method of Morse telegraphy. Radio messages are sent by the same method. The trans-Atlantic Radio Room in the Navy Department illustrated here-with is completely could with a multiplay

with is completely equipt with a multiplex



Recent Photo Taken of the U. S. Navy Department's Trans-Atlantic Radio Operating om. Multiplex Radio Signaling Is Now Carried on in Both Directions across the Ocean. Room.

radio outfit. By this new system Secre-tary Daniels is able to keep in communication with several vessels out at sea at the same time. Likewise, President Wilson, on his voyage to France, was able to keep in immediate communication with Washington.

This photograph is the first to be re-leased showing the trans-Atlantic Radio Operating Room of the Navy Department. This is the receiving room of the radio station in the Navy Department. Four re-

ceiving machines constitute, with the four perforating machines, one complete unit of multiplex radio-telegraphy. As a result, four messages may be sent and four re-ceived over one antenna at the same time.

ADIO LINKS 3,000 MILES BE-TWREN OMSK AND LYONS. Omsk, in which are centered the hopes RADIO

for the rebuilding of a new Russia, after months of isolation, is now actively in wireless communication with the outside world. Hourly reports, containing a complete news service, are received in Omsk direct from the French wireless station at Lyons, France. Outgoing communication will be

France. Outgoing communication will be inaugurated soon. From Omsk to Lyons is 3,000 miles on a direct air line over Bolshevik Russia and Central Europe. Omsk is about midway between the Atlantic and Pacific oceans.

AN OMISSION.

AN OMISSION. We wish to state that credit for the photographs accompanying the article en-titled "The City of Splendid Night" by Amos Stote, publisht in the January, 1919, issue, should have been given to the New York Edison Co.

New French and American Audions

NDOUBTEDLY the radio amateur and experimenter has often wondered what form of audion or vacuum detector and amplifier was being used both by the American and European armies. Thru the courtesy of Dr. Lee de Forest, we are enabled to show herewith the standard form of three-electrode audion in use by the French Army signal corps, as well as by the French Navy, and also the standard

by the French Navy, and also the standard form of three-electrode audion in use by the United States Army Signal Corps. As we have heard but very little concern-ing the French and other European wire-less apparatus for several years, owing to the war conditions existing, we find consid-erable interest in the French type of vacuum bulb detector and amplifier, and so we will consider it first.


As the illustration shows it comprises a As the inistration shows it comprises a spherical form of glass bulb, which is eventually pumped out to a very high de-gree of vacuum. One thing decidedly no-ticeable about both the French and Ameri-can tubes, is the simplified and highly im-proved form of base which incorporates proved form of base which incorporates four contact pins, which form a juncture with four sockets in the bayonet-joint re-ceptacle supporting the audion. Two of the contact pins lead to the incandescent filament, while the other two connect to the grid and the plate respectively. It is thus but a moment's work to snap a bulb out of its socket and replace it with another one. The French audion is unique in its gen-

The French audion is unique in its general design, as will be noted from the ac-companying illustration, the filament being in the form of a fine straight wire passing thru the conter of the grid, which takes the form of a helical coil of non-oxidizing wire. Outside of the helical grid, we find the wing or plate element, which is made in the form of a small cylinder or tube. Each of the three distinct elements comprising the audion are spaced about 3/32 inch apart. It

is stated on good authority that during the war the French Government manufactured five thousand of these audion bulbs every day, or almost two million of them in a year. This rate of audion production was carried on during the left the unit of the prowas carried on during the last two years of the war. The French bulb here shown is particularly in-teresting as being efficient and suitable in all three functions, — detector, amplifier and oscillator.

The Standard United States Army type of threeelectrode audion here shown comprises filament, grid and plate, rigidly se-cured in place in the man-ner indicated. Particular attention has been given in this design to the manner of supporting the inverted "V" type filament as well as the grid and plate elements, so that as a matter of fact these rugged bulbs can be handled without any particular pains, and none of the electrode ele-

none of the electrode ele-ments can move as they could in the older types. A still better construction is in-volved in a modified and improved form of audion heing developed for the United States Signal Corps by Dr. de Forest. It will be seen how the plate member is bent into the shape of an inverted "U" and will be seen how the place member is belt into the shape of an inverted "U" and rigidly secured by two wire members se-curely molded or fused into the glass stem. The fine wire grid is securely mounted in place inside of the plate member on two upright wire legs as shown, and



At the Left—U. S. Army and Navy Type de Forest Audion. At Right—the Famous French Type of Three Electrode Audion, Five Thousand of Which Were Manufactured Every Day during the Last Year of the War. It Serves as Detector, Amplifier and Oscillator.

the top of the filament is anchored and supported by a third wire secured in the glass stem. There is still a slight chance for a little movement between the electrode elements in this detector, and in the improved form aforementioned and which is now being developed and perfected, the filament, grid and plate are still further strengthened, so that no matter how much the bulb is jarred or shaken, no variation whatsover can occur in the spacing between any two of the three electrodes.


New Regenerative Vacuum **Tube** Circuits

By SAMUEL D. COHEN

URING the war the vacuum tube has gone into very extensive use in radio communication and other allied electrical fields. The regener-


allied electrical fields. The regener-ative circuits used until now have been found satisfactory. However, certain improvements were discovered and it is the privilege of the writer to give the re-sults of some of these improvements that were made on regenerative vacuum tube cir-cuits for the reception of long distance stations using long wave lengths.

One of the schemes tried by the writer was to couple the grid to the plate of the vacuum tube directly in the antenna system of the oscillating circuit, in order that hete-rodyne method of reception might be ac-complished with maximum efficiency. For this work it was essential to construct a coupled magnetic system in order to accom-plish the desired effects and the accom-panying photograph shows a special type of inductive coupler utilized throut these experiments. It will be noted from the




This New Audion Regenerative Circuit Util-izes a Five Coll Loose Coupler, Which is Described in Detail by the Author. By This Arrangement the Grid and Plate Circuits Are Coupled Magnetically. There Are Two Secondary Colls Which Form a Variometer.

photograph that the primary winding con-sists of two distinct coils *wound on the* same tube and in the same direction. The third coil which is swung on a pivoted arm as indicated moves into the magnetic field of one of these coils. The secondary of the coupler also consists of two coils, mov-ing one inside of the other, thus comprising



In This Audion Circuit, the Plate and Grid Are Coupled Magnetically Thru Coli L., and the Central Tap Should Be Accurately Taken Off.




Circuit for a Regenerative Vacuum Is Similar to That Given in Fig. 2, and Needs no Special Comment. This Tube

a variometer. The coupling of both of these coils can be changed at will, both within the main primary and outside of the primary. This was essential in order to eliminate the use of switches for the con-trol of the inductance of the coils.

The coils were built with great care, in order to eliminate the undesirable oscilla-tions produced within the coil circuits, due to the inherent distributed capacity of the coils.

A circuit giving remarkable results in amplifying received signals is that shown in Fig. 1. The main inductance L_1 is the main primary connected in series with the small coil wound on the same tube L4, which is coil wound on the same tube L_4 , which is thereafter connected to the ground as in-dicated. L_2 and L_3 , which comprises the secondary of the coupler are connected in a variometer manner as indicated. The joint point of these coils is connected to the filament terminal of the vacuum tube. The end of the coil is linked to the battery B_2 of the plate, while coil L_3 is connected B, of the plate, while coil L₂ is connected




to the tertiary coil L₅, which coil is the one mounted on the moving arm as indione mounted on the moving arm as indi-cated on the right of the photograph. Coils L_s and L_4 are coupled magnetically and electrostatically thru the condenser C_1 . It will thus be seen from the diagram that the plate and grid are coupled thru the in-ductance L_s and which said inductance is supplet to the automous system L_1 . A cricoupled to the antenna system Li. A cricoupled to the antenna system L₁. A cri-tical adjustment is necessary between L₄ and L₅, and between L₂ and L₃, to give maximum radio frequency amplification in the circuit. Condenser C₃ has a magnitude of the order of two microfarads and is used in general to permit the high fre-quency current to readily pass to the plate. Another circuit is shown in Fig. 2, which gave excellent results in this circuit the

gave excellent results. In this circuit, the plate and grid are coupled magnetically thru coil L₂. In this particular case, it is

very essential to note that the filament coil line should be tapt off exactly at the cen-ter of coil L_2 in order to give best results. This is done in order to equalize the po-tentials between the grid and plate circuits. Coil L_2 can be made as a variometer as will be shown later. Condenser C_1 is a regular oscillatory eccondery tuning con regular oscillatory secondary tuning con-denser. The resistance R is a grid leak-resistance and its magnitude depends upon the operating characteristics of the tube.


A similar circuit to that of Fig. 2 is

A similar circuit to that of Fig. 2 is shown in Fig. 3, and needs no comment. In Fig. 4 is shown another circuit for accomplishing the necessary results for re-generative effects for better efficiency. It will be noted that the inductances L_2 and L_3 comprise a variometer secondary coupled to the primary L_3 . The inductance L_4 is coupled magnetically to the antenna in-ductance L_3 and to inductance L_4 which ductance L₁ and to inductance L₅, which comprises another variometer of both L, and L_s , coupled magnetically to the plate and wing circuit of the vacuum tube. Con-




Regenerative Audion Circuit Utilizing All Flv3 Colls on the Loose Coupler. Variable Condenser C, Is Used to Tune the Complete Secondary Oscillatory Circuit in the Manner Indicated.

denser C_1 is used to tune the complete sec-ondary oscillatory circuit, which comprises the inductances L_2 , L_3 , L_4 , L_5 . With this arrangement it is possible to receive wave lengths from different magnitudes ranging from 150 up to 4,000 meters. It is, of course, to be understood that to receive (Continued on base 74) (Continued on page 74)



Another Regenerative Circuit Resembling Fig. 4. Here the Radio Frequency Bridging Condensers C_3 and C_4 Are Used to Permit Radio Frequency Currents to Pass Freely to the Plate.



The Two Long Illustrations on This Page Show How Various Textiles Such as Cotton, Silk, Linen, Etc., Look Under the Microscope. Microscopic Examination of Such Textiles is Considered One of the Best Methods of Determining Just What a Certain Fabric is Com-posed of. Microscopic Drawings of the Various Fabrics Shown in the Illustration Above are:—1—Cotton, 2—Wool, Various Kinds, 3—Silk, 4—Linen, 5—Hemp, 6—Cotton and Linen Mixed, 7—Cotton and Wool, 8—Cotton and Silk, 9—Shoddy, Made from New, Fine, Blue Worsted Clips. Fine.

N order that the layman may be more familiar with methods of making quick And accurate tests of varied textiles, this article is written, and not with an object of a complete treatise on "Tex-tule Testing," which work in its entirety may be written in several volumes. A person buying a piece of material, let



Fig. 19. The Burning Test Applied to Vari-ous Cloth Materials to Determine Their Com-position, Particularly the Presence of Wool. Vegetable Fibers May Be Readily Distin-guished from Animal Fibers By Burning, Animal Fibers Such as Silk and Wool Giving Off the Smell of Burnt Horn. They Do Not Fire Like Vegetable Fibers, But Cease to Burn When Removed from the Flame. Veg-etable Fibers Give Off a Slight Odor of Burnt Wood When Ignited, and They Burn Away Very Rapidly With a Flash, leaving No Hard Cinder, But a White or Gray Ash Only.

us say for a suit, does not want to feel that he is being imposed upon by having in-ferior substitutes sold him when he believes it is all wool. He must, therefore, have immediately available some means of test-

ing. Textiles may be separated into two main tivisions as we may call them. VEGE-

TABLE FIBERS, under which heading appear *Cotton*, *Flax*, *Hemp*, etc., and ANI-MAL FIBERS, as *Wool* and *Silk*.

COTTON appears under the microscope as a wide band, generally twisted, as shown in Fig. 1. Chemically, cotton fiber, sep-arated from all impurities, may be looked upon as pure Cellulose, similar in composi-tion to the Cellulose in starch. Ordinary raw cotton is not pure Cellulose, containing as it does, various impurities such as wax, oil, coloring matter, water and about 1 per

oil, coloring matter, water and about 1 per cent. of mineral matter. The appearance of various kinds of WOOL under the microscope is shown in Fig. 2. Wool differs very considerably in chemical composition from Cotton and Flax. It consists of horny-matter (Kera-tin), Carbon, Hydrogen, Oxygen, Nitrogen and Sulfur. This composition is strikingly poticed when wool is burnt accounting for noticed when wool is burnt, accounting for the peculiar and disagreeable smell of burning horn which is given off. Boiling Caustic Soda or Potash solutions dissolve Wool, and if Acetic Acid in excess is added to the solution obtained Hydrogen Sulfid is given off.

SILK, under the microscope, exhibits no definite structure, but consists of cylindrical or flattened, sometimes helical, compact threads, having the appearance of a smooth cylinder without any contents. Fig. 3 de-picts Silk as seen under the microscope. Chemically, Silk is composed of silk gela-tine, silk fiber, with fat, coloring matter and mineral substances. FLAX-LINEN fibers consist of chemi-

FLAX-LINEN fibers consist of chemi-cally pure Cellulose, and are of regular thickness. The cells are built up in a reg-ular manner, cylindrical in shape, having nodes arranged at regular intervals as shown in Fig. 4. In HEMP the cells are very irregular in form, and do not possess nodes as in the former case. The cell walls are not of such constant thickness as Flax, and the ends of the fibers are blunt, having thick walls, fre-quently branching laterally

quently branching laterally. SHODDY is old woolen or worsted ma-

terials, torn to pieces by a machine having spiked rollers, which reduces them to fibers. They are then cleaned, and the fiber spun with a certain proportion of new wool. Broadly, shoddy fibers are of two kinds,

namely—those obtained by mechanical dis-integration alone from the clippings, and second, those fibers that are obtained from rags that have been carbonized. It thus becomes necessary to consider first the result of a purely mechanical operation, and in the latter case, combined chemical and mechanical operations. Naturally, we con-



Fig. 20. This Shows Apparatus Arranged for the Accurate Testing of Cotton and Wool Content of Cloth, and One That is Used By Practically All Commercial Cloth Testers. One Glass Contains a Solution of Caustic Potash, or Caustic Soda, Into Which Is Im-mersed a Sample of the Wool to Be Tested: A Precipitat Indicates the Relative Amount of Cotton and Other Substances Present. Likewise When Cotton Is Immersed in an Acld, a Precipitat Will Show the Relative Amount of Adulterants. See Also Fig. 7.

sider whether the chemical operation of carbonizing has in any way altered the fibers so that they might differ microscopi-

cally from those treated only mechanically. Pure wool, when first sheared from the sheep, shows that the fibers are terminated at one end with a slightly rounded point, while the other end shows a more or less (Continued on page 79)



Microscopic Appearance of Various Fabrics Under Microscope, Continued. 10—Shoddy, Made from New, Fine, Black Worsted Clips, 11—Shoddy, Made from Carbonized Brown Serge, 12—Shoddy, Made from Brown Serge That Has Been Carbonized and Subsequently Stript, 13—Fibers Made from Blue Serge That Had Been First Carbonized, Then Stript, and Afterward Dyed Green, 14—Shoddy, from the Same Batch as That Shown in Fig. 12, Except That It Has Been Dyed a Full Red, 15—Originally a Brown Serge That Had Been Car-bonized, Then Stript, Afterward Dyed a Deep Orange, and Finally Garneted, 16—Shoddy, Made from Brown Serge Which Had Been Carbonized, Stript and Dyed Olive Shade, 17—Shoddy, Made from Various Knit Goods of Different Colors, 18—Shoddy, Made from Serges That Were Carbonized, Stript and Dyed a Deep Maroon.

N the last article ionization by a-rays was discust. The radiations of radium also possess the property of affecting photographic plates. This action of radio-active substances is essentially an

ionizing property and the effect produced is

Arrangement of Plate and Uranium Salt in Taking Radiographs.

proportional to the ionizing power of the

substance.

Experiments in Radio-Activity


By IVAN CRAWFORD

PART HI.

spread it evenly over a photographic plate. After a long exposure the plate will be seen to be affected.

Niewenglowski has shown that phosphorescent calcium sulfid after being exphorescent calcium sulfid after being ex-posed to sun-light, assumes the power of emitting beta particles. These particles are extremely penetrating, and are capable of affecting photographic plates even thru comparatively thick sheets of intervening metal. This property, however, differs from ordinary radio-activity. The sun-light seems to cause a disintegration of the calcium atom, causing an emission of beta rays

Much better radiographs may be ob-tained if the ionizing agent is the active portion from a spinthariscope. This is a portion from a spinthariscope. This is a wonderful little instrument and should be wonderful little instrument and should be in the hands of every experimenter of radio-activity. Considering the great va-riety of experiments which may be per-formed with it, and the comparatively small sum for which it may be procured from several leading houses, the experimenter, if at all possible, should possess himself of one. It is, while being an extremely inter-esting and instructive apparatus, a very simple one. In its common form it some-what resembles the cyepiece of a microglued. Just above this screen and with its end about over the middle of it, a small watch hand is secured. To the extremity of this a small quantity of radium salt is



of Key and Pen Point Radium Ore. Exposure Three Days. Radiograph Taken with

fastened. In some spinthariscopes the arm which supports the active substance is removable, allowing it to be utilized in the making of radiographs. Those, however, which are fitted with sta-

substance. Both the a and b particles ionize the air thru which they pass; however, the a-parti-cles do this to a larger extent. In fact the total number of ions per sec., due to the complete absorption of a-rays from one gram of radium, is 2.56×10^{16} , while the beta rays from the same amount of radium produce only 9×10^{16} . It will be seen from this that the a-rays would affect the plate to a much

Method of Preparing Radium in Tubes For Use in Medical Work. The Three Small White Tubes Contain Radium Sulfate and Have Respectively 2,550 and 100 Milligrams of Radium Element Content. Beside them Are the Silver and Platinum Screens Used, Back of Which Is the Brass Carrying Tube, Together with a Package Ready for Shipment.

scope. The distal lens is removed, and in its place is put a metal plate upon which a thin layer of phosphorescent zinc sulfid is



A Small Silica Capsule, Shown in Natural Size, Containing 1,764 Milligrams of Anhy-drous Radium Barlum Bromid, Having a Radium Element Content of 740 Milligrams. At the Present Market Price of \$120 Per Milligram. This Radium Shown in the Dish Has a Cash Value of \$88,800.

which are hited with sta-tionary arms or those in which the active substance is placed directly on the screen, may be employed by removing the lens portion and using the case alone. When using a spinthari-scope for making radio-graphs the exposure need only last about two days. This is because of the much greater activity of the sub-stances used in the construction of these instruments. If figures such as letters be cut from heavy lead foil or some metal sheet and interposed between the spinthari-

rrying Tube, rrying Tube, ing photographs may be made in this man-ner. The author has found that it is impracner. The author has found that it is imprac-tical to attempt the construction of such an instrument as they are more cheaply bought. Of course there are many variations of the experiments just described which will not be given here as they will doubtless suggest

themselves to the reader's mind. Before closing this article it has been thought fitting, however, to describe several experiments with this remarkable little in-strument—the spinthariscope. If the ex-perimenter will take the spinthariscope into a dark room he will be able to see wonderful dechee of light group line time time. flashes of light resembling shooting stars. flashes of light resembling shooting stars. It is best for the observer to remain for several minutes in the dark before attempt-ing his observations, so to allow the eyes to become accustomed to the darkness. Upon further observation a pulsating nebula of light surrounded by flashing meteors will be seen. This is caused by the fluorescence due to the ions from the disintegrating atom striking the zine and sulfid screen. The spinthariscope clearly shows the con-The spinthariscope clearly shows the constant shower of particles given off by radio-

stant shower of particles given off by radio-active substances without any sensible de-preciation in their weight or power. The spinthariscope may be used in an-other very interesting and instructive ex-periment. The earlier experimenters with (Continued on page 68)

tween the substance and the plate. When a solid is in-terposed the effect is ac-con plished almost entirely by the b-rays on account of their greater penetrating power.


affect the plate to a much greater degree than the b-rays. This is only true when

there is no obstruction be-

power. Geitel, and afterwards Becquerel and Mme. Curie showed that the b-rays were subject to magnetic deflection. The experi-ments conducted by Kaufmann and Bec-querel have shown that the b-particles con-cit, of pagatingly charged particles pro-

sist of negatively charged particles pro-jected with an exceedingly high speed, indeed almost approaching that of light. These experiments also proved their mass was equal to that of the cathode particle in vacuum tube phenomena. Really, however, the b-particles are electrons ejected from radio-active substances at a considerably higher speed than that observed for the cathode particle.

To show the effect of b-rays on photopraphic plates a very simple device suffices. The following experiment may be easily carried out. An ordinary photographic plate is wrapt in black paper; a few metal objects, such as coins, keys, etc., are then placed upon it and covered with a piece of radio-active ore. Any uranium or thorium salt may be used instead. The exposure should last several days. The action is much slower than X-rays and the results much less clearly defined. A plate with uranium salts on it is shown in Fig. 1. This lack of definition makes this method ill-adapted for practical radio-graphy. The salts of uranium and thorium have heen found to give off the beta particles which affect the photographic plate. An interestgraphic plates a very simple device suffices. affect the photographic plate. An interest-ing experiment is to take an incandescent gas mantle which contains thorium, and



WISH you knew Gladys Doolittle. No I don't, either. I've got no grudge against you. The Doolittles live in the next wing of my hotel, and as their parlor windows face mine I know all about the family, except who they are. "Gladys Doolittle." is only one name I call

her-among others, yes, many others! Gladys entertains a young

man quite frequently. It isn't the same young man -I wish it was. She's "looking 'em over," and the specimens come on in a remarkably even procession, one at a time, some way she has it fixt. No fights, or jostling in the ante room; never any nov-elty like that. Her entertainment is a

stock sketch, always the same. From 8 to 9, the visitor engages in conver-sation with "Pa" Doolittle about what they've both read in the newspaper, while Gladys butts in oc-casionally with remarks on the sock she's trying to knit. Thus "Pa" samples him, and at the same time the victim makes up his mind whether he likes this better than the hall bedroom on the whole. About 9, he tries to pet the dog-9, he tries to pet the dog-one of these micro-dogs it is—and it bites him; the cake hound has to have his sample, too, I suppose. At 9:15, "Pa" retires. He's a nervous wreck or some-thing, and needs the sleep; if he forgets he needs it, Gladys reminds him Then Gladys reminds him. Then, new scene: she turns off all the bulbs except the pink reading-lamp, chases the knitting off the daven-port, and trails over and opens up the phonograph. The "vamping" is about to begin.

So far the performance has been confined to the home, but from this on it in-vades the neighborhood, and atrocities come hard and fast. Gladys uses "haunting" vades the neighborhood, and atrocities come hard and fast. Gladys uses "haunting" melodies in her vamping business, and as the vampees are always different, one haunter is all she needs at a time. When she first came it was "Memories," but that wore out on her, and ever since then it's been "Poor Butterfly." Does it haunt? Well, look: when Gladys laps her lidy finger and gives that record the initial twirl, and old "But" soars out into the community with his ragtime triplets fluttering around with his ragtime triplets fluttering around him, we know too well it'll be an hour be-

him, we know too well it li be an hour be-fore the trusty insect will be allowed to fold his painted pinions and beat it back to the envelope. Does it haunt? Woof! I'm slowly getting crazy from it. Per-haps you've noticed signs of it in my writ-ings. What's that, somebody says—"What d'ye mean *slowly?*" Well, all right, you know the cause of it, anyway. I have an

By THOMAS REED

idea I could sue Gladys or her father or somebody and get damages — if the jury should decide I was less valuable crazy than the way I was before. If anybody wants to buy my claim, I'll make an attrac-tice price on it, for cash "or what have you?"

I suppose it isn't really Glad's fault that

Soldei FIG 3 2 Whirling 80 Glass Tel. bot. Motor bot. FIG 1

Well—Fellow Constructors—Here's the Original "Noiseless" Phonograph. First You'll Need One of Those Transmitter Buttons That's All the Rage Now-a-Days. You Stick a Needle Holder On Said Button, Rig Up a Pie Tin Turn-Table, Hook Up a Battery and 'Phone to the Button, and Let 'Er Go!

the instrument she's using in her "laboratory" operates on the neighbors as well. Phonographs are loud! all of 'em. The Phonographs are loud: an or children so, manufacturers took pains to make 'em so, maintracturers took pains to make en so, out of an absolute misconception. They got the idea very early that several or more people would like to hear 'em at once. Why, even now, when they onght to know better, they publish those pictures showing the whole family sitting spellbound, mother dropping her sewing and Johnny his Mec-cano or volume of Browning, and all that. The facts are just the other way. Johnny

The facts are just the other way. Johnny delights in the jangled jazz that nobody can follow but himself, that makes the baby cry and the others want to. If Little Sister starts the well-worn maxixe, and Sister starts the well-worn maxixe, and falls to dreaming of the slim-waisted lounge-lizard she's seen in the movies, mother fidgets and glances at her offspring with apprehension; and when Big Sister puts on the \$7.00 "operatic," father picks up his paper and stealthily makes for the kitchen. And so it goes. The Home has

been endangered by these instruments ever since the "Pup first heard His Master's Voice," and you know it. It's a "Noiseless Phonograph" that's needed, and as usual I have to invent it— nobody else will waste the time. Some-times I get almost discouraged raking around after the big inventors and clearing around after the big inventors and clearing

up the poisonous by-products they leave. Everything falls on Patsy Bolivar. However, here's your new phonograph, not only *in-audible* except to the persons who want to hear it, but one that you can make yourself with hardly any trouble. With this and the prohibition law in opera-tion, I feel as tho the Home might straighten out and survive for several years. This machine has be-

come possible, in a practi-cal sense, only lately, thru the invention of the Skinderviken transmitter-button, a complete transmitter in itself; and right here I sure won't object if Mr. Skinder makes one simo-leon on his part of the rinktum, because he adver-tises in our "Mag." like a regular fellow, and will sell you a single button if you want it.

Fig. 1 shows the general layout. For the whirling table, take one of these round shallow tin pans they use for baking Washington-pie sections — or strata, I guess you'd call 'em. The Five and Ten'll have 'em. Take some pains to fix it true on the spindle.

The spindle runs in holes thru two brass elbows. At Go! the lower end, to reduce friction, point it off and have it bear on a piece of glass. As the transmitter-button is so much

lighter than the ordinary reproducer, the pressure of the needle on the record will be negligible, so you won't need a gover-nor. Your battery motor will run it evenly nor. enough, and the speed is regulated by your rheostat.

Fig. 2 shows the method of attaching the needle to the front stem of the button. Fig. 3 shows the short arm for perpen-

rig. 3 shows the short arm for perpen-dicular play and method of attachment to the back stud of the button. Of course it's understood you can con-nect up as many receivers as there are folks who want to listen. But say—if any fel-low starts to laugh at you or me for our "silent phonograph," just remove the gentle little receivers oltogether and hitch or a little receivers altogether and hitch on a couple of audion amplifiers from your old wireless set, then sick "Poor Butterfly" on that critic, magnified up till he'll think the pretty creature is a night-flying airplane with a ton of bombs on its chest. Oh! Boy!

Automatic Bell-Ringing Attachment

THE present diagram illustrates a simple home-made attachment for an ordinary eight-day clock, for the pur-ose of automatically ringing a bell or pose working a relay at certain fixt times. was primarily designed for use in a small



The Clock Fitted with Automatic Electric Bell-Ringing Switch. This Arrangement Has Given Entire Satisfaction in a High School for Some time, and Provides 18 Rings Between 9 A. M. and 4 P. M.

high school where it was not thought desirable to purchase an expensive clock especially designed for that purpose. The clock in question has given entire satisfaction and rings at intervals of about 35 minutes with intermissions of three minutes minutes with intermissions of three minutes between periods, making some 18 rings be-tween 9:27 a. m. and 4 o'clock p. m. An attachment constructed according to the enclosed diagram should cause the bell to ring at the following times: 8:55, 9, 9:55, 10, 10:55, 11, 11:55 and 12 noon; 1:25,

By T. A. NEELIN

1:30, 2:25, 2:30, 3:25, 3:30 and 4 p. m. The accompanying photograph shows the clock as it is in use at the present time.

CONSTRUCTION

A wooden disc bounded by the inner and A wooden disc bounded by the inner and outer circles c^{1} and c^{3} was cut from white-wood and finished to about $\frac{3}{8}$ of an inch in thickness. A copper strip of the form c^{1} was then cut and attached to the wood by means of a screw at s¹ and a coating of shellac to hold it in place in the other parts. A narrow slit s³ just wide enough for in-sulation purposes separates the ends of this A narrow slit s' just wide enough for in-sulation purposes, separates the ends of this strip. The screw s' serves to connect the bare end of an insulated copper wire c' to the copper strip c³. This wire connects to one pole of the battery B as shown. Copper plates of the form c¹¹ c⁵ c⁷ c⁷ c⁶ c⁹ c¹⁰ were next cut and in c⁹, c⁴, c⁹, c¹¹ holes just large enough to admit a $\frac{3}{4}$ inch screw were bored. Corresponding holes were bored in the Corresponding holes were bored in the wood disc. The copper plates were then laid down in shellac and insulated from each other by narrow spaces as shown: c⁴ and c⁹ were connected by a wire attached

c⁶ and c⁶ were connected by a wire attached by means of the screws s⁶ and s⁹, and pass-ing behind the wood disc; c⁶ and c¹¹ were similarly connected. The dial was then re-moved from the clock and the disc inserted in its place. The hands were next prepared. To the outer extremity of the hour hand was attached a little bush made of fine strands of copper wire obtained from a piece of "lamp cord" and bound tightly about the hand. The hand was then ad-justed in place so as to press the brush even-ly on the surface it past over. A small ly on the surface it past over. A small brass wheel w¹, say 5/16 of an inch in diam-eter rotates freely and smoothly on the pin which fixes it to a piece of wood as shown. Into the other end of this piece of wood the outer end of the minute hand was in-serted. The object of the wood was to insulate the minute hand from the wheel. The minute hand was then curved upward in the middle to allow the whole to freely pass over the hour hand while at the same time the curved minute hand acts as a spring to hold the wheel firmly against the copper parts beneath. The minute hand was then

put in place; c¹³ is an insulated copper bell wire attached from the rear to the metal works of the clock, and continuing to the bell, or relay if a number of bells are to be worked at the same time, and thence to the battery B.





Diagram of Electrical Circuits and Contacts Fitted to Hands of Clock for Ringing One or More Bells at Different Hours.

ACTION

From the battery B the current may be ought of as travelling thru the wire c' to thought of as travelling thru the wire of the copper plate c3. As soon as the wheel w4 the copper plate c³. As soon as the wheel w' bridges the gap at G the current can then pass to c⁶, thence thru the brush and hour hand, the works of the clock, thru the wire c¹² completing the circuit and thus ringing the bell or working the relay. In a few sec-onds the circuit is broken again at "G" by the minute hand moving on, and the bell stops ringing. The wires shown by the dotted lines are necessary to get the current from the hour hand to the proper plates so that the hour hand to the proper plates so that the bell may ring at the times indicated.

A "Lead Pencil" Rheostat



The Lead-Pencli Rheostat. The Penclis, Without Rubber Erasers, Are Supported Be-tween Wood Screws, as Shown. Proper Wire Connections Being Made Between the Switch-Points and Screws. Pencils.

The accompanying drawing shows a lead pencil rheostat. The idea is new and very simple at the same time. The lead pencils used are in no way spoiled and can be taken out of the frame and used as if new. Fig. 2. A, is a pencil (a drawing pencil) which has the lead exposed at both ends. B is a screw which is flush with the wood. F and makes connections with a wire not


F, and makes connections with a wire not

shown. C is another screw longer than B. D, E, E are the parts of a switch. Fig. 3. It shows the switch side of rheostat. The pencil, A, is set between screws B and C. Screw C is screwed down until the both screws make good connections with the exposed lead in the ends of pencil. Connect wires with the screws, connect the wires in the right place on the switch. The number of pencils used and their length will determine the size of the rheostat. It is best to use good drawing pencils as their resistance is higher.

Contributed by JONAS GULLBERG

USE YOUR OLD MOTOR BEARINGS.

The accompanying sketch illustrates how the bearings of small motors can be easily used when badly worn. Remove bearing from motor and cut with hacksaw as shown in sketch, drill and tap bracket for set-




Why Not Use Your Old Motor Bearings? Cut a Slot In the Lining and Close It Up With a Set Screw.

screw and replace bearing; tighten set-screw until motor runs without vibrating. Contributed by HENRY L. BEIMEL.

HEAVY DUTY 110 VOLT, 60 CYCLE STEP-DOWN TRANS-A FORMER. BY RAY SEITZ

With this article I intend to fill the want of the experimenter for a good and ef-ficient transformer.

The first step is to make the core. From a piece of black sheet iron cut enough



A 250-Watt Step-Down Transformer for Use in the Laboratory, in Cautery Work, and Gen-eral Experimental Work.

strips 5" long $1\frac{1}{2}$ " wide to make a pile 3" high and $3\frac{1}{2}$ " long and $1\frac{1}{2}$ " wide to make a pile 3" high. Now build four cores like those shown in Fig. 1, two from the the larger size and two from the small size strips. When you have done this clamp tightly in a vice and wrong well with clamp tightly in a vise and wrap well with three layers of good friction tape. On the long legs wind three layers No. 12 D. C. C. copper magnet wire, 30 turns to the layer, taking a tap off at each layer. The two legs will require 21/4 pounds of wire. Now wrap two layers of good friction tape over this and begin winding the primary which con-sists of 6 layers No. 22 S. C. C. magnet wire, 80 turns per layer, using a layer of paper between each layer of wire. This winding, the primary, will require $1\frac{1}{2}$ pounds of No. 22 S. C. C. magnet wire. After you have both of the legs wound wrap again with two layers of friction tape and paint the whole heavily with shellac and bake in an oven for three hours. Now put the four legs together and drill a hole in each corner to pass a 1/4" bolt A*B*C*D—

Fig. 2. After the holes are drilled, the next thing to do is to solder the next thing to do is to solder the taps on with short pieces of No. 12 R. C. wire and brought to their proper binding posts. No. 1 comes from the beginning of secondary winding, No. 2 from first tap, No. 3 from second tap. No. 4 from end of winding on No. 4 from end of winding on first leg, (end of winding on first leg and beginning of winding on second leg are joined together, and tap 4 also comes from this joint). No. 5 from first tap on second leg. No. 6 from second tap on second leg, No. 7 from end of winding on second leg. When connecting the ends of

When connecting the ends of the wind-ings together care should be taken to see that they will help each other along and not "buck" each other. By applying the hand-rule for electro-magnets you can easily figure which ends have to go to-gether. The primary sections are connected up in series with each other, applying the hand rule as in the case of the secondary and the two remaining ends are spliced to a piece of black extension cord for con-necting up to the supply. The hole, 8, in Fig. 4, is for this piece of extension cord to go thru, having first bushed it out with a piece of fiber tube from a 30 amp. cartridge fuse.

The top is made from a piece of $\frac{1}{2}$ "

red birch, cut to the dimensions in Fig. 4. The holes marked 1-2-3-4-5-6-7 are for the binding posts and 8 for the connecting cord. The other holes are for fastening the transformer to top. When fastening transformer to top, four pieces $\frac{1}{4}$ " gas pipe $\frac{1}{2}$ " long, will separate the core at the right distance from the top.

Fig. 5 gives the dimensions and shows how to cut the sheet for making a box to fit the transformer. It is made from 24 gage sheet iron, having the corners riveted together.

Short-circuits and heavy overloads will not harm this transformer, if not left on for too long a time. This transformer, if built the way described, will work perfectly and is absolutely noiseless at low load and at full load produces a slight hum. It consumes about five watts at no load and draws about 250 watts at full load. The secondary has six steps of three volts each, three volts between each terminal. This transformer is designed to operate on the standard current of 110 volts 60 cycles. The writer has built several of these transformers and they work to perfection under many different conditions.


A NEW WRINKLE IN ROLLER BEARINGS.

Most machine bearings are made of the ring-oiling type, that is, the bearing is sup-plied with a reservoir for oil, into which dip one or more rings that run upon the shaft, and thus supply the journal con-tinually with oil. During the operation of the machine there is a continuous flow of oil thru the bearing, which not only keeps the shaft well lubricated, but tends to wash away any particles of metal that may be worn from the rubbing surfaces. In a dynamo, it is important that the

the shaft and run out on the armature. The oil itself is not so injurious, altho it tends to destroy the insulating varnishes, but it causes an undesirable accumulation of dust that may greatly impair the insulation.

The accompanying diagram shows a new type of roller bearing, so designed as to run without the use of any lubricants. It

is as simple as it is efficient. This bearing consists of an outer hard-ened-steel casing and an inner hardened-



A Bearing You Will Want for Motors and Dynamos. It is Particu-larly Strong and Runs Without Oil or Other Lubricants.


steel sleeve. Between these are placed two sets of rollers of two different sizes, the smaller serving as the spacing or idler smaller serving as the spacing or idler rollers and the larger being the essential bearing rollers. The relative position of these rollers is shown in the sectional sketch. The idler rollers are so designed to run on what may be called a *track*, and are held loosely in place by two retaining rings.

The bearing is suitable for all kinds of work. When used in connection with line shafting, the outer sleeve fits into a shell, held in place in the hanger in the usual manner. Contributed by

PETER J. M. CLUTE, B.Sc.

THE "TALKING TABLE."

If the apparatus here described is fastened to the under-side of a dinner table it will set the table in vibration so that any



An Entertaining Wrinkle for the Electrical "Bug" to Try Out—the Talking Table. The Magnet Connects Up with a Microphone and Battery.

number of persons putting their ears flat upon the table, will hear a person talking over the 'phone, if it is connected up as shown in the accompanying sketch. A small piece of sheet brass is cut as

A small piece of sheet brass is cut as shown in Fig. 1. A piece of soft iron wire, such as that used for cores of induction coils and about 6 inches long, is bent at one end as indicated at (A) Fig. 1 and put thru a hole in the center of the brass plate; the other end is bent into the form of a small hook. Next cut off about 2 inches of a cheap lead pencil and soak it in water till the lead will come out easily, then glue the pieces of pencil to the wire then glue the pieces of pencil to the wire just above the hook. Take a piece of cigar-

box wood and cut a piece about 13% inches in the center so it will fit over the leadless pencil on the wire, and 2 holes to receive the two binding posts, Fig. 2. Glue the disc over the pencil on the wire near the upper end. The binding posts are then placed thrn the other two holes. The 24 B. & S. silk or cotton cov-ered wire, the end of the wire being fastened to the two posts. A small weight, weighing about two or three ounces, is hung on the hook. The apparahung on the hook. The appara-tus is then screwed to the under side of the table and connected up to a microphone and battery. Contributed

buted by WADE ROBINSON.

CLEANING PAINT BRUSHES. For cleaning hard paint brushes make a hot solution of lye water; stand the brush so that just the bristles are in the solution. For making old corks new. Boil in hot water for one-half hour.

Contributed by AN EXPERIMENTER.


A new thermostatic metal which is remarkably sensitive to heat has been in-vented. The metal may be used in connec-tion with an electric thermostat to control heating systems and to give the alarm in case of fire.

A PHOTOGRAPHIC PRINTING BOX.

The inconvenience of the printing frame is entirely done away with in this electric printing box. In regard to time the saving is enormous. The necessary material reprinting box. In regard to time the saving is enormous. The necessary material re-quired follows: 1 piece wood 1"/12"/17" (base); 2 pieces wood 1"/12"/15" (sides); 2 pieces wood 1"/12"/12" (ends); 2 pieces wood 1"/6"/17" (top-hinged in the middle); 1 piece glass (plate) 15½"/10½"; 4 tung-sten hamps; 1 ruby lamp; 5 sockets, and 1 hamp cord with plan. lamp cord with plug.

The box is assembled as shown in the The box is assembled as shown in the figure. The sockets are screwed 2" up from the bottom on the ends and are 5" apart. One socket is put in the middle for the ruby lamp. The next step is to wire the sockets according to the diagram, leav-ing enough wire to go over the top for the automatic switch which now will be taken up. The object of this switch is to turn on the four white lights when the lid is down. It consists of an L-shaped piece of spring brass or phosphor bronze that is screwed to the cover and fits into a V-shaped piece of metal when the cover is down tight. A of metal when the cover is down tight. A picce of wire about 2' long runs over the top to the L-shaped switch. The other side can be wired up from the inside of the box.

The remaining step is to put on the glass plate. The glass should be as heavy as possible; plate glass is the best. There is often quite a heavy strain on the plate from printing and consequently a light glass is liable to crack. The top of the box is now rabbited out $\frac{1}{4}$ " deep and $\frac{1}{4}$ " wide from



Amateur Photo Printer Provided with Automatic Switch for Opening and Closing the Light Circuit When the Lid is Operated.

the inside all around, so that the glass will fit in flush with the top. The top is hinged in two places in the middle opening, and in two places in the middle opening, and two more places on the end to give no play at all to the cover. It is well to cover the inside of the top with a piece of cotton flannel the size of the glass plate. This insures that the negative will be in firm contact with the printing paper. It is seen from the wiring diagram that


the ruby lamp is kept burning diagram that the ruby lamp is kept burning all the time. This is to allow for printing masks to be adjusted, the negative to be arranged, etc. This printing hox is capable of turning out prints at a rapid speed, doing away with the clumsy printing frame. It is very simple in construction and will repay anyone who constructs it.

Contributed by

MALCOLM MACURDA.

Reversing Rheostat for Small Motors

This rheostat is built under the motor on a wood base $6 \ge 8 \ge \frac{1}{2}$ inches. On each side of the base, $2\frac{1}{4}$ inches from the ends, cut two grooves $\frac{1}{8}$ inch deep and 1 inch wide, leaving a space of 1/2 inch befinal end of the wire is tacked to the lower side of the base. Wind the other side in like manner. The lever is a thin piece of wood $\frac{1}{2}$ inch wide, carrying two short binding posts, B B, which serve as sliding



A Handy Reversing Rheostat for Toy Motors. It Controls the Speed in Either Direction and Can Be Actuated from a Distance by a String Attached to the Handle.

Take about thirty-five feet of No. tween. Take about thirty-five feet of No. 28 insulated copper wire, fasten one end to a binding post under the base as shown in Fig. 1, and wind it around the base closely and evenly, gluing it near the place where the sliding contact, B, is to work. The

contact points, connecting the arc, A A, and the coil, D, off of which the insulation has been scraped in the path of the slider, The nearer the glue is to this path the better.

Contributed by

OSCAR ROSE.

Revolution Counter for Dynamometer


Electric tachometers have not proven a success where accuracy is demanded such as in dynamometer testing work and there-fore several revolution counting apparata have made their appearance on the market. These latter usually take the form of solenoid operated clutches operating in turn revolution counters. When the fuel-weighing ap-

paratus makes contact, the clutch is en-gaged and a stop watch started. When the weighed quantity of fuel is used up the scale breaks contact, the counter is stopt and the stop watch stops. Thus an accurate method of determining pounds of fuel per brake horse-power hour is secured. A "seconds pendulum" is a

pretty handy piece of apparatus to have in any laboratory. I built such a pendulum so that at every swing the lower end of the pendulum would brush thru a mercury cup


fastened on a suitable adjustable support. The requisites are one solenoid with laminated soft iron core, one old electric bell magnet, a circular saw, a few small gears

The small brass drum attached to the saw has a piece of insulation in the path of one of the brushes whose length is suffi-



cient to cover the circular distance of all

teeth over thirty, so that there will be thirty movements of the saw or a time (Continued on page 73)




This department will award the following monthly prizes: First Prize, \$3.00; Second Prize, \$2.00; Third Prize, \$1.00. The purpose of this department is to stimulate experimenters towards accomplishing new things with old apparatus or old material, and for the most useful, practical and original idea submitted to the Editors of this department, a monthly series of prizes will be awarded. For the best idea submitted a prize of \$3.00 is awarded; for the second best idea a \$2.00 prize, and for the third best prize of \$1.00. The article need not he very elaborate, and rough sketches are sufficient. We will make the mechanical drawings. Use only one side of sheet. Make sketches on separate sheets.

FIRST PRIZE, \$3.00

A MANUAL TYPE CODE LEARNER. I give below drawing of a "code teacher" which I am contributing to the "How to Make It" Department.

This code teaching instrument can be easily made at practically no cost. A board




To Make This Simple Code Learner, Cut Out the Dot and Dash Characters On Strips of Tin and Embed Them in Sealing Compound. The Buzzer Circuit is Made and Broken Over These Projections.

(any size to suit the maker) has slits cut into it lengthwise with a knife or saw, as indicated. Tin or brass strips are procured, The dots and dashes are cut out along the edges of the strips, as in the drawing. They are put in the slots, then connect all together with a wire. together with a wire. Then take some wood about ¼-inch square and put it around the edge on the top. Melt some sealing com-pound and pour it in the box just made by putting the wood strip around the board, to within ¼-inch from the top of the tin. Then cut out a piece of tin to make the "pen;" connect it up to a huzzer or telegraph sounder and slide the "pèn" across the tops of the tin strips, which makes the dots and dashes at any speed desired dashes at any speed desired. Contributed by LOUIS C. KING.

IMPROVED MORTAR AND PESTLE.

When a mortar and pestle are used for grinding chemicals dust often gets into the eyes, or small particles are driven out of the mortar and are lost, particularly in the case of hard crystals requiring a consider-




Make This Simple Cover for Your Mortar and Pestle and Keep Out the Dirt. able force to break them. A simple but very efficient safeguard consists in making a cover for the mortar from a circle of cardboard, with a central hole just large enough to admit the pestle as sketch shows. Contributed by H. J. GRAY.

SECOND PRIZE, \$2.00

TAKING YOUR OWN "MUG" IN GROUP FLASHLIGHTS.

When taking group photos by flashlight it is often desired that everyone be in the picture, but as someone must hold the flashpan and set it off at the proper moment, this is often impossible. I have a plan, which is explained below, which allows everyone to be in the photo.

In the diagram a is push-button held by photographer; b is spark coil, the wires from a being connected to the primary side of the coil, with set of dry cells in circuit; c is one wire, from secondary side of coil, which is taken thru hole in bottom of holder which is taken thru hole in bottom of holder and soldered to c; d is other wire from secondary side of coil which is taken thru hole in back of holder f and turned down until there is a gap of about one-fourth inch between it and c; the covering should be removed from d for about one inch from and the covering should be end; e is baking powder can cover which should be securely fastened to holder f as shown; f is holder made of two pieces of



Push the Button and Take Your Own "Mug" with This Unique Electric Flashlight Scheme.


wood about six inches wide fastened towood about six inches wide fastened to-gether at right angles and covered on the inside with sheet asbestos, which acts as reflector and protects wood. Holder can be placed on either side of camera, but must be back of camera. *How It Works.*—The operator puts the proper amount of flash powder in the bak-ing powder can cover, in and around the point of wire *d*. He then arranges his group, using the camera finder for this pur-pose, leaving, however, a place for himself.

group, using the canera inder for hirs pur-pose, leaving, however, a place for himself. The light in the room should be turned low, leaving only enough to see by. The camera shutter is now opened, the photographer takes his place in the group, and at the proper moment pushes the button. The spark between wire d and baking powder can cover sets off the powder, after which the photographer closes the shutter, and the picture has been taken.

Contributed by GLEN M. ROYSTON.

THIRD PRIZE, \$1.00

A PROPOSED "BELL SOFTENER." When some one comes to the door and rings the bell, its sudden sound scares




The Sudden Jar On the Nerves Caused by Ringing the Ordinary Bell Can be Obviated by Inserting a Solenoid-Controlled Rheostat In Series with the Bell and Battery.

In Series with the Bell and Battery. everyone. With this device it starts softly and gets louder gradually. The apparatus used is the same as generally employed for this purpose with the exception of the softener, which is a large cylinder wound with resistance (R), which is entirely in circuit at the start, but is varied by the slider S. When the key PB is released, the slider is pulled back to the original position (having been pulled down by the magnet M) by the spring SP. CAUTION: Do not have the slider too far from the magnet; make the cylinder short but large in diameter. Do not use too much resistance; allow enough cur-rent to pass so that the magnet will work. Contributed by

Contributed by ERNEST INNES and ETHBERT REED.

SPARK-LIT INITIALS

SPARK-LIT INITIALS I here give a description of spark-lit ini-tials formed from old shoe nails, driven into a block of wood so as to form letters. A piece of wood $\frac{3}{4}$ " x $1\frac{1}{2}$ " x 3" is used for the base, initials one inch high are drawn on the base and the shoe nails are driven into the initials about $\frac{1}{32}$ " apart, or a little more. The initials are connected little more. The initials are connected




What Is Prettier Than Spark-Lit Initials Such as These, Which Can be Lit Up by Even a Small Spark Coil,

together as shown and wires are connected from the secondary terminals of a spark coil to the letters. When the coil is excited, sparks jump from nail to nail, lighting up the initials in a very pretty way in the dark. Contributed by DE FOREST G. STICKNEY.


METHOD OF FORMING A SHORT-RADIUS BEND IN CONDUIT.

By GEORGE W. SHIRLEY

To make a short radius bend in conduit for a location such as that indicated in Fig. 1, the method to be described can be used. Where turns of the usual radius are




Above: The Electric Conduit Pipe Should Always Be Neatly Bent and Fitted in Place Like This. The Bends Must Be Even Curves, Not Kinked Bends.



Above is illustrated How Not to Bend Elec-tric Conduit. Such Pipe Bends Soon Loosen, and Besides Present a Very Unworkmanlike Appearance. How to Bend Conduit Right is Explained Herein.

made, the conduits do not lie close to the surfaces and present the undesirable ap-pearance delineated in Fig. 2. But with this pearance defineated in Fig. 2. But with this method, bends of the approximate form diagrammed in Fig. 1 can be so made that the inner face of the conduit will lie not more than 1/4 inches from the faces of the beam. A sleeve, P, of a larger diameter than the conduit, C, being bent, is slipt over the end of the conduit (Fig. 3) and then the short-radius turn can be formed with a hickey H

The short-radius thru can be formed with a hickey, H. The electrician uses what is known as a hickey for bending all small pipe curves. The hickey is nothing more or less than a substantial pipe tee fitted with a handle of pipe as shown in Fig. 3. The handle is threaded, of course, so as to screw into the fitting firmly the fitting firmly.



In Bending All Small Condult Use Is Made of What Electricians Call a "Hickey." This Is Made of a Short Length of Pipe Threaded Into a Heavy "Tee."

A Low-Reading Volt-Ammeter


Remove the balance wheel, bearings, and hair-spring from an old alarm clock. Using composition wall-board or thin wood, make a box $3x3\frac{1}{2}$ inches and $7\frac{1}{8}$ in. deep. For ease in adjusting, the front should be cut away as shown, and the front should be easily removable. In the center, both back and front, bore a small hole to receive the bearing screws, which are cup-shaped in the ends. The balance wheel should spin freely when in place.

On a thin sheet of soft iron, taken perhaps from an empty tomato can, draw a circle with a radius of one and one-sixteenth inches. Inside this circle cut an armature like the letter S, as shown in the drawing. Punch a small hole in the center of this "tin" letter S, and slip on the balance-wheel shaft and fasten to it. I'ush the hair-spring on the shaft above the wheel. The free end of the hair-spring is secured to a small end of the hair-spring is secured to a small post. The spring must of course be ad-justed to the proper tension. A thin pointer made of No. 32 wire is made fast to the balance wheel, letting the end project up thru the slot cut at the top of the instru-ment. A bit of colored paper should be glued to the end of the pointer.

glued to the end of the pointer. Around a stick of wood half inch thick and 5% wide, wrap a couple of thicknesses of cardboard, gluing carefully. On this form wind one layer of No. 20 four feet. Fasten this with shellac. Over this coil wind 5 turns of heavier wire, say No. 14. For the voltmeter coil 40 feet of No. 32 may be used. This makes 200 turns and has a resistance of nearly 7 ohms. A dry cell giving 1.5 volts will send over 1/5 ampere thru this coil. 200 x .2 amp. gives 40 amp. turns, or 40 feet x .2 amp. equals 8 amp. feet. .2 amp. at 1.5 v gives .3 watt. When the ammeter coil having 20 turns or 4 feet is carrying 2 amperes it too will have 40 amp. turns or 8 amp. feet, and will exert 40 amp. turns or 8 amp. feet, and will exert the same magnetic pull as the voltmeter coil at 1.5 volts.

If we wish to measure a little higher voltage we may use 140 feet of No. 36 copper wire, having a resistance of 50 ohms. Now at 4.5 volts the energy absorbed will

be nearly .3 watt. One watt should pull the armature or plunger the full distance into the coil. A square of paper covers the opening in the front and a glass fitted into slots excludes the dust. Each coil may be joined to a common post at the top but



Procure an Old Alarm Clock. You Are Then Ready to Start Building This "Triple Scale" Volt-Ammeter, a Most Useful and Desirable Measuring Instrument for the Experimental Laboratory.

to a separate post at the bottom. Instruto a separate post at the bottom. Instru-ment will work in either horizontal or ver-tical position. Calibration should be done last. If no standard instruments are at hand, each dry cell in series adds 1.5 volts. For the ammeter scales, two cells in series will send 6 amperes thru 48 feet No. 20: one cell will give 3 amperes thru the same wire, and 1 ampere thru 9 feet of No. 32. My "battery tester" has been used often during the past year. Tester may be used for a moment on much stronger currents than examples given. Contributed by

H. H. DAVIS.

Converting Small Motor Into a Dynamo

If your motor is not already mounted on a base, it would be well to do so for this experiment. On this base mount two binding posts BB.


Then disconnect the wires which come from the field coil and connect them to two dry cells, as shown in the sketch. Connect two short wires from the brushes to the binding posts BB, the wires being indicated by AA. A switch may be put between the field coil and batteries if desired.

Now belt the motor to any large wheel, D, such as a fly-wheel of a sewing ma-chine. A water motor serves the purpose

very well. When the armature is revolved at a high rate of speed, current will be gen-erated, which will pass thru the wires HH, connected to a small electric bulb, storage battery or to another toy motor. In my case the motor was very small,

only three inches high, designed to run on two batteries, and when converted into a dynamö it gave sufficient current to burn out a two and seven-tenths (2.7) volt bulb, which I had taken from a flashlight.

It must be borne in mind, however, that the voltage of a dynamo is controlled by the size and number of wires with which it is wound and the speed at which the armathre is rotated, as well as the strength of the field magnet. Contributed by E. L. DURGEN.




To Demonstrate the Principle of the Dynamo the Experimenter Will Find It Extremely In-teresting to Drive a Small Toy Motor with a Steam Engine, a Water Motor, or Another Motor, and Exciting the Field by a Few Dry Cells. A Small Lamp Can be Lighted. Stean. Motor, an Cells.



PRACTICAL CHEMICAL LABORA-TORY DEVICES.

By Thomas W. Benjamin.

HERE are many instruments and operations in chemistry that can be so improved as to make them handier or to shorten the time required for a given




Here Are a Home-made Burette-Pipette and a Vacuum-Filter of Simple and Inge-nious Construction Welcome in Every Labo-ratory.

process. Many of these are in everyday use in large laboratories but the experimenter hears but little of them.

A form of burette, or more properly a pipette, having several advantages is shown in Fig 1. Instead of the usual form with in Fig 1. Instead of the usual form with the stop-cock at the bottom, a plain gradu-ated tube is fitted at the top with a 6-inch length of rubber tubing. The valve in this case is made by sliding a short length of glass rod into the rubber tube, locating the same midway of its length. The tube is normally kept closed by this rod but a slight pressure on one side of the rubber will

cause the tube to buckle out and form a channel thru which liquids or air can flow. The device can be filled either by sucking the fluid up into the tube with the mouth or by immersing it into the fluid with the valve open and removing after the valve is closed. This valve will give a finer regulation of the discharge than the usual stop-cock, a drop



An Automatic Saturator Is Easily Made as Shown in Above Diagram and May Come in Handy.

at a time or a steady stream being readily attainable.


ACUUM FILTER: When filtering thick fluids the process may be speeded up by the

use of a vacuum filtering device. To create the vacuum, use can be made of the glass the vacuum, use can be made of the glass aspirators which are procurable at a very reasonable price. To use this for filtering, the receiver is fitted with a cork having two holes. One, large enough to take the spout of the funnel, the other having a short glass tube inserted. See Fig. 2. A wad of absorbent cotton is placed in the better of the funnel and reaching a

the bottom of the funnel and reaching a short distance up the sides. This is to support the filter paper and prevent it breaking under air pressure. The bent glass tube is connected to the aspirator and when the water flow is started a slight vacuum will exist in the receiver. Any liquid poured into the funnel will be filtered at a rapid rate due to the air pressure forcing it thru.

SATURATED SOLUTION APPARATUS: Saturated solutions of salts can be more quickly made by supporting the salt near the sur-face of the liquid. The idea being that as the salt dissolves the fluid gets heavier and sinks to the bottom, being replaced by other fluid. This circulation is automatic and continues till the saturation point is reached.

A little device, easily made of glass, that can be used with all chemicals is shown in Fig. 3. The body is made by cutting a two inch length from a large test tube and bending in the edges at the cut by heating till soft in a Bunsen flame. A wad of glass



This Suggestion to Get Rid of All Obnoxious Fumes in the Small Laboratory Is Certainly Meritorious and Shows What a Little Inge-nuity Will Attain.

wool is placed in the tube, being held in place by the turned-in edge. The glass rod used to support the device is fastened in place by heating the rod and tube where they are to be joined until soft and then pressing them together. A cork fitted over the rod will support the device inside a bottle.


In use the tube is filled with the salt to be dissolved and placed in the bottle containing the solvent at such a height that the top the tube is just below the surface. Additional salts may be added from time to time as found necessary.

The aspirator mentioned in connection with filtering can be used with advantage when drying or evaporating. In this case the evaporating dish is covered by a funnel the spout of which is connected to the suc-tion tube of the aspirator; see Fig. 4. The vacuum created will draw off all fumes and vapors at a rapid rate. Should the vapor be required for further experiment a con-denser can be connected in the line between the funnel and the aspirator to condense the vapor.

A SIMPLE GAS GENERATOR.

Frequently small quantities of gas are desired in the chemical laboratory, and no convenient and simple method of genera-tion can be found. The apparatus described is very simple, yet it serves the purpose admirably.


First, procure two test tubes, one having



In Simplicity This Little Gas Generator Is Undoubtedly Unrivalled. Two Test-Tubes, a Cork, Some Rubber and Glass Tubing— That's All!

dimensions approximately $5\%'' \ge 7''$ long, the other approximately $7\%'' \ge 10''$ long. In the bottom of the smaller test tube file a small hole with a triangular file (Fig. 1), into this test tube fit a one-hole rubber stopper. Fit stopper, with a right angle, connecting tube, and straight delivery tube, as in Fig.

ing tube, and straight delivery tube, as in Fig. 2, and insert in smaller test tube. The smaller tube A, is inserted in the tube B, the flare of tube A prevents it from slipping thru to the bottom of tube B. In operating: If H_2S is to be generated, a stick of FeS, iron sulfid is placed in tube A, and the cork inserted. Dilute sulfuric acid is put into tube B, filling it about two-thirds full. When tube A is inserted into tube B, a large volume of gas is produced. If hydrogen is wanted, small clippings of iron or iron filings are put into tube A.




The Gas Business. Generator Ready Assembled tor Get the Gas-Mask, Archimedes!

and lowered into the dilute acid in B. Re-moving tube A stops the generation of gas. (Continued on page 87)






Electric Device for Raising Sunken Ships. (1,288,108, issued to Vladimir V. Messer.) In this novel scheme for raising sunken slups, a number of large floating members or tanks are util-ized, which are provided with suit-able electric-motor driven propellers




on the interior, for the purpose of causing the float to rotate in the other, about its axis. By means of flexible insulated conductors leading from the salvage boat to the float, the motors may be properly con-trolled, and current supplied to them for their operation. The dependent cables at the bottom of the float are made fast to the sunken vessel, by divers or by other means. These cables can he let out or reeled up by causing the float to rotate, and the cables wound up or reeled off from differentially grooved drums rigidly mounted on the exterior of the float.

Safety-Chest for Valuables. (No. 1,291,051, issued to James L. McQuarrie.) By means of an ingenious safety chest, a continuous alarm is sounded in the event of any unauthorized disturbance of the chest. The alarm mechanism is entirely enclosed in a small separate compartment, which may be readily removed, when the chest is open, for repair, etc. The



alarm is actuated by a gravity oper-ated pendulum member, which is freely movable in response to any disturbance of the chest, once it has been set and the chest locked. Also magnetic means are provided for holding the gravity operated pendu-lum when it is thus moved by agita-tion of the chest, so as to keep the alarm bell circuit closed continuously.


Incandescent Arc-Lamp. (No. 1,290,930, issued to Philip K. Devers, Jr.) In this interesting form of in-candescent arc lamp, the arc is operated between two electrodes of tungsten or other suitable material, in a gaseous medium of considerable pressure. The inventor provides a new means for starting the arc be-



tween the electrodes at low potential, while the electrodes are helow a tem-perature at which the electron emis-

sion occurs. Surrounding the gap hetween the electrodes, there is provided a spiral heating coil, and the arc-supporting current is im-prest across the electrodes at the same time that the heating coil is switched into circuit,


Medical Coil Apparatus. (No. 1,290,628, issued to Louis Mayor.) Can be operated from commercial A. C. lighting circuits. There are three windings on the apparatus, one primary and two secondaries. One secondary is connected with sponge or other electrodes for applying the current, while the lower secondary coil provides a low voltage current for operating a small lamp for endo-



scopic work, etc. The soft iron core passing thru the coils is adjustable as to position, by means of a control knob fitted with rack and pinion at-


E,

Adjustable Thermic Telephone. (No. 1,290,114 issued to Pieter de Lange and Robert Aeronut Baron van Lynden.)



An improved form of thermic telephone adapted for certain pur-poses, or wherever it becomes an object to accurately regulate the in-tensity of the sound reproduction by varying the volume of the sound chamber. In this particular arrange-ment the sounding chamber is ar-ranged in two parts, so that one may be slid over the other; thus either lengthening or shortening the cham-ber,


Constant Amplituda Vibration Motor, (No. 1,290,264, issued to Leslie R. McDonald.)



This ingenious motor is made up of a rotary member mounted on a square shaft, which is actuated or propelled about its axis by an ad-justable belt member, which is alter-nately and regularly pulled taut and loosened, by virtue of its attach-ment to an electrical tuning fork in the manner here illustrated.


Vacuum Tube Peak Voltmeter. (No. 1,287,161, issued to Richard H, Wilson.)

Wilson.) An improved method for measur-ing the peak voltage between two points of an electrical network, and a further object of which is to measure a direct or alternating voltage without the necessity of constant calibration of the measur-ing instrument. These results are accomplisht by connecting the in-put circuit of the thermionic valve between the net-work terminals, across which the voltage is to be measured, and allowing the result-ing uni-directional pulsating cur-



rent in the output circuit to pass thru a resistance or impedance.


Sound Recorder and Reproducer. (No. 1,290,711, issued to Manuel Calderon.) In "recording" the sounds on a photographic film by creating vari-ations and graduations in light to dark, the sound waves are picked up by a microphone, or a battery of microphones. These microphones, thru a battery and rheostat, are caused to actuate an electromagnet, M. This magnet operates on two armatures attached to the pivoted levers shown, to the longer ends of which there are attached light beam shutters, which may enter the beam of light in the manner apparent. The variations as aforementioned in the light and dark graduations are photographed on the film, and corre-spond to the voice, the film is past hefore the beam of light, and the variations in light value pass



ing thru the film, cause correspond-ing variations in a battery and tele-phone receiver circuit, by virtue of their action on a selenium cell placed behind the film.

A Non-Capsizing Airplane. (Nn. 1,284,373, issued to Platon Lazarides.)

the design of this airplane may be of the biplane type. The in-ventor provides a triangular form of wing, both of which are similar in shape and area, the center of the wings being open, so that the aviator can see upward as well as sideways and downward. One of the princi-pal objects of the inventor is to pro-vide a flying machine such that if the engine should stop in mid-air, it would then become possible for the airplane to settle to the surface of the earth in much the same way as a parachute does. This is a ccom-plisht by carefully balancing the en-tire plane, and the car or hody




which is suspended at the center of the wings.


Spark Plug and Generator Combined.

(No. 1,290,190 issued to Albert B. Herrick.)

This interesting patent covers a very ingenious gasoline engine spark plug and generator combined, which is operated by the compression of the engine. In other words, this device includes an electro-magnetic generator similar in principle to a magneto which is adapted to be au-tomatically operated by the com-



pression of the gases in the cylinder of an internal combustion engine. In the form shown, the generator constitutes but one coil wound on a soft iron core. This is surrounded by a series of strong steel magnets. At the base of the generator there is a threaded terminal which fits into the spark plug orifice of the gasoline engine, so that the com-pression can operate therein to pusb against the piston member.



Our Amateur Lahoratory Contest is open to all readers, whether subscribers or not. The photos are judged for best arrangement and efficiency of the apparatus. To increase the interest of this department we make it a rule not to publish photos of apparatus unaccompanied by that of the owner. Dark photos pre-ferred to light-toned ones. We pay \$3.00 each month for the best photos. Address the Editor, "With the Amateurs" Dept.

"Amateur Electrical Laboratory" Contest

THIS MONTH'S \$3.00 PRIZE WINNER-N. NUSHAWG

HIS MOATH'S \$3.00 PRIZE WHARER--N. AUSHAWG HEREWITH are three views of my "Chemical Laboratory." I think it will be needless for me to give a description of the contents of my laboratory as I had the view so photographed as to cover that part. A brief outline or history of my laboratory I think would not be out of place. The "Lah." as you see it in the accompanying views is an accumulation of five years of experimental work. My first laboratory con-sisted of an old wash-stand, of which a part can be seen directly behind "yours truly" in the view in which I am standing. Year by year I added to the aforesaid wash-stand, as my finances would permit, until today I have what I consider a model "Amateur Chemical Laboratory." My laboratory is not only a place which affords me much annesement but is also my "Study Hall" and my "College of Chemistry" combined in one. I maintain a schedule of study which embraces two hours each evening, including the study of chemistry, electricity, biology and other studies interesting to those contemplating a life of science. Two articles which I would like to call to your attention, noticeable in the general view of my laboratory, are first: the electric furnace constructed from the description found in the April, 1918, issue of the ELECTRICAL EXPERIMENTER. This furnace will be found on the ledge below my apparatus shelf in the right hand side of the picture. The other article is the hydrogen sulfid generator, which will be observed will see fit to publish the same in "your magazine"; so keep an eye peeled for it. This laboratory is located in the cellar of my home and is twenty-two feet in length and fourteen feet in width. It is constructed of plaster board and has a four inch air cushion around it on three sides, so as to protect it against any dampness from the cellar. It is heated by a furnace pipe that you will notice running water at hand. A hood is also among the apparatus; this serves in eliminating all ob-noxious odors.

noxious odors.

I have been taking the ELECTRICAL EXPERIMENTER since the August issue of 1915, and have each copy since that time. I find it to be the best magazine in its field and have highly recommended it to my friends, gaining the "E. E." quite a few friends by so doing. I have found the "Experimental Chemistry" course by Albert W. Wilsdon very interesting, having followed and studied each lesson since the first.—N. Nushawg, 534 Arbor Ave., Dayton, Ohio.



Science in Slang 3. The Specks in Space By EMERSON EASTERLING



T was one of those clear bright summer nights when the moon and stars stood out against the black background of the sky, casting a silvery light upon the faint landscape. We were motoring along a

highway, and as the sky loomed out as the cynosure of the time, our conversation drifted to astronomy, being of the scien-tific trend, and our company being more or less scientifically inclined. Pointing to the moon Stokes made the remeat. "Old the scienmoon, Stokes made the remark, "Old girl, since Adam quit rubbing his eyes and became aware that he was a sentient being your reflections have permeated space and we have become familiar with your lunar highness. Lovers have sworn their LOVE by you, and coyotes have howled under your rays. But not until the spectroscope shows up and dissects the moon beam, laying its vibratory secrets bare before us, we were not so sure after all but that you were green cheese, as the story book affirmed. "The old time Chinks were the first guys

"The old time Chinks were the first guys to finger around and get on to the ways of the welkin—in fact they looked right thru the welkin and got wise to such things as eclipses and other primary stuff of the great all-around. It was reported that two old timers named Hi and Ho who pro-fest to be 'there' on the astronomical dope failed to inform their boss, the Emperor of Cathay, of the eclipse that came around unamounced, and it is further around unannounced, and it is further stated that according to the regulations of the country, the men were forced to suffer the amputation of their heads. "Next in order came the Chaldeans, who

claimed to be wised up on the aerial pheclaimed to be wised up on the aerial phe-nomena, and who were able to predict eclipses and so forth. They blew their horn and left some records that are real amusing and historically instructing, but they started the ball so that we hear from such guys as Thales, Anaximander, Py-thagoras, Anaxagoras and Eudoxus, Hip-parchus, Meton and a few choice more astronomers and not from other lines—of course we have heard from some of the birds in other lines hut as a whole they

course we have heard from some of the birds in other lines, but as a whole they were star gazers and dreamers. "Then we read of the endeavors of the Egyptians, from the school at Alexandria, and of Ptolemy and his ideas. You know he was the duck that was guilty for the Epi-cyclic System, which cyclic System, which has it down in such a manner that the be-liever is led to accept the statement con-cerning the revolution of the planets around a center that is itself doing the merrygo-round stunt. From his standpoint he was right—the only trouble with him was that he overlooked, while gazing so far into the heavens, that our little elongated spheroid was one of the ethereal company in motion with the rest. But the old boy

unhitched the old plugs with which Apollo had pulled the old glare around and run the brow wrinkles in other directions when he let loose with his treatise 'Almagest'. All this was way back in B. C. about 200.

"On astronomy, and more so on astrol-ogy, the Gypsies were 'there', but to the Greeks we owe the coining of the word 'ASTRONOMY', from the word $v \dot{o} \mu o s$, or nomos, which means LAW; and $\dot{a} o \gamma \rho o z$, or astron, which means star or + we get the same which means Star-Law. From the Greeks sprung Thales, the man who stands Greeks spring Thales, the man who stands out in the first discoveries of the electrical phenomena, and who was so good at the phenomena, and who was so good at the heavenly twinklers that he was termed the Father of Astronomy. It was him and not Chrissy Columbus that told the World in general that the globe that we now know as the 8,000 mile in diameter ball of dirt and water (which is not necessarily mud) was round instead of a flat chunk upon the shoulders of Atlas. It was he who de-termined when the equinoxes and the sol-stices were due to arrive, and he knew bestices were due to arrive, and he knew beforehand when the famous eclipse of the Sun was to occur—the one that caused the Lydians and the Medes to throw up the sponge in their famous hattle, you've read of the incident in history. Then the sun-dial was invented by a Greek, Anaximander.

"Getting back to the history of the thing we see a poor guy gazing up thru a dilapiwe see a poor guy gazing up thru a dilapi-dated old farmhouse roof—where there was no roof—and thinking. Well, he thought so hard that we now still read of the Copernican theory of the universe. He stuck our planet in with the rest of the whirling globes and fireworks. He got a hunch from Pythagoras.

"Brahe then came along and modified the theory of Copernicus and cut out the 'cycles and epicycles' stuff, and as he was not housed up in a farmhouse he built a mag-nificent observatory. Then came the apt pupil of Brahe's, Kepler, who compounded a pile of laws and stamped his cognomen on history history.

"After a while Galileo grew up from the skipping rope and marbles age and invented the telescope and pendulum. Looking thru the glass instrument he found that Jupiter had a moon—not the kind that showed up when some of his marbles collided with too much force the After he slipt us a handmuch force, tho. After he slipt us a hand-ful of physics and astronomy and the


like we become aware that from the dress-ing room of Life there ing room of Life there steps out a Sir Isaac Newton, who saw the apple fall aud told us all about gravita-tion. Of all the 'Big Bugs' in astronomy, Bugs in astronomy, as well as mathemat-ics, we lift our hat a little higher to lkc." "I once read of the

Arabians as being up

"Yes, they were," Stokes replied. "A duck by the name of Ulugh Beg, who was not an ugly beggar but an astronomer, catalogued a bunch of stars. They took to that and astrology. like the Egyptians and Moors.

"Then Laplace topt off Newton's 'Prin-cipia' with his Mécanique Céleste.


Naturally, the first thing to be considered is the Sun. The savages recognized it as the means of life on our planet (of course they knew of no other) and worshipt it as their God, in the same manner as we do the \$, only they openly acknowledged it. In plant life we are aware of an attraction by it. Only the blind cannot see the effect it has upon everything in general. Now, with a lot of the experiments behind us, Now, we have it figured out that we are 93,000,000 miles from Old Sol, and that the hot old



Ike Newton, the Gink Who Invented Gravi-tation by Means of the Cider-Fruit.


boy is composed of much the same material as our Earth, and we also have it doped out that the temperature up at the Sun arrives at the twelve thousand mark, F. It has a 'photosphere' where we have our hydrosphere and a 'Chromosphere' where we have our atmosphere. The mathematical wonders have it down in their note cal wonders have it down in their note books as follows for the weights of the Earth and Sun, respectively: 6,000,000,000,-000,000,000,000 and 2,000,000,000,000,-000,000,000,000 tons. To reduce that down to ounces would take Steinmetz at least a second—you know him. Then the candle-power looks like this on paper: 1,575,000,-000,000,000,000,000,000."

"How would you say that if you did not have your pencil along" asked Bender. "Well, the first, replied Stokes, looking down at his paper, "is six sextillion. The (Cantinued on page 69)



Galileo, the Bird Who Defied the World by Telling it that it Turned Around Instead of Standing Still, as Was Thought.

May, 1919



REWINDING TELEPHONE MAGNETO. (993) Walter F. Hawley, Buffalo, N. Y., writes us:

Q. 1. How can he rewind a 3 bar tele-phone magneto to produce 10 volts? A. 1. This question cannot be answered

exactly, excepting on one condition, and that is that you would need a magnetomometer at hand with which to measure precisely the strength of the magnetic flux in maxwells per square inch of pole-face area.

We can suggest from our experience area. We can suggest from our experience in this line, however, that the armature be wound full with No. 17 to 18 B. & S. gage S. C. C. or enameled magnet wire. This would be suitable for a potential of 8 to 10 volts. Of course, the voltage can always be increased by raising the speed, but na-turally there is a limit to this, as the ma-chine will not safely stand too high a speed.

A. C. SOLENOID.

A. C. SOLENOID. (994) Stanley Dohrzynski, Cuyahoga Falls, Ohio, asks the Oracle: Q. 1. For data on winding a small A. C. solenoid about 3 inches in diameter and 3½ inches long, with a 5% inch iron core. A. 1. Unless such an A. C. electromagnet is very carefully designed, which would re-quire elaborate calculations, and also un-less it is carefully and very exactly built according to these specifications as comaccording to these specifications as computed, then the current taken will vary considerably from that calculated. Also in the case of the solenoid, with a movable core, the current will vary from a very high value when the core is just entering the coil, down to a certain minimum value, when the core

to a certain minimum value, when the core is pushed all the way into the coil. The only thing we can suggest in your case would be to experiment with several sizes of wire. For the size of solenoid you have in mind, you might try winding it full with No. 18 D. C. C. magnet wire. The weight which such a solenoid could lift with the core all the way in the coil would probably be in the neighborhood of one-half pound. The iron core must be lam-inated, not a solid piece.

1 K. W. WIRELESS TRANSFORMER DATA.

Johnson, McConnelsville, (995) J. R.

(95) J. R. Johnson, McConnersvine, Ohio, writes this department:
Q. 1. Please give data for winding a
1 K. W. radio step-up transformer.
A. 1. We are pleased to give you herewith data on 1 K. W. close core step-up trans-

data on 1 K. W. close core step-up trans-former. The laminated sheet iron core should measure 15 inches long and $8\frac{1}{4}$ inches wide, and have a cross-section of 2×2 inches, or 4 square inches. The primary winding which should have taps taken off from each layer should comprise 344 turns of No. 10 B. & S. gage D. C. C. magnet wire. The secondary should comprise about 12 pounds of No. 32 D. C. C. magnet wire, thoroly impregnated with paraffin and beeswax

while being wound into pies. There should be 24 pies or coils, each ¼ inch thick. This secondary winding should give 14,176 volts with 300 turns in the primary; 21,265 volts on 200 turns in the primary, and 42,530 volts with 100 turns in the primary in use. Of course, when the normal number of pri-mary turns are reduced in order to raise the secondary voltage, a suitable iron core

The 'June' Number of the Electrical Experimenter

Electrifying Our Battleships—The electrically driven U.S. battleship "New Mexico," by Charles M. Ripley, of the General Electric Co.

Problems of Telephotography-Written by an authority on the sub-ject-Leroy J. Leishman.

"My Inventions"—No. 5, by Dr. Nikola Tesla, himself.

In the Wonderland of "Tin Can Toys"-by George Holmes.

Photographing Nauen's Radio Sig-nals in America—A Startling Scientific Achievement.

Close-Ups of the Newest Scientific Movies—The Rôle of Electricity and Science in Photoplays.

How American Electricians Solved the "Submarine Detector" Problem.-Illustrated.

A New "Pocket Wireless" That Actually Works-with photos of the Apparatus in Use.

Rogers Underground Wireless for the Amateur—by H. Winfield Secor. Don't miss this article—It answers all the "Radiobug's" questions.

Improved Capillory Battery - by Thomas Reed.

The New Kolster Direct-Reading Wave Meter and Decremeter.

Choke Coils—How to Design and Build Them, by Prof. F. E. Austin. Experimental Mechanics.—Lesson 12. Twist Drill Practise, by Samuel D. Cohen.

The Audion-How to build and exhaust them, with Graphs for different tubes, by C. Murray.

choke coil or impedance must be used in series with the primary winding in order to control the current, so that the transformer will not over-heat and burn out the windings.

2 K. W. STEP-DOWN PIPE THAW-

ING TRANSFORMER. (996) Joel H. M., Carney Point, N. J., inquires:

Q. 1. Can you supply data on a 110 volt, 60 cycle, A. C. step-down transformer for pipe thawing, the secondary giving about 12 volts. A. 1. We give herewith data on the con-struction of a 2 K. W. transformer suitable for operation on 110 volt, 60 cycle, A. C. The secondary is suited to develop a cur-rent of about 13 volts and 150 amperes. The primary winding of this transformer consists of 13½ pounds or 244 turns of No. 8 B. & S. D. C. C. magnet wire, or 2 No. 11 D. C. C. wires can be wound side by side and connected in parallel. The laminated sheet iron core, on one leg of which the primary is wound, should measure 17½ inches long by 8¼ inches wide, and have a cross-section of $2!4 \times 2!4$ inches. The secondary winding for this trans-former should comprise 31 turns of No. 0 B. & S. gage D. C. C. magnet wire, and will develop a current of about 13 volts and 150 amperes. If this is too difficult to wind on, 2 No. 3 wires may be used or 4 No. 6 wires, connecting these wires in parallel.

REWINDING DYNAMO.

(997) A. C. McLellan, La Porte, Ind.: Q. 1. I want to know what size wire the Q. 1. armature or field or both will have to be wound with to get 40 volts and as much amperage as possible from a dynamo as follows:

Field is 6 pole, now wound with No. 20 D. C. wire, 1¼ pound to the pole. The armature has 28 slots, wound with 28 coils, parallel lap winding, and has 2 brushes at an angle of 60 degrees from each other. Each coil is wound with 20 turns of No. 20 Each coil is wound with 20 turns of No. 20 D. C. wire. Commutator has 28 bars, diam-eter is 434 inches, length 3 inches, and at a speed of 2,000 R.P.M. it now generates 105 volts and 9 amperes. The dynamo is shunt wound, and when wired for 40 volts I want it shunt also. It seems to pull very hard now without any load on it at all. A. 1. We would advise as follows con-cerning the rewinding of your 105 volt, 9 ampere dynamo:

ampere dynamo:

ampere dynamo: For 40 volts the field should be rewound with the same amount of wire, or 1¼ pounds per pole of No. 15 B. & S. gage D. C. C. magnet wire. The armature should be rewound with the same number of coils and in the same fashion or style of wind-ing as previously used, but each coil should be composed of 7 turns of No. 15 B. & S. gage D. C. C. magnet wire. You mention that the dynamo armature seems to turn very hard without any load

seems to turn very hard without any load on it at the present time. This most likely on it at the present time. This most likely is not due to any electrical reasons, but merely mechanical ones. We would sug-gest that the bearings be carefully inspected; also on some small dynamos fitted with a number of brushes, the brush friction is made too great, and they should be read-justed so as to have just sufficient spring tension against the commutator to elimtension against the commutator to eliminate any undue sparking. In some cases, (Continued on page 50)



Send for this free lesson which explains the Chicago "Tech" method of teaching Draftsmanship by mail. Positions at big salaries are now waiting for competent men. Even draftsmen of limited training and experience are snapped up and paid good salaries. If you are dissatisfied with your opportunities, learn Drafts-manship. Chicago "Tech" will train you in the meet meeting! in the most practical way in the shortest time. Mail the coupon today and

let us tell you about the Chicago"Tech" method. The free lesson will show you how well equipped you are to

follow Draftsmanship. Enroll in the course only if you decide that you can take it up to advantage. No cost, no obligation on you to make this investigation. Send the coupon.

TECHNICAL COLLEGE

to \$100 a Draftsmen always command

100 0.11

good salaries. And now when American industries are to be called up-on to meet vast foreign and increased do-mestic demands, the opportunities are greater than ever. This is the time for you to prepare for a better position—a higher salary.

Come to the College or earn At Home.

Hold you present position while training. Our experts will instruct you by mail. Only your spare time is required. You are directly under practical draftsmen and engineers. You are taught exactly the work required in the drafting rooms of big concerns. No time put in on un-necessary studies. This means thorough instruction and early graduation.

Easy Payments The feee for Chicago "Tech" Coursee are very moderate—and you can pay on easy several years to acquire by ordinary methods. You can get an early start. You are soon ready to take a paying position and to quickly get back the cost of your course. Then keep on earning more.

FREE Instruments

Every student of the Chicago "Tech" mail course in Draftsmanship receives this set of instruments, or a cash credit in case he already has a set. These instruments are of the same make and eizes as are used by high salaried experts in drafting rooms of factories, shops, railroada, etc. You use them while learning - then take them right into your practical work.

Auto and Gas Engine Course

All about automobile mechanism—its construction, operation and REPAIR— taught by mail. You train directly under the Chicago "Tech" automobile ex-perts. Splendid opportunities agen now. Send coupon and get all the facts. Learn All This in Spare Time

Learn All This in Spare Time Principles of the Automobile. bet of the Automobile. Bet of the Automobile and the set of the

Know How to Find and Fix Troubles Mast complete instruction in auto-repair work. Earlos you for high pay or to start a huminess. This course makes you proficient. Prepares you to take s job as an expert. Not enough complete me now swallable. WRITE about the course and get catalog and all information All this sent on request. Mail course now,

Chicago Technical College 545 Chicago "Tech" Bldg. Chicago, Ill.

r practical work.						
Sen	d the Coupor	n—Now				
and opens the way to tendents began as draf Other institutions you are for this profess	advancement. Many executive itsmen, ask you to pay first—and then to sion. We aend you the free leaso	olding a job that pays a large salary e, general managers and superin- o find out later how well qualified n first and place you under no obli-				
The coupon will bring the Test Lesson, free. Al- ao information	CHICAGO TECHNICAL					
about the profes- aion of Drafts- manahip and de- tailed facts about	545 Chicago "Tech" Building, Chicago Without obligation to me, please send me your FREE Test Lesson and other interesting literature covering the subject indicated below. Mark X opposite work in which you are especially interested.					
Chicago "Tech" methods, the fees, terms, etc. Mark with X the branch you are interested in -or if in doubt about	Architectural Drafting Machine Drafting Electrical Drafting Structoral Drafting Sheet Metal Drafting Bidders' Course	Plan-Reading-Building Plan-Reading-Shop Men Estimating Surveying Map Drafting Autos and Case Engines				
which course to take, write a letter stating facts about yourself and asking our advice which	Name					
will be freely given. Mail either the cou- pon or letter today. "Tech" Bldg.						

Thousands of Wonderful Opportunities in the Electrical Field The Trained Man Is Needed Everywhere

By L. L. COOKE. Chief Engineer, Chicago Engineering Works

R USINESS conditions throughout America and even the world today are such that there are now wonderful opportunities truly for trained men in the electrical field. The electrical business has grown so fast and electricity is being continually applied to so many new uses that the demand for trained electrical men is growing faster than the supply.

48

Even on the farm electricity is now becoming common and thousands of farm lighting and power plants have already been installed. This shows how broadly electricity is applied today, and suggests something of the very great demand for hundreds of thousands more of trained electricians.

"Where will we get the men," is the question heard on every side. Electrical Manufacturers are spending thousands of dollars a week advertising merely for help. Look at the "Help Wanted" columns of any newspaper and see for yourself the demand for trained men. The salaries paid to young men with a thorough knowledge of electricity are unbelievable. The size of the pay envelopes going into the pockets of electrical workers every week reflects the scarcity of men to fill these responsible positions. So, not only is the electrical field greatly vacant now due to the absence of electrical men enlisted in the war services of our government, but it will be more greatly vacant when war's results are counted, and the need for men to fill the industrial places of our soldiers and sailor boys will swell the demand.

Moreover, the reconstruction and readjusting periods to follow in the war's wake are going to increase the employment of electrical workers beyond even the natural immense requirements. Electricity is yet to do its biggest services to the world after the war. Tho unlimited are its boundaries now, electricity and men who know its functionary phases and op-erations will have even wider scope and opportunity for years after peace is declared.

The most vital question for the young man of today to answer is not

"Shall I enter the electrical profession?" but "What is the quickest, easiest and surest way to become a trained electrical man?" Time was when it took from three to four years to turn out an accomplished electrician who could be entrusted with any job that came along. Only a few years ago it used to cost thousands of dollars to make an accomplished electrician, which amount was made up in expensive tuition, board, etc., as well as money lost in non-production while the student was learning. Hundreds of thousands of dollars were lost in this manner because the student, seldom, if ever, is a producer while studying. This means a tremendous loss to the nation, as a minute's re-flection will readily show.

Correspondence instruction has changed all this. By this method the student wastes no time on unnecessary branches. He gets exactly the training he will use in practical work and throughout his entire course he has the direct personal instruction of spe-cialists in the branch he has selected.

Further, he can do his studying at home, Further, he can do his studying at home, in his spare time. He does not have to give up his regular job until he has qualified as a Certificated Electrician and is ready to enter his new profession. Think of the thousands of dollars this one great feature of correspondence instruction has saved this country in the past year alone.

this country in the past year alone. I urge every young man with ambition and pluck to grasp the opportunity that present conditions offer the electrically trained man. Don't hesitate because of age or experience. Young men, boys and old men are needed and must fill the gaps to keep business going. Do your part. Pre-pare yourself for a real position by special-izing in some branch of electricity. All you need is a few months' practical, snappy in-struction from a competent engineer and you will be ready to go after some real money. But do it now. Our boys are re-turning filled with ambition, strong and healthy after two years' out-door living. How can you hope to compete throughout How can you hope to compete throughout the reconstruction period without the special knowledge and advantages training will give you?

The Chicago Engineering Works are ready to help you. A specially designed course has been prepared that will fit you in the shortest possible time to take up the extremely interesting and profitable work as a Certificated Electrician. The course is the result of many years' teaching of young the result of many years' teaching of young men in this vast field. It is intensely prac-tical. It is highly condensed, simplified, up-to-date and complete. You can make a splendid success in this study, and the

school will guarantee, under bond, to return every cent paid for tuition, if you are not entirely satisfied when you receive your Electrician's Certificate granted you as a graduate of the school. We teach contract-ing and electrical drafting along with the course and hundreds of our graduates are now successful contractors now successful contractors.

now successful contractors. You can take the entire course in your spare time. No interference with your regular duties. We understand just what you must know and have devised a really wonderful way of instruction by mail. We have trained thousands of men and will train you to your complete satisfaction or the course will not cost you one cent. Remember, that you will not be under the slightest expenses except the tuition price. A splendid Electrical Outfit is given free to every student and much of the training

A spiendid Electrical Onth is given free to every student and much of the training is done by actual work with this outfit. You have no car-fare or living expenses as you would have if you studied at a trade-school. You don't have to buy your outfit, or pay for the maintenance of expensive school equipment as you would elsewhere. The electrical outfit which we give every student includes Electrical Tools,

Instruments, Materials, etc., and is given absolutely free. The price of the course, you can pay in small installments if you want to—in other words, you can pay as you go along. These payments you can take out of your salary which you receive from your receiver.

small installments if you want to—in other words, you can pay as you go along. These payments you can take out of your salary which you receive from your regular em-ployment, it not being necessary to give take a good position as a real electrician. One excellent feature of the assistance the Chicago Engineering Works is giving young men to help them succeed is the free employment service. The standing of the school is so high and the quality of students so well known that many firms rely en-tirely upon our graduates to fill vacancies in their staffs. We are continually receiv-ing requests from employers to send them trained Electrical men. We assist our students to good positions and keep in touch with them for years, helping and advising them in every way possible. I cannot urge all young men too strongly to get into the field of electricity. I know the vast opportunities for bright men and the opportunities have never been better than they are now and will be for the next ten years. The industry needs you and will give you a good chance to make a suc-cess of your life. Write us and let us tell you all about what we can do for you. We have just prepared a new book on Electricity and its Opportunities and I want to send you this wonderful book—FREE. Write me personally telling me just what you are doing and what you would like to do. I'll gladly answer your letter myself and give you the benefits of my many years' experience in this field. But what-ever you do, don't neglect the golden oppor-tunity now offered live men. Address L. L. Cooke, 443 Cass St., Chicago, III.—Adv.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

BE A CERTIFICATED ELECTRICIAN

A Real Position Like This—For You

The country needs thousands of trained, Certificated Electricians to fill good positions—and at big pay. It's all a matter of knowing how, and I will teach you by up-to-date, modern instruction. You can learn at home, without interfering with your regular work, by my highly successful method of *Home Instruction* in *Practical Electricity*.

Prepare NOW and be ready in a few months to earn your \$46 to \$100 A WEEK

Send for this Book

My book, "HOW TO BECOME AN EXPERT ELEC-TRICIAN," has started thousands of young men on the way to splendid success. A new edition of this has just been printed. I want every young man interested in Electricity to have a copy, and will send you one, ABSO-LUTELY FREE and PREPAID. Write me today.

How I Train My Students

As Chief Engineer of the Chicago Engineering Works I know exactly the kind of training a man needs to enable him to get and hold good positions, and to earn big pay. I have trained hundreds of men who are holding splendid electrical jobs.

I give each of my students personal attention and a complete and thorough training. I give him a SPLEN-DID ELECTRICAL OUTFIT FREE, and much of the training is done by actual work. When my students

graduate and receive their Certificate, they are ready for a real position. But *still more*, at any time you wish you can come to our splendidly equipped Electrical Shops for special training. No other school can give you this.

A Real Opportunity for YOU

Wishing is never going to make your dreams come true. You've got to *study*—to *learn*. A man is worth possibly \$2 or \$3 a day from his neck down—and no more; but there is *no limit* to what he can be worth from his neck up.

A trained mind is what gets the big pay. It is this training that you need, and I can train you in a few months. Are you ambitious to make a real success—then send me the coupon—today.

Electrical Outfit FREE

To every student who answers this ad I am giving a Splendid Electrical Outfit of standard size Electrical Tools, Instruments, Materials, etc., *absolutely free*. Furthermore, to every Electrical Student I give a truly valuable surprise that I cannot explain here.

Prenditantor

City


Cass


Free Employment Service

I am continually receiving requests from employers to send them trained Electrical men. I assist my students to secure good positions. I keep in touch with them for years, helping and advising them in every possible way.

Write Now—Don't Delay

Delay never got you anything. Action is what counts. Get started and get started now. Write me send me the coupon right NOW.





50

Use Good English - and Win Use Good Linghish — and Win Enlarge your Stock of Words—Use the Right Word in the Right Place—Write Compelling Business Correspondence, Stories, Advertise-ments, Speeches—Become an Engaging Con-versationalist — Enter Good Society, etc. Ask for free particulars today. We send them by mail. No agent will call.

FUNK & WAGNALLS COMPANY, Dept. 267, NEW YORK, N. Y.



THE ORACLE (Continued from page 46)

also, the armature may rub against the field poles, and this can be easily ascertained by removing the armature and noting there are any shiny spots on the field poles or armature core.

ELECTRIC ARC TEMPERATURE

(998) James G. Peck, Elmira, N. Y., says:

Q. 1. What is the temperature of the electric arc produced between two $\frac{1}{2}$ inch carbons?

A. 1. In regard to data for building an arc light from two $\frac{1}{2}$ inch diameter carbons to give you a temperature of 3,500 degrees Centigrade, any arc, large or small, gives about the same temperature roughly speaking; the large arcs using larger carbons simply giving a greater quantity of heat, but not a higher temperature. The electric arc will give you the greatest temperature of any ordinary source of heat known. The average arc, using $\frac{1}{2}$ inch carbons, either cored or solid, consumes about 5 amperes, on 110 volts, and the candle power is about 1200.

Appended are some interesting high temperature sources of heat:

Bunsen burner	1,870 deg. C
Oxy-coal gas flame	2,000
Oxy-hydrogen flame	
Oxy-acetylene flame	
Electric arc (furnace)	
· · · · · ·	,

RADIO LOOSE COUPLER DESIGN

(999) Alvin Harrison, Albert Lea, Minn., asks:

Q. f. Several questions on designing loose couplers for wireless receiving circuits. A. I. In standard practice it is usual to provide both primary and secondary coils with loading inductances, these inductances being either a separate part of the circuit, or else combined with the coupler windings themselves, preferably the latter.

The primary as well as the secondary circuits are, in the most efficient design of coupler, made so as to form a continuous coil capable of being tuned to the highest wave length which it is desired to receive. Any other form of loading inductance which is separate from the windings of the coupler only form a source of loss, for it requires a certain amount of energy (I²R) to excite this separate loading inductance, and, as it does not form a part of the main coupler winding, and is not useful in producing a part of the common electromagnetic field which transfers the energy from the pri-mary to the secondary circuit, as you will see, in any event then it must be a source of unrecoverable loss.

We would refer you to a very good article on "Building a 20,000-meter Undamped Re-ceiving Set," by William Burnett, Jr., page 258, August, 1917, issue; also "The Design of Large Radio Receiving Transformers," by Chas. S. Ballantine, Ra-dio Engineer, page 732, February, 1917, issue

issue


'The Calculation and Measurement of Inductance," by H. Winfield Secor and Sam-uel Cohen, parts 1, 2 and 3, which appeared in the March, April and September, 1917, issiles.

PECULIAR SPARK BALLS.

(1000) R. J. O., San Antonio, Texas, writes

Q. 1. I am a reader of the ELECTRICAL EXPERIMENTER and desire some information "Lab" some time ago which I am at a loss to know "the why and wherefore" of. Thus: I made a solution of Sodium Chlorid and water, in a small beaker. (See sketch.) Using a current of f10 volts and a small telegraph key to open and close the circuit,


connected it as shown in the "hook up." I proceeded as in sending a telegraph mes-sage and found that a rapid movement of the key produced a stream of what appeared to be sparks between the neg. (-) pole about 1/32 of an inch above the solution. The so-called "sparks" will continue to ap-



First Stage of "Spark Ball" Experiment.

pear as long as the copper wire lasts. (It melts rapidly). My question is "What are those sparks?" If not sparks, what is it? A. I. The experiment which you describe

is nothing new and is well known to those who have experimented with electrolytic in-terrupters a good deal. This experiment can be performed not alone with sodium chlorid, but with almost every acid. Providing the current is strong enough, a ball of fire will appear at the end of one wire which touches the surface for the following reason: As soon as the point touches the liquid which has a more or less high resistance, the solution at this point immediately starts to boil. At the same time hydrogen gas is evolved, and the electric current setting fire to it explodes this minute quantity of gas, thereby giving rise to a small explosion. This phenomenon occurs in very



Second and Third Stages of "Spark Ball" Experiment. The Theory of its Action is Very Interesting.

rapid succession, and the explosions take place several thousand times per second. Mr. H. Gernsback some years ago obtained quite large "fire balls" of this sort by using a fine carbon pencil as one electrode.


200 WATT TRANSFORMER DATA.

(1001) James Dicks, Delhi, La., inquires: Q. 1. Please give me data on 200 watt step-up wireless transformer for operation on 110 volts, 60 cycles. A. I. The laminated sheet iron core for

this transformer should measure, for a 200 watt transformer, $10\frac{1}{2}$ inches long by $6\frac{1}{2}$ inches wide and 1 x 1 inch in cross-section. The primary winding, placed on one of the long legs, should comprise 660 turns No. 15 B. & S. gage D. C. C. magnet wire. Before winding on the primary coil, the iron core leg should be insulated with four lay-

core leg should be insulated with four lay-ers of oiled linen or Empire cloth. The secondary winding should comprise 17 pies or sections, each ¼ inch thick, with parafin paper discs between them when assembled. The size of the secondary wire should be No. 34 B. & S. gage D. C. C. and 3.7 pounds of secondary wire are required. There should be about 35,000 turns in the secondary and the secondary voltage with secondary, and the secondary voltage with (Continued on page 52)

You bencht by mentioning the "Electrical Experimenter" when writing to advertisers.



Western Union's Think of an ar-Big Problem and women, dif-fering greatly in

my of 50,000 men

ability, adaptability and previous training — remember that all of them were self-supporting wage-earners, who could not afford to let anything interfere with their regular occupations — consider that it was their employer's desire to make intensive train-ing practical for all, without lessening their present effi-ciency—and you have some idea of the complex employe-training problem that confronted the WESTERN UNION when it undertook to make it possible for any of its 50,000 employes to acquire a higher degree of efficiency in their work.

How if was As WESTERN UNION found that there were no **Solved** courses covering completely and thoroughly the highly specialized telegraph business, it had special texts written by its own experts, who thus be-came the personal instructors of its employes. After careful inquiry, the Company decided that the correspondence instruction method would give all employes an equal opportunity, while its flexibility would meet any individual needs and circum-stances. And finally WESTERN UNION arranged to loan the price of the Course to deserving employes who might be unable to meet even the moderate fee asked for training.

The actual conduct of courses and instruction was entrusted to the American School of Correspondence, Chicago, whose Educational Charter and 22 years' successful experience eminently fitted it to carry out WESTERN UNION'S plans to make special training possible to any of its 50,000 employes.



Whatever occupation you would prefer to follow you can't dodge the fact that you're dodging promotion — dodging the job ahead, with its guarantee of better pay — so long as you refuse to train yourself thoroughly for the work you want to do. The man or woman with training is bound to succeed-for trained workers are the scarc-

est commodity in industry. A glance a_{ℓ} the scale Wanted" columns of your daily paper — a question put to your boss — will quickly prove this. The American School can properly develop your natural ability -make you a thoroughly skilled worker. A small part of your spare time-some of the hours you now wasteinvested in systematic study will soon fit you for the position, and pay, you want.

We will train you on a make-good basis—allow you to test out the pracrical value of any Course by covering the first ten textbooks without risking one cent. This means that if you're not satisfied with your progress — if you find you're not getting money-earning training from the course - we'll refund every cent you've paid us. Full satisfaction or your money back is the only basis on which we accept students. If the fairness of this offer appeals to you—as it has to thousands—check and mail the Coupon for Free Bulletin. You assume no obligation.





THE ORACLE (Continued from page 50)

all primary turns in use is 5,890. The secondary voltage is increased in proportion as the number of primary turns in circuit at any time are decreased. The secondary leg the core should be well insulated with 10 layers of oiled linen before placing the pies in place.

NEUTRAL POINT OF D. C. DYNA-MO AND A. C. MOTOR SPEED CHANGES.

(1002) R. G. LeTourneau, Stockton, Cal., asks the Oracle:

1. Several questions concerning the shifting of the neutral point on a D. C. generator and speed changes of induction motors.

A. 1. The neutral point on the commu-tator of the D. C. generator changes at least slightly with changes in speed of the arma-ture as you mention, unless the machine has one of the following precautions taken in its design: The machine might have a very powerful field, which would cause a very even and rigid distribution of the flux at the pole tips; the machine might be pro-vided with *interpoles*, such as provided on any one of the leading machines on the market at the present time, which tends to preserve an even distribution of the field flux, and thus to preserve a practically fixt neutral point, thus obviating the necessity for shifting the brushes. even on overloads of 50 per cent. Or again the machine might be provided with variable air gaps between the field pole tips and the armature, such as in the Stow design, where all of the field poles are geared together by means of worms and gear rods to a common hand-wheel on the top of the machine, which enables the field poles to be advanced toward or receded from the armature and the airgap flux distribution varied. You are correct in assuming that several


different speeds can be obtained from an A. C. motor by changing the groupings of the field poles, i.e., by changing the number of poles, such as by causing the field to produce 4 poles, 6 poles. 8 poles, and so on. This system is adopted in some of the leading A. C. motors now on the market. You will find data on this subject by referring to books on A. C. machinery.

A. C. TEST FOR "SHORTED" ARMA-TURE COILS. (1003) Earl E. Teater, Wheeling, West Va., writes the Oracle: Q. 1. For data on a simple A. C. testing scheme for short-circuited armature coils

scheme for short-circuited armature coils. A. 1. Herewith we describe an A. C. testing device for determining whether armature coils are short-circuited or not and which is used in repair shop work. small transformer has a single winding on it, which is excited with alternating cur-rent suitably controlled by connecting it in series with a lamp bank or choke coil, etc. Using this transformer primary, as it may be called, and holding it in contact with the armature, in successive positions, as the armature is turned from coil to coil, there is set up thru the armature core a magnetic flux, which induces a current in the armature windings. If one of the coils happens to be short-circuited, as becomes apparent, this current will heat up the coil. Also by turning the armature a complete revolution and holding a small piece of iron against it, the coils being tested for short-circuits will be easily located, as the piece of iron held near the coil will vibrate, due to the result-ant magnetic field set up by this coil and the current passing thru it. The transformer device should not be put in position nor removed while current is flowing thru the removed while current is flowing thru the magnetizing coil of course. To make this testing transformer, a

laminated sheet iron core of the shape inlaminated sheet from core of the shape in-dicated in the diagram is built up, and it may be riveted at several points. It should have a width equal to the approximate length of the armature, and also a pole-face curvature as nearly like that of the armature core as possible. The winding on this tensoformer may for a small cize de this transformer may, for a small size de-vice to be used in testing out small magneto or auto lighting dynamo armatures, be com-posed of about 75 turns of No. 14 B. & S. insulated magnet wire.

A very satisfactory and simple test for short-circnited as well as open-circnited armature coils can be carried out by con-necting a buzzer across the brushes, and thus testing from bar to bar with a 75 ohm telephone receiver. If a coil is short-cir-cnited or partially short-circuited, then no sound or a weak sound will be heard in the sound or a weak sound will be heard in the telephone receiver. It has been found that this test will give better and more accurate



Home-Made A.C. Tester for Short-Circuited Armature Colls. The Materials Required to Build It Are Available About Any Shop. Its Action Is Simple, Yet Positive.

results in a minimum of time, than is the case where the Wheatstone bridge is used. Open-circnited coils will manifest their presence when the proper bars are bridged by a very loud noise in the receiver. It is common practice in many shops to use this test in connection with the 110 volt, 60 cycle A. C. lighting current, the necessary current being past thru the armature in series with a 110 volt lamp.

If you have a good voltmeter on hand or posibly an ammeter without the shunt on it, you can also make tests quickly for open or short-circuited coils or grounds by the bar-to-bar test, passing direct current thrn the brush points on the commutator. For this work the armature is usually mounted in a testing cradle, comprising a wooden frame and one upright which carries a pair of adjustable copper or other brushes which will transmit the testing current to diawith transmit the testing current to that metrically opposite points on the commuta-tor, for the two-pole armature, or four points ninety degrees apart for a four-pole armature. In any case where the telephone receiver and A. C. or buzzer method are used, or the voltmeter method, the criterion of the tests for a perfect armature is to of the tests for a perfect armature is to obtain a similar or very closely similar de-gree of sound in the receiver for each coil, or an equivalent similarity in the voltmeter readings for every coil on the armature. If any appreciable difference is noted in the meter readings or in the telephone, then the connections of the commutator, and also the leads of the coils should be carefully examined. Sometimes a high reading will result from a poorly soldered lead connection to the commutator bar, which on a superficial examination may appear to be a first-class soldering job.





At Dawn the Answer Flashed on Me!"

HERE are only a few \$50,000 jobsyet of all the men in the country it is difficult to find enough

jobs available. There are plenty of men for the \$25-a-week positions—but the thousandthe \$25-a-week positions—but the thousand-dollar-a-week openings "go begging." How this young man trained himself for earn-ings of \$50,000 a year is one of the most interesting chapters in the annals of even present-day fortune making. This is the story told me, almost word for word, by the young man who did it. "Three short years ago I was \$5,000 'in the hole'—and earning \$30 a week. I had a wife and two children to support, and I

a wife and two children to support, and I used to worry myself sick about the future.

"Today—it seems like a dream—all my troubles are over. I am worth \$200,000 enough to keep me and my family in com-fort for the rest of our lives. I own two automobiles. My children go to private schools. I have just purchased, for cash, a \$25,000 home. I go hunting, fishing, motoring, traveling, whenever I care to.

"LET me say in all sincerity that what I have done I believe any one can do.

I am only an average man-not 'brilliant'have never gone to college-my education is limited. I know at least a hundred men who know more than I, who are better educated and better informed-and their earnings prohably average less than \$50 weekly while my income is over \$1,000 weekly. mention this to show that earning capacity not governed by the extent of a man's education-to encourage those who have not had the advantage of a comprehensive educa-

"What, then, is the secret of my success? Let me tell you how it came about. "One day, about three years ago, some-

thing happened that woke me up to what was wrong with me. It was necessary for was while with the resiston on a matter which was of little consequence. I knew in my heart what was the right thing to do, but something held me back. I said one thing, then another; I decided one way, then an-I couldn't for the life of me make other. the decision I knew was right.

"I lay awake most of that night thinking about the matter—not because it was of any great importance in itself, but be-cause I was beginning to discover what was

How a young man jumped from \$30 a week to \$50,000 a year. His remarkable success he attributes to the way he uses his will. "What I've done, I believe any-one can do," he says. wrong with me. Along

towards dawn the answer flashed on me and I resolved to make an experiment. I decided to cultivate

my will power, believing that if I did this I would not hesitate about making decisions -that when I had an idea I would have sufficient confidence in myself to 'put it summent confidence in myself to plat it over'—that I would not be afraid of myself or of things or of others. I felt that if I could smash my ideas across I would soon make my presence felt. I knew that here-tofore I had always begged for success— had always stood, hat in hand, depending on others to give me the things I desired. I was controlled by the will of short, others. Henceforth, I determined to have a strong will of my own-to demand and command what I wanted.

WITH this new purpose in mind, I applied myseif to finding out something more about will power, and in my investigation I encountered the works of Professor Frank Channing Haddock. To my amazement and delight, I discovered that this eminent scientist, whose name ranks with James, Bergson and Royce, had completed the most thorough and constructive study of will power ever made. I was astonished to read his statement, 'The will is astonished to read his statement, 'The will is just as susceptible of development as the muscles of the body!' My question was answered! Eagerly I read further—how Dr. Haddock had devoted twenty years to this study—how he had so completely mastered it that he was actually able to set down the very exercises by which anyone could de-velop the will, making it a bigger, stronger force each day, simply through an easy, pro-

gressive course of training. "It is almost needless to say that I at once began to practice the exercises formu-lated by Dr. Haddock, and I need not recount the extraordinary results that I ob-tained almost from the first day. You already know the success that my developed

power of will has made for me. "People sometimes worry because they cannot *remember* or because they cannot



concentrate. The truth is, will power will enable them to dn both. The man who can use his will can not only concentrate and

1 Now Own a \$25,000 Home

remember, but can make use of

these two faculties. And I want to leave this one word with you-no knowledge, no plan, no idea is worth

a penny unless it is used-and it cannot be used unless some one's power of will does it !"

1.

TH.

PROF. Haddock's rules and exercises in will training have been placed in book form, and 1 have been authorized by the publishers to say that any reader who cares to examine his startling book on will power may do so without sending any money in advance. In other words, if after a week's reading you do not feel that "Power of Will" is worth \$3, the sum asked, return it and you will owe nothing.

When you receive your copy for examination I suggest that you first read the articles on: The law of great thinking; How to develop analytical power; How to guard against errors in thought; How to drive from the mind unwholesome thoughts; How to develop fearlessness; How to use the mind in sickness; How to acquire a dominating personality

Statisty, How to explait a dominating performance of will?
It is interesting to note that among the 225,000 owners who bave read, used and praised "Power of Will" are such prominent men as Judge Ben P. Lindsey; Supreme Court Justice Parker; Wu Ting Fang, ex.U. S. Chinese Ambassador; Gov. McKelvie of Nebraska; Assistant Postmaster-General Britt; General Manager Christeson, of Wells Fargo Express Co.; E. St. Elmo Lewis; Senator Arthur Capper, of Kansas, and thousands of others.
As a first step in will training, I would suggest immediate action in this matter before you. It is not even necessary to write a letter. Use the blank form below, if you prefer, addressing it to the Peiton Publishing Company, 30-J Wilcox Block, Meriden, Conn., and the book will come by return mail. This one set may mean the turning point of your life as It has meant to me and to so many others.

Pelton Publishing Company,

30-J Wilcox Block, Meriden, Conn. 1 will examine a copy of "Power of Will" at your sk. 1 agree to remit \$3 or remail the book in 5 days. risk Name Address

Yau bencht by mentioning the "Electrical Experimenter" when writing to advertisers.



Wonderful opportunities —great scope for advance-ment – and big pay – await you in the airplane industry. This does not mean actual flying, but in any and all of the various branches of the in-dustry. It is the coming profession-the futurer means of transportation. U.S. Mail is already being carried by airplanes, Factories are apringing up everywhere and trained men are in big demad. **Openings in** you can get into this profession while it is spector, builder, contractor, salesman or pro-fessional aviator. The minute you understand the science and mechanics of aprice and science into the science and mechanics of aprice and mechanics of appictor builder, contractor builder, c aviation you can step into a high-salaried position.

We Guarantee 🖾 Our Training

We absolutely and unre-servedly guarantee that our Home Training Course will enable you to qualify for a good position as soon as you graduate. The Course itself has been written by noted aeronautical engineers, and covers the entire fundamentals of practical aeronautics. Every lesson is written and illus-trated so clearly that you cannot fail to under-stand it. But see for yourself. Take ten les-sons. Then if you are not satisfied you are not out one cent. We guarantee satisfaction.

Prepare Now for a Big Future

Only by specialized instruction can you expect to succeed in aviation or in any line of business. Training alone will fit you for a big job-and NOW is the time to begin. Check and mail the coupon for Big Free Bulletin and Money-Back Guarantee.

MERICAN SCHOOL OF CORRESPONDENCE CHICAGO, N.S. A. Dept. F 7445

TRAINING THE KEY TO SUCCESS Please send Free Bulletin and ASL explain how I can qualify for the position checked.

High School Graduate

Address.....



is something different. Actual cases from pen of a physician. Warns you against hundreds of sex evils in very plain lan-guaga. More interesting than faction. Sent immediately, postpaid. for \$2.00. MONONGAHELA NOVELTY CO., Box A-565. MONONGAHELA, PA.

Popular Astronomy Astronomical Distances

(Continued from page 25)

ured with considerable accuracy and is known to be four and a third light years. Tho there may be a few faint stars or nonluminous stars nearer to us than Alpha Centauri, and there is, in fact, one inconspicuous star known to be slightly nearer, the distinction of being the nearest of the brighter stars has long been held by Alpha Centauri. As our own sun continues his journey thru the universe the two stars (our sun is a star just like Alpha Centauri) will finally draw away from each other after many ages have past and some other sun of space will be our nearest star. The distances that separate the stars from cach other probably average as great as the distance from the sun to Alpha Centauri. Within a sphere whose center is at the earth and whose radius is five parsecs, or about sixteen light years, there are only about twenty known stars. There is therefore small chance of collision among bodies that are so small in proportion to the tre-mendous intervals of space that separate them from each other. There is ample room for the individual stars to pursue their journeys thru space without interfer-ing with each other's motion so long as they are as widely scattered as they appear to be in this portion of the universe. That our own sun has continued its journey thru the universe for some hundreds of millions years without any catastrophe such as of would result from closely approaching or colliding with another sun of space shows on how grand a scale our sidereal system is fashioned.


Stars that are ten, fifty or even one hun-dred light years from the earth are our near neighbors in space. They are the stars that show a slight displacement in the heavens or measurable parallax viewed from opposite sides of the earth's orbit. There are probably a thousand stars among the hundreds of millions of stars within reach of the greatest telescopes whose dis-tances have been determined in light years by direct measurement of their displacement in the heavens resulting from the change of position of the earth in its orbit. The most distant of the stars are apparently immovable in the heavens showing neither the effect of the sun's motion or their own motion thru space. Methods for ascertain-ing the distances of many far remote stars and star-clusters have been devised, however, and some comparatively recent investigations have yielded determinations of the tigations have yielded determinations of the distances of these objects indicating that the diameter of the system of stars to which our sun belongs approximates to at least three hundred thousand light years. It is difficult to grasp the full significance of this fact. It means that hundreds of millions of the suns of space throng the universe at distances from us and visible universe at distances from us and from each other running into hundreds, thousands and even hundreds of thousands of light years. The light waves from some tiny object that we can just barely glimpse in one of our great reflectors may have started on their journey thru space over one hundred thousand years ago when men of the Old Stone Age inhabited our planet earth!

Astronomers have found as a result of their investigations that the sidereal sys-tem to which our solar system belongs is in the form of a flattened spheroid with its longest axis in the plane of the Milky Way. We have shown in a preceding article on the Milky Way how all the various units of our system, stars, nebulae and star clusters are distributed with reference to this plane, including our own sun. The extent of this star system composed of hundreds of millions of individual suns in addition to nebulae and clusters is, as we have said, at least three hundred thousand light years

along its longest axis, while globular star clusters distributed above and below its central plane have been found to be at dis-tances from it ranging from ten thousand to two hundred thousand light years. This entire organized system is our sidereal uni-Space beyond is unexplored. verse. The globular star clusters are the most distant celestial objects so far discovered. The spiral nebulae may be entirely within the limits of this system or future determina-tions of the distances of the fainter spirals may extend the limits set by the globular clusters to include spirals found to be still more distant.

We can conceive the possibility that our sidereal universe, vast as it is known to be, may be but a unit in some still greater or-ganization and that other similar systems lie beyond the reach of existing telescopes at unimaginable distances of a higher order.

The mind of man is overwhelmed by the thought of sidereal systems as vast as our own lying far beyond our ken. Whether or not such external systems do exist and are with our own sidereal system units in some still vaster creation we cannot know.



How Star Distances Are Measured by Means of Parallax.


We have attempted to grasp feebly the vast expanses of time and space that are to be found within our own sidereal system, but the finite mind of man cannot grasp the wonders of a creation in which our entire sidereal system may hold a position as subordinate as does our own planet in the sidereal universe to which our sun belongs.

The distances of stars are almost inconceivable to the human mind. They are computed by what is known as the parallax. In order to make this plain to the non-technical reader, Fig. 1 shows the method used. When the astronomer wishes to measure the distance of a distant star, he takes an exact observation of the star on January 1st when the earth is in position C. Then on July 1st he again observes the same star with very accurate instruments. Then he will have an angle A, B, C. (Continued on page 56) The

BE THE MAN WHO <u>KNOWS</u>! -and Earn Big Pay

By our method of teaching, in your Spare time at Home You Can Soon Be A Trained Man

Electrical, Steam, or Marine Engineer, or a Graduate in any of our numerous other Practical Business Courses



Your Diploma

Business Today Demands Trained Men-

you know that. Your success in life depends upon how well you prepare for it. It's a question of knowing your subject! Big business is looking, hunting, advertising—for big, trained men to accept good positions at big pay; such men are scarce; but there are always too many of the other kind. Which class are you going to be in

You want to study with a Real School. The high standing of the Jos. G. Branch School of Engineering may be indicated by the fact that

We Trained Over 1000 Men for Government Marine Service

No matter what line of training you need, you will probably find exactly what you want in the list of our courses below. Each course is practical and complete, yet everything is written, illustrated and explained so clearly that anyone who can read can understand it. Everything is made clear. You do not become involved in difficult technical matter which is of no value and discourages the student, but you go right straight through from the start to the finish—and then you've got it! You can't fail if you will simply do your part, and follow our instruction.

THE COURSE YOU WANT IS HERE

Complete, Practical Correspondence Courses in

Electrical Engineering Stationary Engineering Power Plant Engineering Power Plant Accounting Marine Engineering Drafting Drawing & Designing Practical Chemistry

Practical Mathematics Ingenieria Electrica (Spanish Course) Mechanical Refrigeration

VALUABLE BOOKS FREE

We have published a Library of Valuable Business Books covering each of the above courses, and we are furnishing a set free to each enrolled student who answers this ad. These are all standard books, each by an authority on the subject. The

books above may be worth many times the cost of the course. Here is the Library that goes with the Electrical course:

Practical Electricity The Electric Motor Alternation Currents Simplified Electric Wiring Practical Mathematics


Send in the Coupon now for full particulars about the course you are interested in.

The Jos. G. Branch School of Engineering Dept. 15, 542 S. Dearborn St. Chicago, Ill.

Cut Out and Mail-NOW

USE THIS COUPON Jos. C. Branch School of Engineering Dept. 15, 542 S. Dearborn St., Chicago					
You may send me, free full information about your special offer on course checked below:					
Electrical Engineering Marine Engineering Practical Mathematics Stationary Engineering Drafting Ingenieria Electrica Power Plant Engineering Practical Chemistry Mechanical Refrigeration					
Name					
Address					
CityState					
Present Occupation					


You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.





AGENTS MAKE SALES EASILY doily means \$60.00 a week. Leggett, Ohio, "Workad took two orders, profit \$10.00." Hayhurst, Nebr., orders in 4% days-profit \$55.00, ordered 12 more saning, lowa, "Sold 10 tubs in one day-profit Deltut, Nebr, "Sold 12 tubs in three days-profit at hundreds of others making hig money. Topercent of Do hat tubs, Erperione and septial unceressy. Credit Meaning, lowe DeHut, Nebr. . Bobinson, Pres., THE BOBINSON CABINET MFG. CO. 9 Factories Building TOLEDO, OHIO

ELECTRICAL training again open to civilians. Over 3000 men dustries in experience of more than a quarter of a century. For men of ambition and limited time. Condensed course in Electrical



ELECTRICAL EXPERIMENTER

ASTRONOMICAL DISTANCES.

(Continued from page 54) distance from A to C being roughly 185,-000,000 miles, and the angle being known, it is easy to figure the distance from B to A by means of thironometry. But if the A by means of trigonometry. But if the star B is at an immense distance such as But if the is shown in Fig. 2, the angle A, B, C be-comes very small. As some of the stars are billions upon billions of miles removed from the earth, it will be readily seen that there will come a point when the angle A, B, C ceases to exist. In other words, the distance A to C, altho 200,000,000 miles, will practically vanish—as it is so little— and the angle becomes so sharp that A, B, C is provided with a straight B, C is practically nothing but a straight line. As a matter of fact most of the stars line. which we see are so far removed from the earth that they have no appreciable paral-lax, and it is therefore impossible to know how many billion miles such a star is re-moved from the earth. As a matter of fact only a comparatively few stars exist that show an appreciable parallax, even with the extraordinary degree of perfection attained in measuring instruments. Such is the in-conceivable magnitude of interstellar distances.

Distances from the sun to the planets and to the nearest star in terms of the astronomical unit (distance from earth to sun) and in millions of miles.

Table	e I.	
	n Astronomical	In Million
-	Units	Mites
Mercury	0.39	36.0
Venus	0.72	67.2
Earth	1.00	92.9
Marc	1.52	141.5
Mars	5.20	
Jupiter		483.3
Saturn	9.54	886.0
Uranus	19.19	1,781.9
Neptune	30.07	2,791.6
Alpha Centauri (nearest		
star)2	73,000.00 2	26,000,000.0
Value of light year	63,000.00	6,000,000.0
Parsee2	06.265.00 2	0.000.000.0
Table		-,
		usta sa muun
Time required to trave	i from the ear	rin to sun,
moon, planets and nearest	star by airpla	ne, (at the
rate of 200 miles per hou	ir), and with	velocity of
light, (at rate of 186,324	miles per seco	nd).
To By airpla		
		of light
Moon 7 we	eeks 1¼ se	conds
Sun	ears Źmir	1. 59 500

Moon	7 weeks	1¼ seconds	
Sun	52.99 years	7 min. 59 sec.	
Venus	14.37 years	2 min. 18 sec.	
	32.46 years	5 min. 6 sec.	
Mars	27.72 years	4 min. 21 sec.	
Jupiter	222.68 years	35 min. 15 sec.	
Saturn	452.37 years	1 hour 11 min	۱.
Uranus		2 hours 32 min	
NeptuneI		4 hours 2 min	1.
Alpha Centauri			
		4 2 *	

(nearest star) years 4.55 years Note: The above results were obtained by using the *mean* distances of the planets from the sun and the nearest approach of the planets to sun and the each other.

RELIEVING THE CAR CRUSH. (Continued from page 15)

lide! The westerner wants to get off and

Note: The westerner wants to get on and the easterner wants to get on, naturally. Now an old axiom says that one mass can't take the place of another mass with-out displacing that first mass. But tho we have learned in our physics class that water is not compressible, Subway pas-sengers are compressible to the NTH degree. Then after a homeric heatter in a kick

sengers are compressible to the NTH degree. Then after a homeric battle in which both sides display a titanic amount of muscular effort the "westerner" is finally ejected forcibly from the car and a half dozen "easterners," with the "gentle" help of the subway gladiator, are packed into the train, which proceeds on its way until the next station, where the same little game of forcible subtraction and addition is enacted all over again.

is enacted all over again. The cure? There are three doors on each New York subway car: Two on each end and one (about the same size as the front and cnd door combined) in the center. If the outgoing passengers could use, say, the end doors only and the incoming travelers the middle doors only, and if this rule would be strictly enforced, don't you think that this would help to make the Subway a better place to travel in? And, besides, Kipling would be right

"East and West, they never shall meet!" Anyway, not so rudely!

ELECTRIC VIOLIN-VIRTUOSO A MARVEL.

(Continued from page 21)

is obtained by means of a third magnet which vibrates the tail piece thru the medium of the shaker bar.

To produce the wonderful orchestral ef-fects achieved by the Violano-Virtuoso, as the instrument is called, it is necessary to use not one but *four* bows—one for each string.

These bows consist of numerous conical discs of specially prepared flexible celluloid, the edge of each disc acting as the hair of a bow. And it is possible for these revolving bows to play simultaneously on all of the four strings. These 4 bows are operated by bow magnets and are mounted on a bow shaft extending over the bridge. This, in connection with the fact that the instru-ment has sixty fingers against the four available to the human violinist, is the reason why this instrument can, with facility, render the most difficult concertos, etc.the master-picces of the world's musical literature—some of which it is manifestly impossible for any save the greatest human virtuosi to achieve.

The bows are automatically rosined. Suspended above the strings is the *rosin* box from which the strings automatically obtain the proper supply of rosin. This box is controlled by a governor and according as the speed of the motor raises or the proper to the bows of t lowers-the greater the bow speed and the closer the box comes to the bows, which by their revolutions against the surface of its rosin, automatically obtain a greater or less supply as required.

Our illustration shows the electrically op-erated violin, as well as its accompanying player piano. Both instruments playing to-gether, thus give rise to a very creditable musical performance.

ALL KINDS OF LIGHTNING.

(Continued from page 20)

denly took it into his head that he was going to take some superlative lightning photos on a certain summer day. In this particular instance, the thunder storm had not been be-having very nicely, according to the pho-tographer's notions, but he thought he would take a chance any way. We might mention before going further, that the thunder storm did not come up in the usual way, and proceed to discharge veritable forked "Bolts of Thor," but satisfied itself with merely hanging around in the offing, and giving a perfect imitation of the best flash, or so-called "heat" lightning, you ever saw. What happened was this. The pho-tographer waited until several of these flashes had occurred and the rain had be-gun to fall, when he thought the lightning instance, the thunder storm had not been begun to fall, when he thought the lightning discharges would sharpen up enough to photograph most beautifully. However, he miscalculated the extent and the frequency of the flash lightning, which in this par-ticular case hung on for a long time, and accompanied each flash of forked lightning, which was rather slight in quantity, with which was rather slight in quantity, with the total result that after six 8x10 nega-tives had been exposed, and then rushed expectantly into the dark room and de-veloped, they showed,—what do you sup-pose? Well, sir, those six plates turned out to be six of the finest snap-shots of the surrounding landscape and buildings that you ever laid eyes on. By actual compari-son you could not tell them from a sunny mid-day snap-shot of the surrounding counmid-day snap-shot of the surrounding coun-try taken with the same camera. Thus the motto would seem to be, that to

take advantage of a very dark overhanging storm which gives the greatest contrast of course, for the lightning flashes to appear against. At night would seem to he a most opportune time to photograph lightning discharges, but many excellent pictures have been obtained in the day time as well, un-der suitable conditions as just outlined.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

111111



Taught By a Practical Man and in Your Home!

I am teaching electricity and electrical drafting to many men, young and old, and trust you will become sufficiently interested after reading this advertisement, that you will send for my catalog which tells what I am endeavoring to do and also places before you the simple way in which the instruction work is handled. The catalog is written in a very plain manner, much in the same style as my lessons are written, and tells you exactly what you get and what the course can do for you. My catalog, as well as my advertisements, is written in a very careful, conservative manner so there is no possibility of you expecting something you will not get.

The Purpose of the Course of Study

I have been designing courses in electrical instruction and teaching electricity, off and on during the past 17 years, and during that time I have had an unu-ual opportunity to make a special study of the teaching business, from the standpoint of a practistudy of the teaching business, from the standpoint of a practi-cal man. This course of my own is designed with a view of reaching those who do not have a lot of time and money to devote to study work, and to give them as thorough a knowledge as possible of electricity, in the shortest possible time. The instruction is given like you were working on various jobs, giving the explanation necessary for the understanding of the theory. theory covered by the subject under discussion. There are many conditions which seldom occur in the every day run of electrical experience, and these conditions f lay particular stress on. This part of the instruction makes the course particularly attractive and valuable to those already engaged in active electrical work.

It Is Up To You

The instruction work is laid out and given in a way easily understood. It is not a cut and dried book plan, but the les-

What Electrical Men Say Of My Course

<section-header><text><text><text><text><text><text><text><text><text>

Fifty Fifty I work absolutely on a 50-50 hasis with my students. You pay me the comparatively low price I ask, and I give you the instruction and other help as is stated in my catalog. No student is permitted to pay cash for his entire course on starting, the course heing paid for in small monthly payments as you go along. Students have the privilege of discontinuing the work if they should find that it was not just what they were after, and their payments stop at the same time. This is my way of doing business and I would not want your money when I was not giving you the

Apparatus, Instruments, Material, Etc. Certain electrical apparatus, instruments, material, charts, drafting implements, etc. as detailed in the catalog, are included in the course and are a part of the regula instruction for which there is no extra charge as it is covered by the regula monthly payments.

ILL	OUT	COUPON	FOR	ONE	OF N	IY C	ATALO	GS	мнісн	GIVES	FULL	INFORMAT	ION
		BUR	GF	SS	EI	E	CTF	216	CAL.	SC	HO	ЭL.	
		2011							cago,				

sons are prepared especially for the purpose for which they are used and additional instruction is given to the individual stu-dent, with a view of meeting his particular needs. I have the information to give and I believe the ability to impart it to others, a fact which is in a way proven by other institutions which have made use of my services in the design and perfect-ing of instruction courses. To understand this work, IT IS UP TO YOU to stick with me and I will surely stick with you till you understand any part of the work you have gone over,


Practical Men Take My Course and Recommend it to Others

Sixty percent of my students are actively engaged in electrical work and find the instruction I give well suited to their needs. Several of these men have had their fellow workers take the course also and they are taking the instruction together making a class-room proposition of it and the results are in every way satisfactory to all concerned. One of these classes was started by a Chief Electrician, one of my students in Glen White, W. Va., who now has precisely all the men under him taking and who now has practically all the men under him taking my course. I believe the fact that these men who understand electrical work approve of my course to this extent is one of the strongest endorsements $\tilde{\mathbf{I}}$ could get.

Say Of My Course Billion as walter and am now employed as electrician in the Ritz Carlton Hotel Max Egenand." The second seco

	YORKE BURGESS, BURGESS ELECTRICAL SCHOOL, 745 East 42nd Street, Chicago, Illinois.
	Gentlemen: Send me catalog describing your course in Electricity and Drafting.
, :	NAME
r ·	ADDRESS
ł	СІТҮ
	STATE.

May, 1919



emical Laboratory

We present herewith to our friends our new E. I. Co. Chemical Laboratory which contains real chemicals and apparata to perform real chemical experiments. This outfit is not a toy, put up merely to amuse, but a practical laboratory set, with all the chemicals, apparata and reagents necessary to perform real work and to teach the beginner all the secrets of inorganic chemistry. With this outfit we give free a book containing a Treatise in Elementary Chemistry, useful data and recipes, and 100 instructive and amusing experiments.

DESCRIPTION OF THE OUTFIT:

DESCRIPTION O The outfit consists of forty-four (44) Chemicals all C. P. (chemical pure) put up in appropriate wooden actively and the provide the state of the state stoppers and there is a sufficient quantity of chemicals ducans of experiments with each. See list of Chemi-subset of the 17 pieces of apparata furnished with this outfit is printed also herewit. The Instruction book is a real Chemistry Course from the Beginner. Some of the Contents are: Divi-tion of Matter: This is a Treatise on Elementary Chemistry and deals with the theory of the Ele-ments, Molecules and Atoms, etc. Chemical Nome-ther of the chemical names of the Elements and their compounds. There is a chapter on Laboratory Operations; Glass Working; First Aid; Fire Ex-tinguishers; Experimenter's Aphorism.

A good part of the book is devoted to Weights and Measures. The Metric System, the English system and the U. S. System are fully explained.

The following tables are furnished: Symbols and Atomic weights of the Elements; Measures of Weights, Volume, Capacity and Length; Per Cent solutions; Conversion of Measure expressed in parts; Poisons and their antidotes; Technical and common name of chemical substances; Formulas for Cleaning various substances, etc. substances, etc., etc.

Among the IOO Experiments are:

Hundrig the low Experiments are. How to make chemical tricks; How to make invisible and magic inks; How to test flour; How to test soil; How to Make Chlorine Gas and smoke (German War Gas); How to bleach cloth and flowers. How to pro-duce Oxygen and Hydrogen; How to make chemical colors; How to test Acids and Alkalies and hundreds of interesting hints and formulas.

The price is still \$5.00

Shipping Weight 10 lbs.

(Can be shipped by Express only.) Send your order today to:



See our full page Ad, on page 88 for Free Cyclopedia

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

Ilig TT chefinicals. Alum Al₂(SO₄)₃, (NH₄)₂SO₄ Antimony (powdered) (Sb) Ammonium Aqua (NH₄)+H₂O) Ammonium Carbonate (NH₄)₂ CO₆ Ammonium Sulphate (NH₄)₂ SO₄ Barium Chloride (BaCl₂) Boric Acid (H₃BO₃) Brimstone (Sulphur) (S) Calcium Chloride (CaCl₂) Calcium Chloride (CaCl₂) Calcium Sulphate (CaSO₄2H₂O) Charcoal (Carbon) (C) Choride of Zinc (ZnCl₂) Clocide of Zinc (ZnCl₂) Glycerol (Glycerine) C₃H₆(OH)₃ Hydrochloric Acid (HCl) Iodine (1) Iron Chloride (FeCl₂) Lead Acetate Pb (C₂H₃O₂)₂ Litmus Paper Magnesium Carbonate (MgCO₃) Sodium Borate (NaSO₄) Sodium Bicarbonate (Na₂HPO₄) Sodium Chloride (Na₂O₃) Sodium Sulphate (Na₃SO₄) Sodium Carbonate (Na₃CO₃) Sodium Chloride (Na₂O₃) Sodium Carbonate (Na₃CO₃) Sodium Carbonate (Na₃CO₃) Sodium Carbonate (Na₃CO₃) Sodium Sulphate (Na₃SO₄) Sulphate of Nickel (NiSO₄) Zinc (Metal) (Zn) Zinc Carbonate (ZnCO₃) The following apparata are furnished:

are furnished: One Standard Washbottle One Alcohol Lamp One Conical Glass Measure One Erlenmeyer Flask One Glass Funnel One Delivery Tube Six Assorted Test-Tubes One Test-Tube Holder Ten Sheets of Filter Paper One Spoon Measure Glass Tubing One book containing Trea-tise on Elementary Chemisa-try and 100 Chemical Ex-periments to be performed with this outfit.

Me

Will Man Freeze the Earth to Death?

(Continued from page 8)

Rising prices and increasing scarcity surely will drive us to other fuels. Alcohol surely will drive us to other finels. Alcohol has been cited as a probability, mainly be-cause it can be produced anywhere crops are grown. The truth of this matter is that if the fuel requirements of the world were to be supplied by the world's crops there would be no crops left to feed the world's inhabitant. inhabitants.

The final summation simply is that when coal and oil both give out we will have an era of substitutes beside which the war bread of the past year will be heavenly. We will scratch around, burn up all our forests, dig our peat bogs to the bottom, and do what we can to find other sub-stances to supply the deficiency. All the substitutes will be costly, both from point of view of actual price and in point of efficiency. Those who cannot afford to use them will simply have to move toward the equator or freeze to death. Radium is the one direct answer to the problem raised by this situation. True, it exists only in minute quantities in the earth's crust. True, under our present sys-tem of extraction it costs prohibitively. The final summation simply is that when

Still, it is the only logical answer. Why? While radium is present only in proportions of from one to three grains per ton in the outer thirty miles of the earth's crust-excluding the oceans, of course, in which there is only a trace-there is suffcient of it in the upper two miles of crust to supply all possible power wants of man. The fact that it now costs us over a half-million dollars a pound to extract it is no argument. The scientific brains of the world never has been focust on the problem of securing radium. Only the inventive skill of a small number of people has been concerned with the processes of mining and extracting any kind of precious metal. With only a few dozen laboratories in the world knowing anything whatever about radium, the cost of securing the metal has been *cut* in half in the last four years. In the event that radium showed itself to be the only salvation for men outside of the equatorial zone, would not this cost be slaughtered? Would not radium be ex-tracted by the ton instead of by the milli-gram? When it is considered that by the extraction of all the radium in a belt of land, ten miles wide by three miles deep, extending around the earth sufficient of the metal would be secured to run civilization the outlay for power of any kind, does this seem impossible? It would be an undertaking for centuries, undoubtedly, but what of it? There would be little or no depreciation in the metal secured year by depreciation in the metal secured year by year, and every tiny particle mined and ex-tracted would do away with the necessity for just so much other fuel. In case the project were started under Government or other competent supervision, the probability would be strong that the descending price curve of radium would cross the rising cost curve of other fuels in the course of from fifty to one hundred years.

fifty to one hundred years. The only alternative to this desperate plan that seems to be offered to our de-scendants is the piping of steam and hot air from the earth's interior. On a small scale this has been done already in Italy, hut scientists have pointed out that serious dis-turbances, earthquakes, cracking of the erust and other disasters involving huge losses of human life would be certain to follow the experiment of trying this on a follow the experiment of trying this on a large scale. The trouble mainly would be caused by the sudden cooling of certain portions while the other parts remained in a molten state. The great catastrophe of a tremendous crack appearing in the middle

of the Pacific Ocean, with the resultant clouds of live steam and poison gas cover-ing the earth and killing all animal and vegetable life, would be the great debacle most to be dreaded. Taking all into con-sideration, radium seems like the best and safest possibility.

One strange possibility which has an equally queer parallel in the case of radium equally queer parallel in the case of radium extraction on a large scale is the quick doom which would face the earth if men piped all their heat from the earth's in-terior. Providing millions of these vents for power uses on all continents would cool the iron center of the earth speedily.

Under the present scheme of things, Pro-fessor Maurier estimates that the earth will cool to the temperature of the moon (-110 degrees Centigrade) in twenty-eight million years. Iluman life as we know it will have been extinct, in all probability, for twelve or thirteen million years of this term, unless man finds some material in which to clothe himself thru which body heat cannot pass, and grows his crops in huge heat-insulated greenhouses.

greenhouses. If the vents were opened, however, the heat of the earth's center would flood the atmosphere, even if used as conomically as possible. It would rise to the outer edges of our air, coming into contact with the bleak (absolute zero) temperatures of the void, and cooling. Instead of the gradual change extending over millions of years, man would be confronted by a situation to which he probably could not adapt himself. The end of the world would come in ten thousand, yes, perhaps in five thousand years. years.

Even if the radium power system were inaugurated, something similar might take place, tho by no means as suddenly. Radium apparently was placed in the earth's crust for one particular purpose. That was to for one particular purpose. That was to keep the earth from cooling off quickly. We have seen that twenty pounds of radium would equal nine tons of anthracite

in a year's time. The amount of radium in the thirty-mile crust of the earth, according The amount of radium in to Professor Henri Becquerel of the French Academy, is sufficient almost to equalize the daily loss of heat thru the atmosphere! That means that if there were a little more radium in the earth this planet never would cool off at all! Also it means that if the earth were of the same consistency all the way thru, and not mostly molten iron or steel, the amount of radium being of the same proportion as at the surface, the globe would get hotter constantly. In the course of a few decades or centuries it would burst into flames and burn to a cinder.

The big point for us to grasp, however, lies in the fact that we are living now on hes in the fact that we are fiving now on earth solely because the crust contains radium. If this had not been the case the earth would have become cold and dead eons ago. If man, for any reason, becomes so grasping or in such dire necessity that he extracts all of the radium from the crust, he simply will be limiting his chances

crust, he simply will be limiting his chances of a long stay very definitely. This, however, is a remote possibility. The radium is scattered thru the whole crust to an average depth of thirty miles. Below this there is a highly heated tho solid zone in which there probably is a cer-tain amount of radium. This zone extends eighty miles in depth, and below it is molten iron, the core of the earth. Man will have his hands full extracting the radium from the upper two or three miles of the crust. Since this will give him all he ever can need, unless the demands of future civiliza-tion grow much faster than any of our tion grow much faster than any of our estimates figure, he would not touch the greater portion.



EARN \$35 TO \$100 PER WEEK

As a Mechanical Draftsman

Thousands of Men Wanted

You can learn Mechanical Drawing at home in your spare time through our practical Home Study Course and qualify for Big Pay. We have placed hundreds of our students in good paying positions. Government departments and private concerns are continually calling upon us for our graduates.

Become a Chief Draftsman

and get to the very top in this well-established and rapidly growing profession. The training given by the Columbia School of Drafting will give you just the knowledge you need to make good as a Chief Draftsman. No previous training is necessary. You can begin our course now and make rapid progress from the start under the Personal Instruction of the President of the School, Mr. Claflin, by mail. His carefully pre-pared lessons and personal letters of advice make each step easy and interesting.

Draftsmen Now Getting \$35 to \$100 a Week

with big chances for better pay as the demand grows. All big engineering, construction and manufacturing projects must first go through the drafting room before the workmen can commence. All such enterprises depend upon large numbers of draftsmen. Salaries are advancing steadily.

Drawing Outfit Free with Our Course

As soon as you enroll you will be sent our drawing outfit for your own use throughout the course. This entire outfit will be yours to keep. You are not obliged to return it after completing the course.

Not Only a Correspondence School

The Columbia School of Drafting is probably the largest residence school in the country specializing in the training of professional Draftsmen. Our Home Study Courses are an extension of the same instruction as given locally.

Illustrated Catalog FREE

Simply fill in the coupon below, return it to us and we will send you free a copy of our illustrated catalog which tells all about our practical Home Study Course and how you may secure our instructions at once on easy terms so as to quickly qualify for one of the big positions open.

Send	This	Coupon	Today

COLUMBIA SCHOOL OF DRAFTING Dept. 982, 14th and T Sts., Washington, D. C.

Without obligation to me, please send me your Illustrated Catalog and tell how I may secure your practical training in Drafting and your help in securing a position as Draftsman.

Name	•••••••••••••
Address	•••••••••••••••••••••
City	State

You benefit by mentioning the "Electrical Experimenter" when writing to adzertisers.

"The National Authority on Electric Wiring for Twenty-Five Years"

All You Need to Know About Wiring is in the Latest Edition of

"Standard Wiring"

*HIS year's edition, completely revised to date, is the only accurate book on electric light and power wiring and construction published.

The National Electrical Code, with all its new rules, is explained and illustrated. of the latest and simplest tables which show, at a glance, just what size of wire is needed for any kind and size of lighting or motor installation, for any voltage, cur-rent and drop desired for any system. Di-rect Current, Alternating Current, single, two or three-phase. The latest Code Rules on grounding required on all work on grounding required on all work.

How to install and operate generators, motors and every kind of wiring device with diagrams of connections. Special chapters on illumination, House Wiring, Electrical Units and their Equivalents. The latest lamp data. Proper symbols to use to indicate outlets, etc., etc.

It Will Make You an Expert Wireman

Leather Cover - Pocket Size - 375 Pages - Price \$1.50 Sent to any address, postpaid, on receipt of price

H. C. Cushing, Jr., 10 West 40th St., New York



AMERICAN SHARPENING MACHINE CO. (Inc), Dept E E, 184 W. Washingtom St., CHICAGO

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.



ily imagined for the visitor was shown a complete composite photographic map of the city of Washington, D.C., which was taken from an airplane in a trip lasting but two hours and fourteen minutes. Hundreds of photos are taken by the rapid-fire cam-eras, and after developing and printing these have to be evenly matched and as-sembled. Large photographs taken about New York along the river, showing the ferry boats, etc., were taken during the ofterpoors of the different dury and the afternoons of the different days, and the plates would be rushed to the aëro show, there developed and finished and prints made by the Army's photographic experts, the mounted photographs being on exhibit at the show in from one hour to an hour and one-half after they had been taken by the aviator flying above the city.

The machine gun exhibit attracted much attention, particularly the means used for synchronizing two machine guns on the battle-planes, so that they both fired dead ahead and thru the revolving propeller, the bullets passing accurately thru the spaces between the blades every time these spaces came in line with the machine gun barrels. The Packard Automobile Company, makers of the well-known Packard motor car, exhibited a new pleasure and battle-plane fitted with the Packard 12-cylinder aircraft htted with the Packard 12-cylinder aircraft engine, which somewhat resembles the Liberty motor. The Liberty motor, which was on exhibit, attracted considerable at-tention, and the number of these motors built by each of the large automobile con-cerns during the war were shown. There was a large sea-plane on exhibit which had flown to the show.

Speed enthusiasts in the flying world had their attention riveted on what was purported to be the fastest airplane in the world, the "Christmas Bullet," a small model of which was exhibited at the Aero Show. It was very well built, and the most remarkable feature of the design of the "Bullet" is that there are no struts between the planes, and also there are no guy wires, as in the usual types of monoplanes. The wings are supported by the cantilever principle, and besides they are *flexible*. The "Christmas Bullet" bi-plane is guaranteed to make 200 miles an hour, and it attained a speed of over 185 miles per hour on a recent trial flight, when equipt with a six-cylinder 185 H.P. Liberty motor. It is claimed by its builders to be the safest and fastest airplane in the world. Not only this, but its lifting capacity compared to its size is greater than that of any other 'plane, it is stated. As will be evident, this ingenious design of 'plane is constructed on the principle of true bird flight, which therefore makes it self-balanc-ing and serviceable in any kind of weather. The wing surface is 170 square feet, and the total weight is 2,100 pounds, which includes fuel for three hours.

This airplane is intended to play the rôle of the first "taxi-plane" ever used in steamship service, and is to be operated at the port of New York by one of the leading steamship companies for overtaking a ship a day out at sea with sacks of belated mail,

a day out a sea with sacks of belated man, dispatches, etc. Among the interesting airplane engines exhibited at the Show was the well-known "Dusenberg." This Company exhibited a powerful new model 12-cylinder aircraft engine, in which each set of six cylinders operated a separate crank shaft of its own. The power from the individual crank shafts was then transmitted to the propeller shaft by means of two gears, one on each side the main driving gear secured to the ofpropeller shaft.

STANDARD WIRING

ELECTRIC LIGHT AND POWER

May, 1919

The True Wireless

By Nikola Tesla (Continued from page 30)

that one of these will be excited is -

hence the probability that two tunes would

11-1

VANTED: OFFICE MEN

61

One

Which Job

Auditors, Accountants, Office Man-agers, Credit Men, Cashiers, Bookkeep-ers and Cost Clerks-\$1,200 to \$7,500. trates an arrangement described in my U. S. Patent No. 568178 of September 22, 1896, and corresponding dispositions of wireless apparatus. The captions of the individual Electrical and Mechanical Engineers, Fac-tory Managers, Superintendents, Foremen, Designers, Draftsmen-\$1,500 to \$12,000. diagrams are thought sufficiently explicit to Designers, Draftsmen - \$1,500 to \$12,000, CONSTRUCTION MEN Civil and Structural Engineers, Transit-men, Construction Superintendents and Foremen, Estimators, Designers and Draftsmen - \$1,200 to \$10,000. IRADES - Machinists and Tool-makers, Auto Repairers, Electri-clans, Stationary Engineers, Firemen, Plumbers, Car-penters, etc. - \$1,200 to \$2,000. dispense with further comment, 1 will merely remark that in this early record, in merely remark that in this early record, in addition to indicating how any number of resonant circuits may be linked and regu-lated, I have shown the advantage of the proper timing of primary impulses and use of harmonics. In a farcical wireless suit in London, some engineers, reckless of their reputation, have claimed that my circuits were not at all attuned; in fact they as-serted that I had looked upon resonance as a sort of wild and untamable heast! All a sort of wild and untamable beast! It will be of interest to compare my sys-tem as first described in a Belgian patent of 1897 with the Hertz-wave system of that these positions Which one of them could were advertised you fill? If you haven't the in a single issue The significant differences between knowledge necessary to period. break into the *big-pay class*, decide to *get that knowledge NOW!* Any of the books listed below will quickly fit them will be observed at a glance. The first enables us to transmit economically The of a Chicago energy to any distance and is of inestimable These newspaper value; the latter is capable of a radius of only a few miles and is worthless. In the first there are no spark-gaps and the actions are enormously magnified by resonance. In both transmitter and receiver the currents are transformed and rendered more effecbooks F were writyou for a well-paid job-at home ten by ex-—in your spare time. perts in plain, everyday language. They are **Carpentry and Fire Prevention** tive and suitable for the operation of any desired device. Properly constructed, my Contracting Five volumes, 213 pages and more than 40 illustrations, Prepares for Contractor, Build-ing Superintendent and Car-price, 254,00, Special price, \$15,80. free from puzzling technical system is safe against static and other in-terference and the amount of energy which may be transmitted is *billions of times* greater than with the Hertzian which has none of these virtues, has never been used terms. Numerous illustrations, diagrams and tables make difficult Civil Engineering Electrical Engineering Nine volumes, 3000 pages and 3000 illustrations, plates and diagrams, Prepares for Civilor Stroctural Engineer, Transit-man, Estimator, Designer or Chief Draftaman, Regular price, 455.00. Special price, 423.80, points as simple as A-B-C. They successfully and of which no trace can be are handsomefound at present. A well-advertised expert gave out a state-ment in 1899 that my apparatus did not work and that it would take 200 years bely bound in half or full 불걸 15 leather (ex-**Telephony** and Atlantic and he even accepted stolidly my congratulations on a supposed great feat. But subsequent examination of the records Accountancy and Telegraphy Business Management Four volumes, 172 pares and Caro filoures, 182 pares Caro filoures, cept Law and Practice, which is showed that my devices were secretly used all the time and ever since I learned of this bound in law buckram) and I have treated these Borgia-Medici methods with the contempt in which they are held by all fair-minded men. The wholesale appropriation of my inventions was, how-ever, not always without a diverting side. As an example to the point I may mention my oscillation transformer operating with an air gap. This was in turn replaced by a carbon arc, quenched gap, an atmosphere of hydrogen, argon or helium, by a me-chanical break with oppositely rotating members, a mercury interrupter or some kind of a vacuum bulb and by such tours de force as many new "systems" have been produced. I refer to this of course, with-out the slightest ill-feeling, let us advance by all means. But I cannot help thinking how much better it would have been if the ingenious men, who have originated these I have treated these Borgia-Medici methods stamped in gold. Fill out 計 칠린 1 X. the coupon. Week Automobile **Steam and Gas** Engineering Engineering Seven volumes, 3000 pages and 2500 illustrations, plates, dia-grams, etc. Prepares for Sta-tionary, Marine or Locomotive Engineer or Fireman. Regular price, \$35.00. Special price, \$21,80. Free Five volumes, 2400 pages and 2000 illustrations, Prepares for Garage Foreman, Automobile Mechanic or Chaoffeur, Ioval-onhie to car owners, Regular price,\$25.00, Special price,\$17.80, 4 8 **I**rial We'll gladly send you any set for seven days' examination. Don't send MachineShopPractice Law and Practice (with Reading Course in 25 bound pamphlets). Thirteen velornes, 6000 pages and 24 illoa-trations. Prepares for all Bar Examinations. A wonderful aid to hosiness men. Regular price, \$72.00. Special price, \$39.80 Six volumes, 230 pages and 260 illustrations. Prepares for Machine Shop Soperintendent or Foreman, Foondryman, Pat-tern Maker, Roquiar price, 700 Maker, Roquiar price, \$30.00. Special price, \$19.80. seven days examination. Don't send us a penny; just pay the small ship-ping charge when the books arrive. Examine them carefully—use them at your work for an entire week. At the end of that time, if you feel they aren't worth far more than we ask, return them *at our capense*. If you keep them, pay the bargain price on the easy terms explained below. Sanitary, Heating and Practical Yentilating Engin'ring For volumes, 154 pages and ter, Prepares for Sanitary, Master price, 320.00. Special price, 513.80, pression of the term of term of the term of ter ingenious men, who have originated these "systems," had invented something of their "systems," had invented something of their own instead of depending on me altogether. Before 1900 two most valuable improve-ments were made. One of these was my individualized system with transmitters emit-ting a wave-complex and receivers compris-ing separate tuned elements coöperatively associated. The underlying principle can be explained in a few words. Suppose that there are n simple vibrations suitable for use in wireless transmission the probabil-50c A WEEK American Technical Society, Dept. X3385, Chicado, Ill. Yes, if you decide to keep the set you have selected, send \$2 within seven days and then \$2 a month (50c a ucek) until the present low price has been paid. Have you ever heard of a more generous offer? Remember, you take no chances whatever-we send the books for examination and you are not obliged to keep them if you do not care to hay. Mail the coupon more-before you turn the page. have paid the special price of ______ If i decide not to keep the books, I will return them by express at your expense. This not to pass to me until the set is fully paid for. use in wireless transmission, the prohability that any one tune will be struck by an Name I. Address extraneous disturbance is ---. There will then remain n-1 vibrations and the chance WRITE THE WORDS FOR A SONG Learn Watchwork, Jewelrywork and

Engraving A fine trade commanding a good sal-demand Address HOBOLOGICAL Department. Bradley Institute, Peoria, III., for our latest catalog.



The Ellis "Music Master" Reproducer

Will make your Talking Machine "The Soul of the Living Artist"

No ordinary sound-box can reproduce a composition as orig-inally played or sung by the artist. The true tone coloring is lacking—the beautiful overtones completely lost. And if not perfectly adjusted the ordinary reproducer vibrates, causing a harsh and shrill tone so commonly associated with mechanical music

But with the Ellis "Music Master" Reproducer all this is changed. Every shade of expression that originally went into the record is faithfully and accurately reproduced. By its special, improved features and construction all harsh discordant sounds are eliminated and the music flows out in a clear, round tone exactly as if the artist himself were in your home, playing or inging at his year, best

singing at his very best. You must hear the "Music-Master" to

apppreciate its great merit

appreciate its great merit It took 10 years of hard study and constant experimenting to develop this one reproducer that faithfully brings to life all there is in the record. Words cannot convey to you an ade-quate idea of how much this wonderful device will do to improve the playing of records. You must see it—hear it— compare the effect with any and all other reproducers you know of; then you will understand why every music-lover owner of a phonograph who hears the "Music-Master" Reproducer wants to own one. to own one

For all machines-Plays all Records

No matter what style, size or make of talk-ing machine you have if it uses disc records you can use the Ellis "Music-Master" and longor the real music. Easily put on, it pro-longs the life of the records, because it is much lighter in weight than other reproducers. And the price is so low that you cannot afford to be without it—it will double the worth of your instrument.

Write today for full details Thousands of satisfied users attest to the real value of my reproducer. I want to send you some of their letters and tell you mcre about my "Music-Master". Fill in and mail the coupon below for full -particulars. Ask for Circular E.

Patentee and Manufacturer P, O. Box 882 MILWAUKEE, WIS. J. H. ELLIS ····· Mail this Coupon Now! ······

J. H. ELLIS. P. O. Box 882, Milwaukee, Wis.

Please send me full information about the Ellis "Music-Master" Reproducer. Name

Address

......State

Make Big Profits in Battery Charging



City

\$150 to \$250 Clear Profit Each Month recharging auto storage bat-teries. The HB 16-Battery Charger recharges 1 to 16 6-volt batteries or their equivalent at once with current cost of 12c to 15c per battery. Motorist pays 75c to \$1.50, Figure your profits! This season means higger battery business than ever-more old cars driven-new Fords to have storage hatteries. Get busy now! Don't delay! Start after those profits!

\$57 Puts This Money-Maker in Your Garage on Money-Back Guarantee Balance in 10 monthly payments of \$23, each. Earnings pay for machine. No electrical knowledge necessary to operate. Uses 2 or 3 phase dity current. Furnished complete with 2 charging panels capable of charging 1 to 8 batteries each. No adjustments or expensive renewals. Bits, permanent profits. Sold on HB Absolute Money Back Guarantee. Order Now—you run no risk. Pin your check to this ad and mail today for trial order. Do it NOW!
 Hobart Brothers Company, Box 5E, Troy, Ohio. Successful Manufacturers Since 1893.

. Simbe struck at the same time is n(n-1)ilarly, for a combination of three the chance 1

- and so on. It will be will be n (n-1) (n-2)

readily seen that in this manner any desired degree of safety against the statics or other kind of disturbance can be attained provided the receiving apparatus is so designed that its operation is possible only thru the joint action of all the tuned element. This your action of all the tuned element. This was a difficult problem which I have suc-cessfully solved so that now any desired number of simultaneous messages is prac-ticable in the transmission thru the earth as well as thru artificial conductors.

The other invention, of still greater im-The other invention, of still greater im-portance, is a peculiar oscillator enabling the transmission of energy without wires in any quantity that may ever be required for industrial use, to any distance, and with very high economy. It was the outcome of years of systematic study and investiga-tion and wonders will be achieved by its means. means.

means. The prevailing misconception of the mech-anism involved in the wireless transmis-sion has been responsible for various unwarranted announcements which have misled the public and worked harm. By keeping steadily in mind that the transmis-sion thru the earth is in every respect identical to that thru a straight wire, one will gain a clear understanding of the phe-nomena and will be able to judge correctly the merits of a new scheme. Without wish-ing to detract from the value of any plan that has been put forward I may say that they are devoid of novelty. So for instance in Fig. 12 arrangements of transmitting and receiving circuits are illustrated, which I have described in my U. S. Patent No. 613809 of November 8, 1898 on a Method of and Apparatus for Controlling Mechan-ism of Moving Vessels or Vehicles, and which have been recently dished up as orig-inal discoveries. In other patents and techinal discoveries. In other patents and tech-nical publications I have suggested conduc-tors in the ground as one of the obvious modifications indicated in Fig. 5.

For the same reason the statics are still the bane of the wireless. There is about as much virtue in the remedies recently proposed as in hair restorers. A small and compact apparatus has been produced which does away entirely with this trouble, at least in plants suitably remodelled.

Nothing is more important in the present Nothing is more important in the present phase of development of the wireless art than to dispose of the dominating erroneous ideas. With this object I shall advance a few arguments based on my own observa-tions which prove that Hertz waves have little to do with the results obtained even at small distance. at small distances.

In Fig. 13 a transmitter is shown radiat-ing space waves of considerable frequency. It is generally believed that these waves pass along the earth's surface and thus affect the receivers. I can hardly think of any-thing more improbable than this "gliding wave" theory and the conception of the "guided wireless" which are contrary to all laws of action and reaction. Why should these disturbances cling to a conductor where they are counteracted by induced cur-rents, when they can propagate in all other In Fig. 13 a transmitter is shown radiatrents, when they can propagate in all other directions unimpeded? The fact is that the radiations of the transmitter passing along radiations of the transmitter passing along the earth's surface are soon extinguished, the height of the inactive zone indicated in the diagram, being some function of the wave length, the bulk of the waves travers-ing freely the atmosphere. Terrestrial phe-nomena which I have noted conclusively show that there is no *Heaviside layer*, or if it exists, it is of no effect. It certainly would be unfortunate if the human race were thus imprisoned and forever without power to reach out into the depths of space. The actions at a distance cannot be proportionate to the height of the antenna and the current in the same. I shall endeavor to make this clear by reference to diagram in Fig. 14. The elevated terminal charged to a high potential induces an equal and opposite charge in the earth and there are thus Q lines giving an average current I = 4Qn which circulates locally and is useless except that it adds to the momentum. A relatively small number of lines qhowever, go off to great distance and to these corresponds a mean current of $i_c =$ 4qn to the the is due the action at a distance. The total average current in the antenna is thus $I_m = 4Qn + 4qn$ and its intensity is no criterion for the performance. The

electric efficiency of the antenna is $\frac{q}{Q+q}$

and this is often a very small fraction. Dr. L. W. Austin and Mr. J. L. Hogan have made quantitative measurements which are valuable, but far from supporting the Hertz wave theory they are evidences in disproval of the same, as will be easily perceived by taking the above facts into consideration. Dr. Austin's researches are especially useful and instructive and 1 regret that I cannot agree with him on this subject. I do not think that if his receiver was affected by Hertz waves he could ever establish such relations as he has found, but he would be likely to reach these results if the Hertz waves were in a large part eliminated. At great distance the space waves and the current waves are of equal energy, the former being merely an accompanying manifestation of the latter in accordance with the fundamental teachings of Maxwell.

It occurs to me here to ask the questionwhy have the Hertz waves been reduced from the original frequencies to those I have advocated for my system, when in so doing the activity of the transmitting apparatus has been reduced a billion fold? I can invite any expert to perform an experiment such as is illustrated in Fig. 15, which shows the classical Hertz oscillator and my grounded transmitting circuit. It is a fact which I have demonstrated that, altho we may have in the Hertz oscillator an activity thousands of times greater, the effect on the receiver is not to be compared to that of the grounded circuit. This shows that in the transmission from an airplane we are merely working thru a condenser, the capacity of which is a function of a logarithmic ratio between the length of the conductor and the distance from the ground. The receiver is affected in exactly the same manner as from an ordinary transmitter, the only difference being that there is a certain modification of the action which can be predetermined from the electrical constants. It is not at all difficult to maintain communication between an airplane and a station on the ground, on the contrary, the feat is very easy.

To mention another experiment in support of my view, I may refer to Fig. 16 in which two grounded circuits are shown excited by oscillations of the Hertzian order. It will be found that the antennas can he put out of parallelism without noticeable change in the action on the receiver, this proving that it is due to currents propagated thru the ground and not to space waves.

Particularly significant are the results obtained in cases illustrated in Figures 17 and 18. In the former an obstacle is shown in the path of the waves but unless the receiver is within the effective *electrostatic* influence of the mountain range, the signals are not appreciably weakened by the presence of the latter, because the currents pass under it and excite the circuit in the same way as if it were attached to an energized wire. If, as in Fig. 18, a second range happens to be beyond the receiver, it could only strengthen the Hertz wave effect by reflection, but as a matter of fact it detracts (Continued on page 87)



Learn Public Speaking 10 LESSONS FREE Write - quick - for

particulars of this extraordinary offer; an opportunity you will

t. Ten lessons in effective public

never forget if you take advantage of it. Ten lessons in effective public speaking absolutely FREE to those who act promptly, to introduce our course in localities where it is not already known.

We teach you by mail to become a powerful and convincing speaker—to influence and dominate the decisions of one man or an audience of a thousand. We have trained hundreds and helped them to increase their earnings and their popularity. Learn, in your spare time at home, how to overcome "stage fright" and conquer fear of others; how to enlarge your vocabulary; how to develop self-confidence and the qualities of leadership; how to RULE others by the power of your speech alone; how to train your memory. Our

WHAT THE COURSE TEACHES YOU.

How to talk before your club or lodge;

How to address board meetings;

How to propose and respond to toasts;

How to make a political speech;

How to tell entertaining stories;

How to make afterdinner speeches;

How to converse interestingly;

How to write better letters;

How to sell more goods; How to train your memory;

How to enlarge your vocabulary;

How to develop selfconfidence;

How to acquire a winning personality;

How to strengthen your will power and ambition:

How to become a clear, accurate thinker; How to develop your power of concentra-

power of concentration; How to be the master

of any situation.

New Easy Method

perfected and taught only by Prof. R. E. Pattison Kline, former Dean of the Public Speaking Department of the Columbia College of Expression, can be learned in 15 minutes a day. Prof. Kline is one of the foremost authorities in the country on public speaking and mental development. Do not let this chance escape you.

Offer Limited

Send This Free Coupon Now

This Special Offer of TEN LESSONS FREE is made strictly for advertising purposes and will be withdrawn without notice. Write now, before it expires, and receive full particulars with enrollment blank by return mail. No obligations of any kind. Just tear off and mail this free coupon—or a postal will do.

. .


FREE LESSONS COUPON

. .

North American Institute, 7445 Manhattan Bldg., Chicago

. .

I am interested in your course in Effective Public Speaking and your offer of ten lessons free. Please send full particulars. It is understood that this request places me under no obligation of any kind.



My Inventions

(Continued from page 17)

lamp there. It was the exact spot which I had originally chosen.

So it went day after day with variations, but I was determined to achieve at what-ever cost and in the end my efforts were rewarded. By the spring of 1884 all the differences were adjusted, the plant formal-ly accepted, and I returned to Paris with pleasing anticipations. One of the admin-teration had promised me a liberal compenistrators had promised me a liberal compensation in case I succeeded, as well as a fair consideration of the improvements I had made in their dynamos and I hoped to real-ize a substantial sum. There were three administrators whom I shall designate as A, B and C for convenience. When I called on A he told me that B had the say. This gentleman thought that only C could decide and the latter was quite sure that A alone had the power to act. After several laps of this circulus viciosus, it dawned upon me that my reward was a castle in Spain. The ntter failure of my attempts to raise capital for development was another disappoint-ment and when Mr. Batchellor prest me to go to America with a view of redesigning the Edison machines, I determined to try my fortunes in the Land of Golden Prom-But the chance was nearly mist. I ise. liquefied my modest assets, secured accommodations and found myself at the railroad station as the train was pulling out. At that moment I discovered that my money and tickets were gone. What to do was the question. Hercules had plenty of time to deliberate but I had to decide while running alongside the train with opposite feel-ings surging in my brain like condenser oscillations. Resolve, helped by dexterity, won out in the nick of time and upon passing thru the usual experiences, as trivial as unpleasant, I managed to embark for New York with the remnants of my belongings, some poems and articles I had written, and a package of calculations relating to solu-tions of an unsolvable integral and to my flying machine. During the voyage I sat most of the time at the stern of the ship watching for an opportunity to save somebody from a watery grave, without the slightest thought of danger. Later when I had absorbed some of the practical Ameri-can sense I shivered at the recollection and marvelled at my former folly.

Tesla in America

I wish that I could put in words my first impressions of this country In the Arabian Tales I read how genii transported people into a land of dreams to live thrn delightful adventures. My case was just the reverse. The genii had carried me from a world of dreams into one of realities. What I had left was beautiful, artistic and fascinating in every way; what I saw here was machined, rough and unattractive. A burly policeman was twirling his stick which looked to me as big as a log. I approached him politely with the request to direct me. "Six blocks down, then to the left," he said, with murder in his eyes. "Is this America?" I asked myself in painful surprise. "It is a century behind Europe in civilization." When I went abroad in I889—five years having elapsed since my arrival here—I became convinced that *it was more than one hundred years AHEAD of Europe* and nothing has happened to this day to change my opinion.

Tesla Meets Edison

The meeting with Edison was a memorable event in my life. I was amazed at this wonderful man who, without early advantages and scientific training, had accomplished so much. I had studied a dozen languages, delved in literature and art, and had spent my best years in libraries reading all sorts of stuff that fell into my hands, from Newton's "*Principia*" to the novels of Paul de Kock, and felt that most of my life had been squandered. But it did not take long before I recognized that it was the best thing I could have done. Within a few weeks I had won Edison's confidence and it came about in this way.

and it came about in this way. The S. S. Oregon, the fastest passenger steamer at that time, had both of its lighting machines disabled and its sailing was delayed. As the superstructure had been built after their installation it was impossible to remove them from the hold. The predicament was a serious one and Edison was much annoyed. In the evening I took the necessary instruments with me and went aboard the vessel where I stayed for the night. The dynamos were in Bad condition, having several short-circuits and breaks, but with the assistance of the crew I succeeded in putting them in good shape. At five o'clock in the morning, when passing along Fifth Avenue on my way to the shop. I met Edison with Batchellor and a few others as they were returning home to retire. "Here is our Parisian running around at night," he said. When I told him that I was coming from the Oregon and had repaired both machines, he looked at me in silence and walked away without another word. But when he had gone some distance I heard him remark: "Batchellor, this is a d—n good man," and from that time on I had full freedom in directing the work. For nearly a year my regular hours were from 10.30 A. M. until 5 o'clock the next



morning without a day's exception. Edison baid to me: "I have had many hard-work-ing assistants but you take the cake." Dur-ing this period I designed twenty-four different types of standard machines with short cores and of uniform pattern which replaced the old ones. The Manager had promised me fifty thousand dollars on the completion of this task but it turned out to he a practical joke. This gave me a painful shock and I resigned my position. Immediately thereafter some people ap-

Immediately thereafter some people ap-proached me with the proposal of forming an arc light company under my name, to which I agreed. Here finally was an op-portunity to develop the motor, but when I broached the subject to my may associates I broached the subject to my new associates they said: "No, we want the arc lamp. We don't care for this alternating current of yours." In 1886 my system of arc light-ing was perfected and adopted for factory and municipal lighting and L was free but ing was perfected and adopted for factory and municipal lighting, and I was free, but with no other possession than a beautifully engraved certificate of stock of hypothetical value. Then followed a period of struggle in the new medium for which I was not fitted, but the reward came in the end and in April, 1887, the Tesla Electric Company was organized, providing a laboratory and facilities. The motors I built there were exactly as I had imagined them. I made no attempt to improve the design, but merely reproduced the pictures as they appeared to my vision and the operation was always as I expected. I expected.

In the early part of 1888 an arrangement was made with the Westinghouse Company for the manufacture of the motors on for the manufacture of the motors on a large scale. But great difficulties had still to be overcome. My system was based on the use of low frequency currents and the Westinghouse experts had adopted 133 cycles with the object of securing advan-tages in the transformation. They did not want to depart from their standard forms of concrete and my efforts had to be conof apparatus and my efforts had to be concentrated upon adapting the motor to these conditions. Another necessity was to pro-duce a motor capable of running efficiently at this frequency on two wires which was not easy of accomplishment.

At the close of 1889, however, my services At the close of 1889, nowever, my services in **Pit**tsburg being no longer essential. I returned to New York and resumed experi-mental work in a laboratory on Grand Street, where I began immediately the de-sign of high frequency machines. The prob-lems of construction in this unexplored field lems of construction in this unexplored field were novel and quite peculiar and I en-countered many difficulties. I rejected the inductor type, fearing that it might not yield perfect sinc waves which were so im-portant to resonant action. Had it not been for this I could have saved myself a great deal of labor. Another discouraging ica-ture of the high frequency alternator seemed to be the inconstance of speed which threatto be the inconstancy of speed which threat-ened to impose serious limitations to its use. I had already noted in my demonstrations before the American Institution of Electrical Engineers that several times the tune was lost, necessitating readjustment, and did not yet foresee, what 1 discovered long afterwards, a means of operating a machine of this kind at a speed constant to such a degree as not to vary more than a small fraction of one revolution between the extremes of load.

The Invention of the Tesla Coil

From many other considerations it appeared desirable to invent a simpler device for the production of electric oscillations. In 1856 Lord Kelvin had exposed the theory of the condenser discharge, but no practical application of that important knowledge was made. I saw the possibilities and un-dertook the development of induction ap-paratus on this principle. My progress was so rapid as to enable me to exhibit at my lecture in 1891 a coil giving sparks of fire inches. On that occasion I frankly told the

(Continued on page 89)



She trusts, admires and loves what she THINKS you are—a real MAN, mentally, morally and physically, whom she can respect as well as love. She believes you to be a man who can look any other man in the eye and hold your own with him; who is able to protect her under any elreunstances; who can make his way in the world and give her the comforts she has a right to ex-pect from her husband; and finally who will ultimately make her the mother of healthy, happy children, a blessing to you both. Think of the kind of children yau will make her the nother of II you are one of the great UNFIT 1 Think of the weak, alling, rickety, defective boys and girls such men bring into the world—phitable little creatures, with no chance in life, living reproaches to the father who begot them. Bon't close your eyes to these things. They are *facts*; facts thoroughly under-stood by every breeder of dogs, eattle and horses ; facts recognized by the legislators of several states, who would make it a LEGAL, as well as a MOKAL, crime to marry when unfit.

Make Yourself 100 Per Cent Fit

Put your post behind you. What if you have led a gay life and sowed a big crop of wild oats? Start NOW to root them out. What if you have burned the candie at both ends and feel now like a human wreek, wild your strength of body and mind dissi-pated and your sitality ebbing away? All the more reason why you should begin note, TODAT, to stop that steady lows, build up your strength again, regain your lost vitality and make a annly, red-blooded man of yourcell. It's the ONLY thing to do-the only way to have any more happiness in life-the only way to keep from slipping down into the scrap heap of the hopelessity down-and-out-and you con do it, if you go obout if the right year.

Strongfort Will Show You How

LIONEL STRONGFORT "Dr. Sargent of Harvard, declared that Strongfort is anguestiauably the finest spec-imea of physical development ever seeo."

"D. Sargent of Harard, declared that Strongfort is ongaesisonably the finest spec-build yours-off up in my way without interfering with it in the inco of physical development erer sees." Build yours-off up in my way without interfering with it in the least. I'll help you strengtheter yourself throm dyuper-sla, billioursess, constipation, catarth or other chronic allments; I'll help you treat yourself throm dyuper-sla, billioursess, constipation, catarth or other chronic allments; I'll help you stready yoor nerves and clear your brain and send the rich, red hlow do I life and vital energy coursing through your arteries again, so that you will be THE man your wile believes and expects you to be. I haven't any patented dope or builed physic to sell you. I haven't any iron-bound, muscle-fatiguing, tiresome routine of exercises or straitlaced, ascetic living to recommend. I am a Builder Vp of Men, and I build them up in Nature's way-the way that was successful in making ue the strongest man in the world; the way that is succeeding with my pupils, thousands of them, in every country of the civilized world.

Don't Be Discouraged Never mind how low down you have failen; I don't care a rap what your present condition is or what for useh you to it—I know I can improve you doo per cent in a few short months. I am doing it every day for mon who had given ou all hope; brinding back their health and strength; making them respected members of society matching them for power have done do am oblies that are; and enabling it every the for the society matching them for power have done do am oblies that are; and enabling them to be the former who is the week Yow, on the coupon below the transle of the polies that are; and it will be not the points you ere monst interested in and MAIL IT TO ME TODAY. My free book, "Promotion Mental Energy," will show you to your dif-forulties; the way that has brought renewed housands of other more; it will show you thus for the point has brought renewed will help you become the failer of health, by the sout and your wife as long as you like You way T THAT BOK.



883 Strongfort Institute Newark, N. J.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

SERVATION O MENTAL ENER	book, "PROMOT F HEALTH, S RGY," for posta int stamps, I	TION AND CON- STRENGTH AND ge of which I en- bare marked (X) m intersted.
Colds Calarrh Asthma . Obesity Headsche Thinness Rupfure Lumbago Neuritis Neuraigia Fiai Chest Deformity (describe)	Flat Feet Stomach Disorders Constipation Biliousness Torpid Liver Indigestion Nervousness Poor Memory Rheumatism Youthul Errors Vital Losses	Heartweakness Poor Circulation Skin Disorders Despondency Round Shoulders Lung Troubles Height Stoop Shoulders Muscular
Insomnia Short Wind	Gastriffs	Development (583)
Name		
City		tø



FUTURE RAPID TRANSIT

(Continued from page 7)

an airplane and provided with planes or wings. This provision of planes on either side of the car renders it possible to modify their angle of incidence, to relieve the supporting rail of a larger part of the weight of the vehicle.

The aerial monoflier, as our artist has here depicted, may be propelled by means of one or more propellers placed either at one end of the car or at both ends, and in any case these could be electrically driven, the current necessary for operating the electric motors being taken thru appropriate contact shoes or brushes, resting in contact with insulated conducting rails fixt to the frame-work upon which the monorail is supported. The end view of the mono-flier shows clearly the arrangement of the two third rails, one on either side of the monorail, constructed so that they may also serve to insure the maintenance of the car in the proper vertical position, by pre-venting any lateral displacement thereof. For the purpose of maintaining the car in the proper vertical position by virtue of the third rails just mentioned, there are provided two series of wheels inside the car. as the end view indicates, one set on either side of the monorail structure. From one end of the car to the other, the slot, as it might be called, slightly expands so that the car can negotiate curved sections of rails, which it could not do if the slot running thru the car from front to rear were made perfectly straight. The car is provided with electric lights and the usual protective features, such as electric braking means, electric fans in warm weather, sig-nal lights, etc. The motorman, whose cab is placed in the forward part of the car, has full control of the electric propeller motors, and he can also change the angle of the planes, on either side of the monoflier, so as to cause it to practically float in the air when it is under full headway, the monorail passing thru its center merely acting as a guide rail along which it flies. Electric heaters could be used in the cold weather, and for heating coffee and cooking light meals, etc., in the buffet lunch on board, electric stoves would be available.

In general the monoflier is ovoid in form, thus following the latest practise in the design of dirigible airships, so that it will encounter the minimum of resistance from the air during its displacement. Such a craft should be easily able to attain a speed of 175 to 200 miles an hour and higher, as when it has attained its highest velocity and the planes are properly elevated, the craft will be practically floating in the air, without encountering any retarding friction from engagement with the monorail, excepting when passing around curves. Even here the friction which would normally be en-countered might be reduced considerably if not entirely obviated by the provision of a proper air rudder at the rear of the car. When the car had reached the end of its run, owing to its peculiar ovoid shape, etc., it would have to be reversed in position before starting back, or else sent back to its destination by a parallel monorail sys-tem, which would undoubtedly be the usual practise, much in the manner shown in the accompanying view. Undoubtedly in the years to come, when such highly congested localities as New York City have become more and more built up with towering office structures, with a daily working population of say 12,000,000 to 15,000,000 people, and the subways and street elevated lines have become crowded to the limit of endurance, then it seems that such a system as this should serve a very useful purpose indeed.

If such a system as here illustrated were properly constructed and designed, it would not only serve as a fine piece of industrial engineering, but it would also give




67

high speed traveling facilities for suburbanites, who have to travel ten to twelve miles every night and morning to and from business, such as those who live in the rapidly developing Westchester County section, where undoubtedly many hundred thousand of New York's future populance will reside, as well as those who will make their homes on Long Island.

As the illustration shows, the monoflier is divided into several floors, and if desired, each floor may be subdivided into compartments. The lower floor is preferably reserved for luggage, freight and mail, while the upper floor may be very well utilized for the electric motors operating the propellers and lifting planes. Stairways lead from the lower floors to the upper floor or floors, depending upon the size of the car. The main frame-work of the car is composed of rolled steet sections, and the rest of the structure including the floors and outer covering is of aluminum, the seams being electrically welded so as to present a perfectly smooth surface on the entire exterior in order to minimize the resistance to the air. The windows, which afford an excellent view to the passengers as they skim along over the tops of the skyscrapers far above the city and the surrounding country, are fitted with the new unbreakable glass. Also the outer contour of the windows and doors are made so as to fit very tightly and to preserve an even surface both vertically and horizontally for the purposes aforementioned.

Some other novel features involved in the design of this aërial monoflier, which seem to possess great practicability are as follows: The inventor points out that in order to impart greater stability to the car, its longitudinal axis should preferably be located below the top of the monorail. In other words, the greater part of the weight should be distributed on a line below the monorail level, which line is at a point about one-third the height of the car from the top of the same. The large wheels in the interior slot of the car, which rest on the upper or monorail, are heavily flanged. In order to provide against the possibility of the vehicle leaving the track vertically under the influence of the air pressure beneath its wings, the lower portion of the third rail rollers may be given a circular flange, which in the case under consideration would bear against the lower flange of these rails, and thus serve to maintain the car in contact with the rails. The car could be made longer as desired, but, of course, it could not be made too long, or otherwise it would be impossible to turn curves, unless they had very long radii.

Most probably the reader has become interested in the general working principles of such an aërial monoflier system, particularly in the probable arrangement of the stations, which could be of several types, as our illustration herewith shows. Some of the stations could be erected on the roofs of tall buildings where these were of appropriate height for the purpose, and in some cases where the railway past directly thru the tower of the skyscraper, the station could be built in the "hole in the wall", as it might be called. Each station could be designed in several ways—for instance, it might in some cases be provided with one platform, and the passengers on the monoflier in this case would have to descend from the upper to the lower floors by means of the stairways provided in the car, before reaching the station. The station platforms could be enclosed and provided with sliding doors, so as to be draftproof in the cold weather, and high speed express elevators would carry the passengers from the aërial railway station to the street, or by taking a local elevator, they could alight on any floor of the building all of which seems very good from a strictly engineer point of view.



Different Metals Require Different Hack Saw Blades


If you want to cut structural steel or brass pipe efficiently, you need a different hack saw than for cast iron or machine steel, and you certainly can't work as coarse a blade in a light machine as in a heavy one. To try to do everything with the same blade is simply to do most of it inefficiently.

Starrett Hack Saws

do the most work with the least effort and in the shortest time because each one is made to meet the exact requirements of different metals in different powered machines. Our Hack Saw Chart will help you select the proper blade for any kind of work, and you can depend upon it. Our Service Department will help you solve your cutting problems and increase the efficiency of your cutting-off department.







68

Now in your own home you can have wonder int Violet-Ray treatments exactly as are given by eminent physicians and beauty specialists throughout the country. Now you can rid yourself of headaches, catarrh, consti-pation, eczema, insomnia, lumbago, nervous-ness. Relieve your pain from neuritis, rheum-atism, and other disturbances. Multiply your bodily health, vitalize your nerves, double or treble your energy by using Violet-Rays. Sleep by our appetite and digestion. Soothe your nerves, reduce or increase your flesh. Tone and strengthen the entire system. Beautify your complexion. All with Violet Rays!

Not a Vibrator. It is not a machine that contracts the muscles—it does not shock, it does not pound the muscles—it is absolutely painless. Yudet-Rays administered by the Violetts are wonderful ven for infants. Relieve pain and suffering in every part of the body. Simple tests prove that Violet-Rays pass com-letely through every part of the body, stimulating every cell and organ. It is electricity in its highest remedial form.

Read What Physicians and Users Say

Trixic Friganza, well known actress says "Cheerfully will I add my praise for Violetta. It's the best 'pain chaser' and 'soother' I've had the good fortune to find. It's WON-DERFUL. It cured my brother of neuritis. As for myself I use it for facial treat-ments and general massage. ments and general massage. I cannot say too much for it." Dr. Bert H. Rice, of Vinton, Iowa, says: "I have good re-sults with the Violetta High Frequency Instrument in all cases of neuralgia. Almost instant relief in Facial Neu-raleia."

the state into the state of the state

Free Book Coupon BLEADON-DUN CO.

Name.....

Address....

City.....

ralgia.

K. L. Allen, D. C., 205 Boone, National Building, Boone, Iowa, says: I have had very good results with the appli-cation of High Frequency Current in cases of Paralysis, Rheumatism and Neuritis and think it a great help in drug-less healing."

Dr. Daniels, Lisbon, North Dakota, says: "Have used the VIOLETTA in such cases as Goitre, Bronchitis, Pleurisy, Neuritis, Neuralgia, and Lum-bago, and find it very benefi-cial. In fact, I would not be without it in my office.

Frank Borzone, Seattle, Wash., says: "I purchased the VIO-LETTA for my wife who was suffering from an acute attack of Sciatica. From the very first treatment it induced peaceful rest and she is entirely well now."



An and a second se BOOK FREE Write today without fail. Mail coupon or just a postcard. Let us send you our 32-page beautifully illustrated free book, describ-ing the Violetta in detail. Read the amazing phenomena pro-duced by Violet-Ray High Frequency current. Why it produces stimulation and sedation. How to give spinal treatments with the Violetta, how to treat various ail-ments, including nervous troubles, rheumatism, obesity, hay-fever, skin treatments, facial treatments. Mail cou-pon or postal right now before you turn this page. Dept. 2D, 11 So. Desplaines St., Chicago, Ill. Please send me your free book and 10 Days Trial offer on Violetta Violet-Ray Machine.

11 So. Desplaines Street

BLEADON-DUN CO.

Dept. 2D

You bencht by mentioning the "Electrical Experimenter" when writing to advertisers.

Chicago, Ill.

LOCATING ENEMY GUNS BY FLASH AND SOUND (Continued from page 14)

As the name suggests, "sound ranging" is based for its operation on the transmission of sound, either thru the air or thru the earth, whenever a gun is fired. Some of this work is conformed this work is performed in conjunction with the flash spotters, for by observing the flash of a distant gun, and then counting the sec-onds on a split-second watch until the sound is heard, the distance at which the gun is located may be accurately computed, as the velocity of sound thru air is about 1,100 feet a second. The velocity of light is prac-tically instantaneous, or 186,000 miles per sccond, and secondly it serves very accu-rately to consider the flash of the gun as the starting point of the onward journey of the sound wave. The accurate locating of any gun is accomplished by having two observers take telescopic or other sightings on the gun, and noting the distance between the two observers and the angles as mea-sured on their respective instruments. Thus it is a simple matter to solve accurately by is heard, the distance at which the gun is it is a simple matter to solve accurately by triangulation the definite location of the enemy cannon.

This is only one side of "sound ranging" science, however, as applied to modern ar-tillery tactics, and the scientists and engi-neers connected with the work of the artil-lery, particularly the locating of enemy gun positions, early in the war worked out a highly sensitive sound detecting apparatus which picked up the sound of enemy guns, even at a great distance, as transmitted thru the earth. For this purpose detectaphones and Audion amplifiers prove highly efficacious. Enemy guns 15 miles distant were accu-rately located by this means, the same triangulation maneuvers as previously outlined being followed. Two and usually three obbeing rollowed. Two and usually three ob-servation (sound-detecting) points being employed, advantage being taken of the values as given by the velocity of sound when transmitted thru the earth, and also by the difference of time at which these sounds arrive at different sound-detecting stations. Used in conjunction with the regular angular measurements, the locating of enemy guns became as simple to General Pershing's artillerymen as weighing out a pound of butter would be to a groceryman.

EXPERIMENTS IN RADIO-ACTIVITY. Part III.

(Continued from page 35)

radio - activity noticed that radium induced an activity into substances placed in its vicinity. This induced activity was found to consist of an active deposit formed by the disintegrating radium. In the spinthariscope the lens portion was found to assume this induced activity because of its proximity to the active substance. This may be easily shown by use of the electroscope, de-scribed in the first arti-

cle. Using the spinthariscope in the possescie. Using the spintariscope in the posses-sion of the author, the following results were obtained:—empty, the electroscope dis-charged in 700 seconds; the lens portion was then removed and introduced into the electroscope. This time it only required 320 seconds. This conclusively shows that radium induces an activity into other objects exposed to its radiations. This induced acfor the spinthariscope will suggest them-selves to the reader, but in any case he will certainly never regret purchasing or else making one.

(To be continued)



Radiograph Taken by the Author, Using An E. I. Co. S pinthariscope with Lens Re-moved. The Fig-ure "U" Was Cut from Brass Sheet.



SCIENCE IN SLANG THE SPECKS IN SPACE (Continued from page 45)

last is one octillion, five hundred seventyfive septillion. The weight of the Sun is two octillion." "Then the Sun weighs twenty-three decil-

lion, forty nonillion grains," put in Punk.

"Approximately," returned Stokes, with his quaint smile. "Do you think that the lines of-er, force,

or electricity, that are radiated from the Sun act upon the Earth turning on its diurnal axis and traveling in its course around the Sun in the same manner as the armature of a dynamo?" enquired Bill Dean.

"That is possible, I suppose. At least the radiations from the Sun are, more than likely, responsible for our electrical phe-nomena and along with it—but we do not know to what extent tho-plant and animal life.

"Some have one theory, some have an-other, but I would not be surprised at some new stuff that will do to our dope what Galileo did to the old 'Seven Stars' idea. From the thought that our planet was the center (natural to the more or less egotistical Man) of the universe, to the idea that the Sun was IT and then that the Pleiades are the center. Some say they are-we can-not disprove it, as far as I know of the matter. But that is not saying it is final. At present we have no way of peering way out into the infinite space and discerning the outer stellar orbs. With the innovation of the instrument that makes it possible, we will step on a stride further as Galileo did with his telescope, and discover other sys-tems and the orbs that go to make up the system. The more, I believe, we go into the study of the universe and its gloriousness the more aware will we be of its true greatness and vastness. "Now, as we have inches and feet as lin-

car measurements, we have the distance between the Sun and Earth as the 'Astro-nomical Unit'—then, when ascertaining the distance of a star way out there in the vast inlinite depths that we cannot reach or understand by figures nor even imagina-tion, but can only term Space, by determining its parallax, we are only able to express its distance in 'Light Years'—and when you stop to consider that light travels at the rate of 186,000 miles per second—well buy a tablet and figure it for yourself. To our minds, we cannot conceive of anything without beginning nor end (excluding the circle), and to our minds things must have three dimensions to be understood by us. Now the universe has apparently no beginning nor end as far as we are able to discern.

At this point we drew up at a road house, r Inn. "How about a shot of raspberry or Inn. juice into the neck to wash that ethereal discourse down," suggested Stokes, in his almost provoking anti-climaxical tone and manner, as we entered the building.



AN OMISSION

We wish to state that credit for the photographs accompanying the article en-titled "The City of Splendid Night," by Amos Stote, publisht in the January, 1919, issue, should have been given to the New York Edison Co.

Supplied with current from the light socket, a two-fan electric ventilator has been invented which, when set in a window, draws in fresh air and expels that already in a room.

"I Can Succeed!"

"What other men have done with the help of the International Correspondence Schools, I can do. If the I. C. S. have raised the salaries of other men, they can raise mine. If they have helped others to advance, they can help me. To me, I. C. S. means 'I CAN SUCCEED.'"

Make up your mind right now that not another day shall pass until you have made your start toward success.


For 27 years men in offices, stores, shops, factories, mines, railroads, and in the Army and Navy have been winning promotion and increased salaries through the I. C. S. More than 100,000 men and women are getting ready right now with I. C. S. help for the bigger jobs ahead.

No matter where you live, the I. C. S. will come to you. No matter what your handicaps, or how small your means, we have a plan to meet your circum-stances. No matter what career you may choose, some one of the 250 I. C. S. Courses will surely suit your needs.

your needs. When everything has been made easy for you-when one hour a day spent with the l. C. S. in the quiet of your own home will bring you a bigger income, more comforts, more pleasures, all that success means—can you let another single price-less hour of spare time go to waste? Make your start right now! This is all weask: Without cost, without obligating yourself in any way, put it up to us to prove how we can help you. Just mark and mail this coupon.

INTERNATIONAL CORRESPONDENCE SCHOOLS

 International concession of the observed of the



69

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

E HAD promised the Allied war-chiefs that we would have in France by July of last year, 600,000 men. On that date we had a little over 1,900,000. We had behind them nearly 2,000,000 in this country under training who would have been on the front before July, 1919, and we had behind those 4,000,000 men as many more men as were necessary to do the job.

"Four million men in France meant at least 20,000,000 tons dead weight of shipping to take care of them, and we had that program under way and were making our maximum output just about the time the armistice was signed. Twenty million tons of shipping at present cost means just about \$4,000,000,000 or a little over.

"Did you know that those 2,000,000 men in France, who did so much to bring the war to an end, had only one small battery of American-made artillery behind them; just one battery of 4.7 and a few big naval rifles! The rest of the artillery used by the American soldiers was made by Frenchmen in France. But, on the way was a great stream of guns and shells that would have blown the German army off the earth. But that stuff had just come into large production in November, 1918. And it is for the deliveries on that big peak production that we have to pay in December and January and will have to continue to pay for in February."

"Our program for tanks, of which few got into action, was, I have been told, to provide for a tank in 1919 for every 75 feet of the front."

"Those are some of the things that cost money, and practically none of those great supplies of artillery, of shells or tanks, even of ships, practically none of that stuff was ever used. What an awful waste! We are asked to pay for a dead horse that never drew a load! It is discouraging, paying for something that is no good!

"Well, let's see if it's any good. Do you realize that the German army was never really routed; that except for a little bit of a stretch down in Alsace-

Button

Lorraine it was never fighting on German soil? They were brave soldiers, the German soldiers. They still had millions of them on the Western front. And yet they surrendered while they were on foreign soil. They had a fleet which had required years and years and years to build and it flew the white flag without firing a shot."

* *

"I cannot believe that these great stores of munitions were wasted. In addition to the bravery of the American doughboy that arrived in France and got into action in numbers about the 15th of July and turned the tide and drove the Germans back, in addition to his bravery and his almost reckless spirit of determination, for which the praise cannot be too high, I say in addition to that, I believe there was one other factor that brought this war to an end at least one year before the most optimistic of us had dared to hope for. One other factor, and that was that Germany, her general staff, knew that back of the few hundred thousand Americans that really got into big action, and back of the 2,000,000 in France, was another 2,000,000 ready; and despite the fact that we had practically no artillery of American make on the Western front, that there was a great stream of American-made artillery on the way. And it is my conviction that the German staff knew that if they prolonged the war into 1919, they were inviting, not certain defeat, but certain annihilation."

"We are asked to pay for things that were never used; we are asked to pay for shells that never were fired; for cannon that never reached the battlefront, but we are asked to pay for those things that helped in a major way to bring this war to an end in 1918 instead of 1919. And the bringing of this war to an end twelve months before we could logically look for it means that we are asked to pay for saving the lives of 100,000 or 200,000 American boys who would have died on foreign soil had the war continued another year."

-Extracts from a speech by Hon. Lewis B. Franklin, Director War Loan Organization, U. S. Treasury Department.



ELECTRICAL EXPERIMENTER SCIENCE & INVENTION

Prepared by American Association of Advertising Agencies cooperating with United States Treasury Department



In this Department we publish such matter as is of interest to inventors and particularly to those who are in doubt as to certain Patent Phases. Regular inquirles addrest to "Patent Advice" cannot be answered by mail free of charge. Such inquiries are publisht here for the benefit of all readers. If the idea is thought to be of importance, we make it a rule not to divulge all details, in order to protect the inventor as far as it is possible to do so.

Should advice be desired by mail a nominal charge of \$1.00 is made for each question. Sketches and descriptions must be clear and explicit. Only one side of sheet should be written on.

NOTICE TO CORRESPONDENTS

Questions on Patent Advice are answered in this department every month, and naturally each question must take its turn. We have received so many letters during the past months that it is absolutely impossible for us to answer them all in the "Experimenter." Thus, for instance, the answers appearing in this issue are of letters going back as far as Oct., 1918. We would therefore urge our correspondents to bear this in mind, and if an answer is wanted quickly, correspondents should make themselves acquainted with the rules printed above.

Sectional Automobile Radiator

Sectional Automobile Radiator (315) Edwin Schade, Camden, N. J., writes: Thave noted in a recent magazine a photograph of a pile of automobile radiators that have been damaged in the war. It has been my experience in repairing the present type of radiator that it takes anywhere from one-half hour to as high as three days to fix a leak. This is true especially when it happens to be in the interior. My idea is to build a radiator in units. Should one or more units be damaged, they could be replaced by others in a very short time. Kindly advise it such an idea would be of any benefit, and if it could be patented. — A. It is doubtful that a device of this kind would prove satisfactory, for the reason that there would probably be a good deal of trouble to interconnect the various sections, and there would probably be just as much trouble in keeping these connections from leaking as in a well-made radi-ator. That a device of this kind can be patented is also very doubtful to ue.

Telephone Appliance

Telephone Appliance (319) R. C. Kennan, Indianapolis, Ind., sub-mits a drawing and description of a telephone appliance which is designed primarily to eliminate trouble for the man who talks several feet away from the phone and expects people to hear him on the other end of the line. The arrangement also permits using the phone without holding the receiver in the hand. Our correspondent wishes our advice if this device is patentable and if we think a market exists for such a device. This is one of those devices of which probably five thousand have been patented in vari-sis a lever at the end of which the receiver is fastened. The arm and the receiver swing in a half circle, and is then locked. The subscriber con them talk without using his hands. The hook connection is automatically established as soon as the lever is raised. There is unthing new to this and, as we stated, many thousand similar ones have been pat-ented in the past. There does not seem, moreover, to be a market for such an appliance.

Trolley

(320) Frederick E. Bather, Syracuse, N. Y., encloses a sketch and description of a device to keep the pole of a trolley from jumping off the wire. Our advice is asked. A. We have exprest our views as the trolleys a great many times in these columns. Our advice to trolley inventors is: "don't". Our ideas were fully exprest in a recent answer to one ni our correspondents in these columns. We refer to our March issue, page 825, Patent Advice No. 308.

Magazine Mailer

Magazine Mailer (321) Carlyle Rudolph, Minneapolis, Minn., says: "Is there such a thing as a magazine mailer" A machine that folds, wraps, stamps and gets magazines all ready for mailing. I have an idea which I think is worth something, but don't like to start on it until 1 know if there is any-thing similar in use." A. There are certainly machines to do this. For instance, the ELECTRICAL EXPERIENTER is folded and wrapt every month on a machine of this kind. While the machine does not auto-matically stamp the wrappers, this, however, can the market now. If our correspondent has some-thing fundamentally new, he is advised to get in touch with any of the large printing houses who have such machines and he can hear from them as to what the requirements are.

Safety Elevator Device

Safety Elevator Device (322) Ralph E. Hast, Elkins, W. Va., explains his invention as follows: "The idea of this in-vention is to have a device on elevator doors which, when the doors were closed, would close a circuit, allowing the operator to ascend or descend, but when the doors are not closed the circuit would be open, thus rendering it impossible to operate the elevator. The device on the doors would be a partly concealed socket which operates easily but forms a constant circuit when closed and cannot be jarred out of place." A. There is nothing new in our correspon-dent's idea. Safety devices of this kind have been used for many years, and are in use right now. Take for instance the New York Subway Ele-vators, particularly the ones at 181st Street and Broadway, operate with this device.


Depth Bomb

(323) George W. Curtis, Detroit, Mich, has in-vented a depth bomb which works on the sea water-conductivity plan by means of which con-tacts are closed when the sea water cuters the intake of the bomb. Our advice is asked as to the practicability of this device. A. There is nothing new about this device-many bombs of this kind having been proposed during the war. The regular depth bombs, bow-ever, working on the hydro-static principle, are very much simpler and better.



Before disclosing your investion to any-one send for blank form "Evidence of Conception" to be signed and witnessed. A simple form together with printed in-structions will show you just how to work up your evidence and establish your rights before hing application for patent. As repistered patent attorneys we represent hundreds of inventors all over the U. S. and Canada in the advancement of inven-tions. Our schedule of fees will be found reasonable. The form "Evidence of Con-ception" sample, instructions relating to obtaining of patent and schedule of fees sent upon request. Ask for them,—a post card will do.





I offer a comprehensive, ex-perienced, efficient service for his prompt, legal protection and the development of his proposi-

tion. Send sketch, or model and descrip-tion, for advice as to cost, search through prior United States patents. etc. Preliminary advice gladly fur-nished without charge. My experience and familiarity with various arts frequently enable me to accurately advise clients as to proh-able patentability before they go to any expense. Booklet of valuable information and form for properly disclosing your idea, free on request. Write tolay.

today

RICHARD B. OWEN, Patent Lawyer 164 Owsn Building, Weshington, D. C. 2276-8 Woolworth Bldg., New York City



Before disclosing an invention, the inventor should write for our blank form "EVIDENCE ON CONCEPTION." This should be signed and witnessed and if returned to us together with model or sketch and description of the inven-

tion we will give our opinion as to its patentable nature. Our illustrated Guide Book, HOW TO OBTAIN A PATENT, sent Free on request. Contains full instructions regarding Patents, Trade-Marks, Foreign Patents, Our Methods, Terms and 100 Mechanical Movements illustrated and described. Articles on Patent Practice and Procedure, and Law Points for inventors. An actual search of United States patents made in all cases before preparing application for patent Electrical Cases a Specialty Highest References Prompt Attention Reasonable Terms


	FREE COUPON!	
VICTOR	J. EVANS & CO., Patent A	
New York Offices:	Pittsburgh Offices:	Philadelphia Offices:
	. 514 Empire Bldg.	
Main Offices:	779 Ninth Street, N. W., Washin	ngton, D. C.
Vame	Address	

Phonograph Needle

Phonograph Needle (324) R. W. Napper, B. Guiana, S. America, asks us: "Do you think that a patent of any value could be secured on a double-ended grama-phone needle, i. e., a needle sharpened at both ends? This would tend to save steel, as each needle could be used *twice* instead of only one." A. We do not think that a needle of this kind would be of great benefit and we believe a needle of this kind was once tried. The reason is that a needle of this sort cannot be held as securely as one with the squared off end; it tends to rattle because the upper end is not supported except by a sharp point.

Searchlight


Secrchlight (325) Joel Silver, Newark, N. J., submits the following idea: "I think that if about five search-lights have their rays focused on the inside of another larger searchlight (see illustration) there will be more power; hence a small searchlight, with the aid of others, can be made more powerful. The rear of the main light (A) is cut open (B). All the searchlights (C) have their rays focused upon the center (D) of A. With very good re-flectors and a very powerful lens, I am quite sure that a longer distance will be obtained. That is, it will be five times as powerful as one of its size."



A. While the idea is ingenious and no doubt novel, it certainly is not practical, for nothing could be gained either electrically or economically to arrange the searchlights as shown. The reason is that one searchlight can be made to give the same amount of light by using large enough car-hons and consuming a corresponding amount of current. Of course, a multiplicity of searchlights are used in a great many cases, but not to con-centrate the light on a point. They are usually employed to throw the light over an extended surface. surface.


Chemical Flask

(326) Eug. Lavigne, Montreal, Can., submits diagram and sketch of a combined water bath and boiling flask. It is shown in our illustration. Ile wishes to know if this idea is patentable and it it is practicable.



A. While no doubt a patent could be obtained on this device, we do not think it would be of much value for the reason that it could be used only in very few cases. As our illustration shows, the evaporating water would flow into the central flask and it is quite certain that more or less water would find its way into the central flask, where surely it is not wanted or needed. This is our main objection to the idea.





Patents Promptly Procured

Send sketch or model for actual search of U. S. Patents. Highest references. Personal service. Moderate fees. Write for Free Patent Book.

GEORGE P. KIMMEL, Patent Lawyer 99-T Loan & Trust Bldg. Washington, D. C.



You benefit by mentioning the "Electricol Experimenter" when writing to odvertisers.

arc invited to write to us re-garding questions appertain-ing to securing patent protec-tion. All matters receive prompt attention. Send sketch for preliminary examination. Books free on request A. M. BUCK & CO. Patent Attorneys 205 Second National Bank Bidg., Washington, D. C. PATENTS LACEY & LACEY Attorneys-at-Law-Patent Practice Exclusively Solicitors of **U. S. and Foreign Patents Trade-Marks**, Copyrights 639 F Street, N. W., Washington, D. C. Write Us for Our Free Inventors' Book PATENT-SENSE ESTABLISHED 1869. TEN A INVENTORS: Send us sketches or a model of your invention and a description of the device for advice in regard to the best way of obtaining patent protection. Our practical experience covers a period of twenty years. Our hand-book on patents is sent free on request. All All communications strictly confidential. Write us today. **TALBERT & TALBERT** Patent Lawyers 4287 Talbert Bldg. Washington, D. C. **Competent Patent Service** By a Former Examining Official of the U. S. Patent Office NORMAN T. WHITAKER Lawyer and Engineer 480 Whitaker Bldg. Washington, D. Branch Office, 87 Nassau St., New York City. Washington, D. C. INQUIRIES INVITED Hand Books on Patents, Trade Marks, etc., sent free Our 70 years of experience, efficient service, and fair dealing assure fullest value and protection to the inventor. Patents procured through us re-ceive free notice in Scientific American.

MUNN & CO., 61S Woolworth Bldg., N. Y. Washington Office, 625 F St., Washington, D. C.

TAMMERER

Send 10 cents for my remarkable inok, "How To Stop Stammering." Kill the fear of stammering. Re education the key. The Hatfield Institute, 109 N. Oceansor St., Chicago, III.

COPYRIGHTS

Our facilities for securing patents enable us to give prompt and reliable service at reasonable rates. Inventors are invited to write to us re-

U.S.PATENT

73

COLD LIGHT

(Continued from page 23) proper conditions the small light wave may be given off by the electron without affecting the whole molecule in the least. That is cold light.

An interesting experiment can be per-formed with a vacuum tube, which illus-trates completely the principle of light protrates completely the principle of light pro-duction by ionization, and at the same time explains the principle of the Moore light. Few people, other than scientists, realize what a peculiar thing the production of light in a vacuum or Geissler tube is. The light is evidently not the product of heat, but depends on the fact that the electric spark breaks the gas molecules up into charged particles or ions. And this phe-nomena is most noticeable when a certain degree of exhaustion is reached in the tube.

nomena is most noticeable when a certain degree of exhaustion is reached in the tube. When air is pumped out of a tube in which there is an electric spark discharge, several different stages, as shown in Fig. 3, are successively reached. At first the dis-charge in the tube is the ordinary disruptive energy is the tube is the ordinary disruptive spark. In the next stage it forms a quiet thread of light thru the tube. Then the thread of light thru the tube. Then the thread of light becomes a broad peneil of light, and finally with more exhaustion the whole tube is filled with a soft luminous glow, which is technically known as the *positive column*. This is the point of high-est conductivity of the tube, and may be reached with an ordinary air pump. With further exhaustion by means of a special further exhaustion, by means of a special air pump, the resistance increases, the cold air pump, the resistance increases, the cold light disappears, and the point is reached where X-ray phenomena and fluorescence appear. The color of the light in the tube depends on the gas used in the tube and is undoubtedly the product of the ions. Just before the war a Frenchman, Claude, devised a means of producing in quantities the rare gas, *neon*, which gives an intense yellow light in a vacuum tube. The carbon dioxid which Moore uses gives a white light. Other gases, possibly rare ones, may light. Other gases, possibly rare ones, may be found which are better still, and helium has been suggested as a standard by some. However, up until the time the U. S. Government discovered the way of pro-ducing it in immense quantities for balloon work, during the war, it was too rare to be practical. The more the conditions in such a light can be improved, and the more nearly the light is a pure ionization or cold light, the higher the luminous efficiency will be. An interesting table is given, show-ing the progress which has been made up to the present, including the vacuum tube. Luminous Efficiency of Various Illiuminants

11000000			
Candle			
Gas mantle			
Carbon lamp			
Flaming arc1			
Vacuum tube4	0 per cent		

REVOLUTION COUNTER FOR DYNAMOMETER

(Continued from page 39) duration of thirty seconds. The time ele-ment may be changed at will by the use of saws of any desired number of teeth.

To start the apparatus, the starter button is brought into action until both brushes bear on the metal drum. This completes the circuit and engages the clutch thru the electro-magnet and spring thus starting the counter. At every swing of the pendulum, the circuit thru the solenoid is made and hroken, thus drawing the saw—as illus-trated—thru a circumferential distance hroken, thus drawing the saw—as illus-trated—thru a circumferential distance equal to one tooth. After thirty swings of the pendulum one brush is again bearing on the insulated section of the drum and the counter clutch is disengaged. A reading of the counter gives accurately the number of revolutions of the dynamometer in thirty seconds. This counter may also be used in connection with a fuel weighing apparatus. Contributed by W. H. WEBER.



Become an Electrician In One Year Here Or Learn An Electrical Trade In 6 Months

THIS school teaches electricity thoroughly, from the very fundamentals, including the laws and principles of electricity and the theory of direct current—together with practical lectures and problems, actual training in laboratory work and electrical machine departments of designing, building, repairing, installing, operating, etc. And the faculty here are practical electrical engineers who know how and what to teach hecause they know what knowledge and ability the great field of Electricity requires.

As one example of this school's throughness and practical training and development witness the pictures above showing view of Motor Generator Department, where students actually generate Electricity, making all connections and performing all the necessary opera-tions, on the same practical basis as in a power plant or large industrial concern.

The thoroughness in essentials here, the practical training and able faculty, together with this school's broad facilities and intensive abilities, are the reasons why you can become an Electrician here in one year, or master one of the Electrical Trades in 6 months.

or master one of the Electrical Trades in 6 months. If you are determined to achieve success in the Electrical Field this is your school. You will acquire and accomplish more in a shorter time at a less cost and be a fully developed, practical electrical man when you finish. Mail the eoupon at the right and get com-plete illustrated and descriptive details of the advan-tages this school affords. If interested in Electrical Engineering with B.S. degree, check same on coupon. Mail the coupon now.

You Can Earn While You Learn

W E will provide you with part time employment to help defray your expenses here and giv you actual outside experience — without interferin with your class hours—which is fully explained is our catalog. Mall the coupon.

School of Engineering of Milwaukee

An Electrical Technicians' Institute Department of Practical Electricity (88) 373 Broadway, Milwaukee, Wis


,	
1	MAIL THIS COUPON NOW
ł	School of Engineering of Milwaukee, (88) 373 Broadway, Milwaukee, Win.
	Without obligating me, please furnish details of course (or courses) checked below. Electrician
	Electro-Technician Electrical Engineer (3 yrs.)
	SPECIAL 6 MONTHS' COURSES
	Draitsman
	Electrical Trouble & Lineman
	Electrical Wireman Electrical Motor Regairman
	Telephone Trouble & Repairman Electrical Meterman
	NAME
	ADDRESS
	CITY STATE

EDUCATION...... AGE.....

R. O. T. C. UNIT The Wor Department of the U. S. Govern-ment has recently outhorized Junior and Scalor Reserve Officers' Training Corps Units in this school. Students in courses listed below are centitled to join Junior Unit II they wish to .o so. R. O. T. C. membership offers such advantages as: Complete free uniform equipment, free summer training camp trip, summer uniform outfit on free special technical instruction. Membership and all obligations concelled on termination of school work.



You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.





Pre-War Prices

Complete 2000 Ohm Double Set

\$4<u>00</u>

3000 Ohm **Double Set** \$<u>500</u>

Complete

Without exception the best radio receiver value in the world.

Positive satisfaction guaranteed. Fourteen Days' Trial, and money back if they don't make good. Get Your Set Now.

We are prepared to supply promptly your requirements for good radio instruments.

Ask for Bulletin No. 19.

WM. J. MURDOCK CO. 55 Carter St Chelsea, Mass.

Pacific Coast Representatives: The Keeler White Co. 221 Second St., San Francisco, Calif.

\$225 to \$2,100. Battery Charg-ers. Dynamos. Motors, all sizes. State agents with \$500 capital wanted. WATSON ELECTRIC CO., Dept. 14, Gas Building. Chicago

WIRELESS IS SIMPLE

WIRELESS IS SIMPLE when the Summers' theories of wireless are applied to wireless systems, transmitting and receiving apparatus. Will advance the wireless art by leaps and bounds. Get on the right track with your experiments. This booklet should be in every home and school. United States and foreign copyrights. Price \$2.00 reg-istered postpaid to any part of the world. Address FRANK E. SUMMERS, Memphis, Mo.

MAKE ELECTRICTY **BY HAND** Simply turn the crank and make 110 volts A.C. While hey last Only \$5.00 Order from this ad. House-Lighting Plants


RADIO DEPARTMENT Continued New Regenerative Vacuum Tube Circuits (Continued from page 33)

these wave lengths, the proper size induc-tances are always to be utilized. It is ad-visable to use this circuit whenever large amplifications are desired at extremely low wave lengths. Tests have been made with this circuit in comparison with other low wave length regenerative circuits, and it was found that the above circuit gave bet-ter and more efficient results and that it was possible to produce regeneration in the plate circuit with much greater ease than that obtainable with the usual type of circuit.

A similar but a more complicated circuit is shown in Fig. 5. The radio frequency bridging condensers C_3 and C_4 , are used to permit radio frequency currents to pass freely to the plate.

circuit is to amplify the audio frequency currents of the first vacuum tube. This audio amplification is accomplisht thru coils L_6 and L_7 , which are mutually coupled with this arrangement, and it is possible to amplify the signals to 1000 or more times their original value. It was possible, in tests, to amplify signals received from a distance of 5000 miles to such a value as to cause the incoming signals to be heard to cause the incoming signals to be heard twenty feet away from the telephone re-ceiver. The telephone receiver was equipt with the proper megaphone.

with the proper megaphone. In Fig. 7 is delineated a radio telephone circuit using a vacuum tube for the genera-tion of sustained oscillations. The grid and plate are coupled magnetically thru in-ductance L_s , which also energizes the an-tenna circuit thru inductance L_s . Con-denser C is used to tune the oscillatory circuit CL₂. The plate voltage in this work is considerably higher than the plate voltage used in receiving sets and it usually ranges from 300 to 1500 volts. This is usually accomplisht by the use of the generator G. The inductance L_s which is a choke




Special Form of Loose Coupler Provided with Five Coils, for Use with Regenerative and Wireless Telephone Audion Circuits Here Described.

With all the above circuits so far decribed, it will be noticed that the regenerative coupling is accomplished in the antenna circuit, thereby amplifying the in-coming radio frequency oscillations and therefore producing maximum amplification without the loss of any feeble currents due to coupling in the secondary oscillatory circuits, which means of regeneration of incoming signals is accomplisht with pres-ent forms of circuits. Thus, it is seen that direct results and better efficiency can be

accomplisht with the circuits described. Fig. 6 outlines a circuit similar to Fig. 5 in which the plate of the first vacuum tube is coupled magnetically thru coils L_4 and L_5 . The purpose of another vacuum tube

coil is used to prevent high frequency curcon is used to prevent high frequency chr-rents from the plate circuit entering the generator. Modulation is accomplisht by shunting a telephone transmitter T, thru a resistance R and battery B across the grid and filament of the tube, as indicated. Another successful circuit is shown in Fig. 8 and voice modulation in this circuit is accomplicate by coupling the telephone Fig. 8 and voice modulation in this circuit is accomplisht by coupling the telephone transmitter thru an induction coil I, com-prising coils L_8 and L_4 . The primary L_4 is connected to the transmitter and battery B, as shown. The modulated wave is im-prest upon the grid in the vacuum tube, which wave is superimposed upon the main radio frequency oscillations. (Continued on page 76)



Two Stage Audion Amplifier, the Circuit of the Second Audion Being Magnetically Coupled to the First Audion Circuit. Amplifying Power 1,000 Times and Better.

Wireless in Ten Weeks

(We teach you in your own home during your spare time)

Thousands of operators needed for America's Merchant Marine

> The age of wireless is here. The experimental stage has passed. Wireless now equals in importance telegraphy, and telephony. It has assumed its place among the great commercial industries of the earth. So rapid has been the development and growth of wireless in recent years that there has been left in its wake a tremendous shortage of operators. Actually thousands upon thousands are now needed for permanent "peace time" positions offering wonderful opportunities for advancement.

Earn up to \$200 per month

In the short period of ten weeks we can make of you a wireless operator, a man with a profession, independent, and not subject to the rise and fall of wages in the labor market. Salaries are as high as \$200 per month. There is a position in the merchant marine, the army, the navy, or a land station, awaiting everyone completing our course. We give you this training at home, by mail, in your spare time. It is not necessary for you to lose any time from your work to take the course.

One of the giant wireless towers which keeps us in constant communication with Europe

Free Instruments-

While a student of our course, we present absolutely FREE to every student enrolling with us a Standard Set of Instruments (the same as used by the Government in testing applicants for first grade commercial licenses). This machine sends and records messages.

Travel the world over or locate at a land station in America.

America is spending billions of dollars on the mightiest navy and merchant marine in the world. Practically all vessels are being equipped with wireless apparatus of the most up to date type. Thousands of operators are needed now. The field affords a wonderful opportunity for the man who starts now to master wireless.

Our students actually pass the commercial examination in ten weeks or less.

Get your instruction from the Nation's Capitol. Our course is endorsed by officials of the U. S. Government.

NATIONAL RADIO

Dept. W

14th and U Streets, N.W.

The National Radio Institute, headed by authorines who have heen closely allted with governmental training of students, has perfected an easily mastered course in wireless telegraphy wherehy students are taught completely in tenweeks, either here in Washington at our large residence school or at home by mail. Many of our students are ready to take up actual wireless work in much less time. The course is founded on actual practice, hence the rapid progress of the student.

)	INS	STI	TU	TE

A Valuable Book Free

Our booklet. "Wireless-The Opportunity of Today and the Greatest Field of the Future." gives you complete information in regard to our course, the quick and easy methods by which you can master wireless and other important facts you should know. It is free, Just mail the coupon. No obligation whatever on your part.

FREE COUPON
NATIONAL RADIO INSTITUTE, Dept. W, Washington, D. C.
Send me, free of charge, your booklet "Wirele- —The Opportunity of Today and the Greatest Fiel of the Future," with full particulars regarding you famous 10 weeks' Home Study Course, and you Special Free Instruments Offer.
Name

Town

TWO TYPES OF MICA TRANSMITTING CONDENSERS SUITABLE FOR MODERN AMATEUR APPARATUS. 21000 VOLTS. .004 MFD.

Make Your Wireless Apparatus Send Further Last Longer and Work Better

The wireless amateur and experimenter is once more busy constructing apparatus for use the moment that orders go forward allowing amateur stations to open.

The kind of apparatus you used before the war doubtless answered your purpose nicely, but just consider the tremendous advancement made in the art during the past two years and you will appreciate your modern apparatus must contain several new types of equipment to bring it up to date.

DUBILIER MICA CONDENSERS

Proved their real worth in the Navy, the Signal Corps, and as a part of the equipment of the fighting Airplanes both here and abroad since 1916. You can now purchase a genuine DUBILIER MICA CONDENSER for your new set for any voltage and capacity. They replace Leyden Jars with greater efficiency and without brush discharge and with negligible losses. They are compact and indestructible. Made in any capacity and up to 1,000,000 volts. Special condensers supplied for ex-perimental work.

Used in practically every Government installation. DUBILIER MICA CONDENSERS are now ready for your use.

Navy Type \$18.00 35.00

DUBILIER CONDENSER CO., Inc., 217 Centre St., New York For Great Britain, Address DUBILIER CONDENSER COMPANY, Ltd., 1 & 3 Stephen St., London, W. I., England

Boys! You Can Make Your Own Electrical Apparatus with the aid of these wonderful books Home-made Electrical Apparatus



By A. M. Powell By A. M. Powell Three wonderful big books, chuck full of just the sort of information you have been looking for and at a price within reach of your pocket book. Each volume is printed on heavy paper, contains 75 pages and over 60 illustrations, complete working drawings for making every sort of electrical apparatus. Written so you can understand them. The price is only 25 cents per copy—practically the cost of publication. See partial table of contents below and order now. The supply is limited. Vol. I Contains working drawings and directions for making all sorts of Static Ma-chines, Static Apparatus, Home-made Batteries, Storage Cells, Transformers, Recli-fers, etc.

Vol. I Contains working drawings and directions for making all sorts of statle Matchines, Statle Aparatus, Home-made Batteries, Storage Cells, Transformers, Rectifiers, etc.
 Vol. II contains working drawings and directions for all sorts of Voltmeters, Ammeters, Galvanometers, Switches, Rheostats, Telegraph Keys, Sounders, Telephones, Soleking Colls, Spark Colls, Experiments, etc., for.
 Vol. II contains working frawings and directions for all sorts of Dynamos, Motors, Electric Telephone, Electrophiling, Experiments, etc., etc.
 Yota Colls, Wireless Telephone, Electrophiling, Experiments, etc., etc.
 Any of these wonderful books will be sent to you postpaid for 25 cents.

COLE & MORGAN, Inc., Publishers and Booksellers P. O. Box 473, C. H. Sta., New Y New York City

The Breakers **Atlantic City's Newest Fire-Proof Hotel**

Ocean Front. Unusually attractive during the Autumn and Winter seasons.

American and European Plans


Luxurious lobbies, spacious verandas and sun parlors overlooking the ocean. Charming afternoon musicales and evening concerts. A palatial residence for those seeking rest and recreation. Sea water baths. Fireproof garage, Illustrated booklet sent on request.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

REGENERATIVE VACUUM TUBE CIRCUITS. NEW


(Continued from page 74)

Another circuit to accomplish the same result as above, is indicated in Fig. 9, in which case the oscillations are started thru the coupling coil M and the voice modula-tion imprest upon the grid circuit is ac-




First Form of Radiotelephone Transmitting Circuit, Utilizing an Audion, of Interest to Amateurs.

complished thru the telephone induction coil whose secondary is connected thru the grid and one leg of the coupling coil M, and the other to the main oscillatory coil inductance L_1 . The primary of the induc-tion coil is connected with the microphone and battery as indicated. Tuning is accomplished with condenser C_1 , which is in the oscillatory circuit C_1L_1 . Energy trans-



Second form of Audion Radiotelephone Transmitter with Magnetically Coupled Mod-ulating Circuit.

ferred to the antenna circuit is accomplished thrn the plate inductance L_2 , inductively coupled to the antenna inductance L_3 . To reduce the impedance of the grid circuit due to the high inductance of the secondary of the telephone induction coil, it is necessary to shunt a capacity C_2 of considerable magnitude to overcome this excess impedance.



PUTTING IT OVER ON FRITZ.

(Continued from page 22) see the sector thus marked out-by triangulation the position of every wireless sender could be ascertained—abandoned. Thus prediction came true every time, and the the secret was guarded jealously during the war, it now can be let out, as Germany is harmless, and every other nation knows just how the prophecy was made.

It was not often that the Germans kept Allied brains working overtime on a puzzle. In a single instance, however, the Huns thought up a devilishly clever plan for get-ting secret information into Germany. This was called for weeks and weeks the "Nauen-Madrid Buzz."

Nauen, of course, was the official German Nauen, of course, was the official German Government wireless station, while in Madrid, Spain, was situated a station ca-pable of sending messages to any part of the German empire in Europe. During all the months of the war in which direct communication between Germany and the outside world was practically severed offi-cial war bulletins and "inspired" news came out from Nauen thru Madrid. The latter station sent back-neutral news and views of the war. the war.

In the spring of 1917, however, came a queer development. Every now and then Nauen would seem to be badly bothered by "static" or by some imperfection in the sending apparatus. The station would emit an unintelligible buzz, like unto no message an unintelligible buzz, take unito no message known to operators. This was regarded with grave suspicion by the Allied intelli-gence departments, and when Madrid started the same thing a whole corps of military wireless detectives were assigned to the problem. No one doubted that this was some new form of communication, but what on earth could anyone make out of that continuous buzz?

Weeks past with no light on the ques-tion. The two stations had grown bolder and were using the buzz constantly. Valuable information leaked to the enemy, and it was made practically certain that the "buzz" was responsible.

The mystery was solved by the help of a lucky accident. The technique of studying every code wireless message of the enemy had been to take down the sounds of the spark on a cylinder phonograph record; this gave the intelligence officer an accurate reproduction at any time he desired. On the occasion mentioned an officer had been trying to establish some basis of similarity between several of the records without sucbetween several of the records without suc-cess, when his machine ran down. As the needle grated to a stop on the cylinder the officer sat up suddenly. He thought he detected something that sounded just a little like a message! He wound the phonograph and turned its speed indicator down so that the record revolved only a few times a minute. Then he applied the needle again. Aha! There was something there!

was something there!

Tho this arrangement gave him insuffithe this arrangement gave him insum-cient to enable him to solve a code, he had the idea. Next the phonograph cylinder was attached to a motor, revolving at three hundred revolutions a minute, and several records taken at high speed of the peculiar buzz. When these records were re-run at moderate speed it was simple; the messages were decoded in an hour and were found to be questions and answers on topics the Germans were not even supposed to know existed!

existed! The method used by the Germans and by the Madrid operator had been simply to punch in the message on a perforated paper roll. Then running this thru the sending equipment at high speed the message had gone into the ether waves at too rapid a rate to be caught by ordinary methods. At the other end the receiving station used the phonograph equipment to catch and record the message the message.



Brandes "Superior" Head Set, com-plete with head band, \$6. A profession-al set within the means of every ema-teur, 2000 ohms.

Five Points of BRANDES Superiority

Brandes wireless headsets score 100 ° on the five factors that determine the efficiency and value of receivers for both professional and amateur use.

Sensitiveness: Brandes receivers do more than make weak signals *audible*; they make them *readable*,—clear and sharp This is because both receivers are exactly matched in tone.

Dependability: Made by hand by an organization which manufactures wireless receivers *only*, carefully measured by a micrometer for exact construction, and tested against a standard receiver—Brandes headsets can be counted upon for absolute dependability under every condition.

Lightness: Because Brandes headsets were first designed for professionals, they are so made that they can be worn long hours without discomfort.

Service: With ordinary care, Brandes receivers give service indefinitely. Hundreds of owners would not exchange sets several years old for new ones.

Appearance: Compact in size, correct in head band design, with an orderly arrangement of cords, and made from the finest materials, Brandes headsets have a handsome, efficient appearance.

Booklet "E" will be sent upon receipt of 4c in stamps.

C. BRANDES, INC. 32 UNION SQUARE NEW YORK CITY

Complete line of Brandes receivers for those in Western States and Pacific Coast. Catalogue "E" on request. **Balboa Building** FORD KING San Francisco, Cal.

Commercial **Telegraph** Apparatus Bargains

Standard twenty ohm 200 Telegraph Sounders at $2e_{each}$
Standard Telegraph 125 Keys at 1 ²⁵
110 Volt A.C. Dynamos
Three Bar 175
Four Bar 2^{25}_{each}
Five Bar
For other bargains see pages 90 & 91
Skinderviken Telephone Equipment Co.
STECO-2118-2136 N. Clark St. CHICAGO
TELEGRAPHY
Both wire and wireless, and Station Agency taught horoughly and quickly. BIG WAGES NOW PAID, iome of our recent graduates procuring \$138.00 per nonth to start. Great opportunities for advancement. Our chool the oldest and largest—annual enrollment 600 students, indorsed by railway, telegraph, wireless and government offi- ials. Expenses low—chance to earn part. Catalag free. Write DODCE? INSTITUTE: 22 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4
OODGE' INSTITUTE, 22nd St. Valparaiso, Ind.



De Forest's New Catalog

illustrating and describing the very latest and best in

RADIO APPARATUS For Discriminating Users

is ready for mailing. Complete information regarding the De Forest "Unit" Set, "Honey Comb" Coils (a radical departure from previous forms of apparatus), variable air and fixed condensers, wavemeters, variometers, detectors, etc., will be sent upon receipt of 10c to defray postage.

De Forest Radio Tel. & Tel. Co. 1391 Sedgwick Ave. New York City

205 New Jersey Ave., Anglesea, New Jersey, Feb. 20th, 1919.



During the war, scarcity of material and orders from the Government and from the leading Uni-versities, Colleges, Telegraph and Technical Schools, closely connected with the Govt, in teaching the Codes, made it impossible for us to make prompt shipments to individuals and to the trade. We are now filling all orders promptly.



205 New Jersey Ave., Anglesea, New Jersey, Feb, 17th, 1919.

Anglesea. New Jersey. Feb. 17th, 1919. The Omnigraph Mfg. Co.. 39 Cortlandt St., New York City. Dear Sirs:—Received my Omnigraph No. 2 with a set of Morse and an extra set of Continental Data St. wish to thank you for your prompt shipment. The minutes after 1 had received the box, 1 had it impacked and working. 1 cannot prate to the state of the state of the prate state and using the OMNIGRAPH is sending. Hoping to be of help to you and wishing you the best of success in your business, 1 remain Very truly yours, (Signed) Thomas W. Braidwood, Pres. Cape May County Radio Asso. If you are a beginner, it will make you an operator in the shortest possible time. If you are already an operator, the OMNIGRAPH will make you a better one. Send for free catalog describing 3 different models—\$9.00 to \$23.00 — 67 order direct through your Electrical Dealer. We sell the Omnigraph under the strongest of guarantees—you must be satisfied or your smoked. The of the Omnigraph under the strongest of guarantees—you must be satisfied or your anow heade. How did you learn to talk? By listening.



DUCK'S BIG 300 PP. Wireless & Electrical

Catalog is now as it always has been, the largest and most complete and dependable Wireless Catalog published. Mailed for 12c in stamps or coin which may be deducted on first order of one dollar. Catalog not sent otherwise. This catalog costs us twice the price of other catalogs.

Everything in wireless worth while is listed in this catalog. The experienced amateur will tell you to see our catalog before buying. You are thereby insured against an unwise purchase. It is the *Bcacon Light* to guide you right in the selection of your wireless apparatus. No bigger or better values are obtainable elsewhere. Send for revised price list. It is yours for the asking.

THE WILLIAM B. DUCK CO., 230-232 Superior St., Toledo, Ohio





F you have ever stopped to figure out the terrific cost involved in publishing

a magazine, and the small amount of money that you pay for your issue each month, you probably wonder how a publisher can afford to give you as much as he does. If it were not for the advertising carried, he could not do it. Your 20c would not buy a magazine one-half the size, or quality, of the "Experimenter" unless that magazine were supported by the advertisers who use its columus every month.

The Electrical Experimenter, especially, costs a vast sum of money every month to produce. The magnificent wash drawings produce. The magnificent wash drawings and expensive cuts that you see in every is-sue and which have made the "Experi-menter" famous are only one of the many items that makes the publishing of your magazine a severe and heavy strain. The price you pay for your copy helps to meet part of this expense, but the advertisers foot the most of the bills. Don't let that fool you, however. They are not doing it for any love of the "Experimenter"—it is a business proposition with them. Each and every one have something that they and every one have something that they feel is of interest to you. Perhaps it is a piece of merchandise that they want to sell; a new wireless outfit, a correspondence course that they know will improve your mind and equip you to earn more money; maybe it is a book or a novely that you would enjoy having; but, whatever it is, they are willing to pay their good money to support the magazine in order that the magazine can print their advertisements.

The more advertisers we have, the more income there is each month, and the publishers of the Electrical Experimenter have committed themselves to putting back into the magazine, in enlarging its size, and improving its articles, and its drawings, every penny that comes in through the cir-culation or advertising. You will notice culation or advertising. You will notice that with this issue eight more pages of *pure text* have been added, making this number the biggest ever published. This was made possible by the big increase in advertising during the past few months. You can help the work along and make the magazine still larger and better, if you will purchase what you need and the things you require in your work or for your pleasure, from the advertisers who are helping you. Read what they have to say in every issue, and when you want anything. no matter what it is, look it up in the advertising columns of the "E.E." and send your or-ders to those firms who are helping give ders to those firms who are helping give you a magazine that you would not want to do without.

Live concerns that advertise sell better goods and at a cheaper price, quality considered, than unknown firms who persist in "hiding their light under a bushel." Next month I will tell you the real reasons why the quality of any advertised article has to be the very best and show you why you should patronize your own advertisers for this one reason, if for no other.

R. Wat more

Advertising Manuger.



PRACTICAL CHEMICAL EXPERIMENTS (Continued from page 34)

clean cut, due to the shears. Since new wool is distinctly elastic, there is a certain amount of give to the fibers when subjected to tension. In the case of wool that has been scoured and dyed, the elasticity has somewhat decreased, the fibers becoming considerably firmer. If subjected to tension and rupture, the break has the appearance

of a fracture, like a bone. Referring to Figs. 9 to 18, inclusive, Fig. 9 shows shoddy made from new, fine, blue worsted clips. Notice the great variety of broken ends of filers, and also the tendency of the fibers to split or tear lengthwise. The fibers showing the side breaks are evidently due to a tearing action of the shoddy machine.

Fig. 10 is a shoddy made from new, fine, black worsted clips. Here again may be noticed their peculiar terminal fractures, where the fiber has been pulled asunder. where the fiber has been pulled astinder. One of the fibers has a number of *spines* projecting from it. These so-called *spines* are really the fiber cells, which, no doubt, were loosened by the tension on the fibers in the machine. Note that both Figs. 9 and 10 represent new wool that has been simply achieved to chold when a t po mechanically reduced to shoddy, and at no time carbonized.

Fig. 11 is shoddy made from carbonized brown serge. Here it may be seen what in-dicates the brittle character of the fiber, de-

void of elasticity. The breaks of the fibers are seen to be quite abrupt. Fig. 12 is a shoddy made from brown serge that has been carbonized and subse-quently stript. The abrupt character of the quently stript. The abrupt character of the breaks is plainly noticeable, while at the same time the fibrils comprising the body of the wool fiber are very distinct. Their presence may be attributed to the chemical

Fig. 13 shows fibers made from blue serge that had been first carbonized, then stript, and afterwards dyed green. Here again we notice the tendency to break longitudinally, and where a terminal break occurs, the fibrils appear distinctly.

Fig. 14 is shoddy from the same batch as that shown in Fig. 12, except that it has been dyed a full red. Here we notice that one of the fibers has been split longitudinal-ly, while the other three fiber terminals show break characteristics that indicate the brittleness of the stock.

Fig. 15 was originally a brown serge that had been carbonized, then stript, after-wards dyed a deep orange, and finally gar-neted. A great majority of the breaks of fibers in this sample are extremely abrupt. There appears to be no longitudinal rup-tures, and this seems to indicate little or no elasticity. Even the fibrils do not show plainly.

Fig. 16 is a shoddy made from brown serge that has been carbonized, stript and dyed an olive shade. Here again we see the abrupt fractures of the fiber and a ten-dency to longitudinal splitting. The fibrils

Fig. 17 is a shoddy made from various knit goods of different colors that were first carbonized, then stript, and afterwards dyed blue, producing finished colors of varied hues. The fibers show a rather curious side abrasion; a form of mutilation that ap-pears to be quite common in this lot of shoddy. Fig. 18 is a shoddy made from serges that

were carbonized, stript and dyed a deep maroon. It will be seen that the tendency of some of the fibers is to split longitudinally. The terminal shown is characteristic of a fiber pulled apart lengthwise, when the fibrils have a tendency to separate, forming a brush-like head. а The various characteristics above re-

Drake's Mechanical Books

For Home Study



Pave the way for the big positions—the fat pay-envel-opes. Written In non - technical languageeasy to read— easy to under-stand. We will send any book postpaid -keep them

satisfied return the books and your money will be refunded in full. Order direct from this page. Use the coupon.

Electrical Books

Leatherette 1.50 Motion Picture Operation, Leatherette 1.50 Alternating Current, Leatherette 1.50 Wiring Diagrams and Descriptions, Leatherette 1.50 Armature and Magnet Winding, Lealher-ette ette 1.50 Modern Electric Illumination. Leatherette 1.50 Modern Electrical Construction. Leather-

Automobile Books



Automobile igni-tion. Leatherette, \$2.00 Brookes' Automo-bile Handbook. Leatherette ..\$2.00 Automobile Start-ing and Lighting. Leatherette ...\$1.50 Ford Metor Car, Truck and Tractor Attachments. Cloth, \$1.00

Ford Motor Car, Truck and Tractor Attachments. Leatherette..\$1.50

..... 1.50

Modern Language Courses



ge Courses French Without a Teacher, Sganish Without a Teach-er, German With-out a Teacher. By Professor Philip Schuyler Allen, University of Chicago. An entirely new home earles of modern foreign languages. foreign languages. Simpleat, easiest-to-master language method ever de-vised. French, Spanish or Ger-man. Pocket size. Each\$1.25

Mail the Coupon NOW Mail the Coupon NOW Order on our five day money back plan. FREDERICK J. DRAKE & CO., 1009 Michigan Ave., Chicago, III. Enclosed find (\$.....), for which please send me prepaid the books checked in this adv. (or list attached). It is agreed that I may return same in 5 days if not entirely satisfied, and money will be refunded in full. Name Address

ferred to, and illustrated, will serve to

draw attention to what one must look for



of the subjects treated are: Electricity and Magnetism; Electrical Sym-bols; Batteries; Circuits; Magnets; Direct and Alternating Currents; Dynamos and Motors; Belts; Shafting; Electroplating; Electrical Measurements; Meters; Arc and Incandescent Lamps; Mercury Arc Rectifiers; Transformers; Inaulation; Electric Cars; Single and Multiple-Unit Control; Transmission; Rail Welding; Tables of Wires – Sizea, Capacities, etc.,– Mathematical Rules; Formulas, Symbols; Tables of Constants, Equivalenta, Roots, Powers, Re-ciprocals, Areas, Weights and Measures; Chemistry; Properties of Metala; Principles of Mechanics; First Aid, etc. The Electrical Engineer's Handbook is one of 22

The Electrical Engineer's Handbook is one of 22 I.C.S. Handbooks covering 22 Technical, Scientific and Commercial subjects. (See titles in conpon below.) They have the contents of a full-size book condensed into pocket-size ready to go with you anywhere and be at your instant command. Substantially bound in cloth, red edges, goldleaf stamping, printed from new, clear, readable type on good quality book paper and illustrated wherever a picture will help.

No Risk Money-Back Offer! No Risk Money-Dack Unler: The price of the famous L.C.S. Handbooks, of which more than 2,000,000 have been sold and are in practical everyday use, is all per copy. So confident are we that you will find them exactly what you need for ready reference in your work, that we stand ready to promptly and cheerfully refund your money if for any reason you are not fully satisfied with their value. Simply send a letter or the coupon below, enclosing si for each book wanted. If at any time within 10 days you wish to return the books, your money will be refunded.

INTERNATIONAL CORRESPONDENCE SCHOOLS Box 6187 Scranton, Pa,

INT ERNATIONAL CORRESPONDENCE SCHOOLS

Box 6187, SCRANTON, PA. I enclose for which send me postpaid the Handbooks marked X, at \$1.00 each. I may refurn any or all and get my money back within ten days from receipt:

[] Electrical Engineer's	🗌 Advertiser'a
Teleph.and Teleg. Engineer's	🔲 Business Mao's
Mechanic's	Bookkeeper's
Steam Engineer'a	Steno. and Corresponden
Westinghouse Alr Brake	Salesman's
Civil Engineer's	Window Trimmer's
Coal Miner's	Cotton Textile Work
Concrete Engineer's	🗍 Farmer's
Building Trades	Poultryman's
Plumber's sod Fitter's	T Mariner's
Chemist's	Automobiles
	0

Name_ Street and No. City _ State.

Telegraph Pictures BY ELECTRICITY

A complete set of two machines of this marrelous equipment for only \$19.50. Instructive, mystifying and useful, This picture of President Wil-aon was telegraphed by these machines. Will transmit pictures, maps, draw-ings and band writing. Picture tela-graphing is the coming science. Write today.

J. LEISHMAN CO., Dept.T Ogdea, Utab





er's

in an examination of cloth that is believed to contain shoddy. In masses of shoddy such as are usually taken for microscopic examination, there will always be found many short fibers due to mechanical breaking of long fibers, but to separate them is an operation of great delicacy, tho yielding results of no value. THE "BURNING" TEST Vegetable fibers may be readily distin-

guished from animal fibers by burning. Animal fibers, such as Wool and Silk give off the smell of burnt horn. They do not fire like vegetable fibers, but cease to burn when removed from the flame, and the burnt portion curls up, forming a hard cinder at the end of the thread. hard cinder at the end of the thread. Vegetable fibers, on the other hand, give off a slight smell of burnt wood when ignited. They burn away very rapidly with a flash, leaving no hard cinder, but a white or gray ash only. The above tests broadly distinguish vegetable from animal fibers, but further chemical exam-ination is necessary to distinguish mixanimal neers, but further chemical exam-ination is necessary to distinguish mix-tures of any of them when woven into cloth. (See Fig. 19.) Referring again to Figs. 1 (Cotton) and 4 (Linen) we can readily distinguish the difference by means of the microscope as shown If the fabric is without death cit

shown. If the fabric is without starch, oil makes linen translucent and cotton opaque. The finish must be washed out of opaque. The finish must be washed out of highly finished materials before this test can be used.

A test to distinguish between linen and cotton, which only an expert, or at least a person having quite some experience, can perform, consists of what is known as the "tearing" test. The linen weaves in general are more difficult to tear than cotton. The torn ends of the linen threads appear uneven in length and the individual fibers are twisted in every direction. The sound of twisted in every direction. The sound of tearing linen is shrill, and that of cotton dull or muffled.

An easy way to distinguish between the highly-sized and calendered *Cotton Damask* and true Linen Damask is to boil a sample. After being dried and ironed, if it is cotton it will have a dull and somewhat fuzzy appearance, while the luster and smoothness of real linen will not be affected by this treatment. Mercerized Cotton Damask keeps more luster than intreated cotton, but less than linen.

Since the price of pure, new wool is relatively high, it is the practise of manufacturers to mix other materials with it, the most common of which is "Shoddy." Such most common of which is "Shoady." Such goods have many uses, being a full-bodied, but flimsy fabric, it is made chiefly into cheap cloth, table covers, etc. Manufactur-ers state that the best grade of worsted shoddy—that having long fibers—is superior to a low grade, short staple, new or virgin wool: also that it is impossible to get the texture and finish required for some of the word, and this required for some of the texture and finish required for some of the best grade goods without the use of some shoddy. Owing to the fact that shoddy is made from wool fibers, as stated under the heading "Shoddy," it is very difficult to de-termine its presence by chemical means, owing to the fact that it will respond to the same tests as applied for wool. The microscope is the most accurate means available for determining the presence of shoddy in woolen cloth. It is true that the rough feel and cheap appearance of the fabric gives some idea of the presence of a *large pcr-centage of shoddy*, but the famous "feeling test" for cotton or shoddy in moderate quantities must give way today to a more ceintific analysis as berein given

scientific analysis, as herein given. Shoddy is not alone as an adulterant of woolens. Cotton is employed quite extenwoolens. Cotton is employed quite exten-sively. It is a simple matter to detect the presence of cotton, as wool is dissolved in alkalies and not affected by acids while on the other hand cotton is dissolved by acids and not affected by alkalies. Fig. 20 shows WANTED Immediately

WIRELESS operators are in demand owing to the expan-sion of our Merchant Marine. Pay has increased to \$110 per month plus all expenses.

'HE Y. M. C. A. Radio Schools THE Y. M. C. A. Radio Schools give thorough practical courses with individual instruction. Our graduates fill responsible positions.

THIS is your opportunity. Classes now forming. Excel-lent dormitory facilities. Complete laboratory equipment. Write to-day for illustrated booklet.



Manhattan Braach: Brooklyn Branch: 154 East S6th St. Marcy Ave, Near B'way Tel. Lenox 6051 Tel. W'msburg 3800





May, 1919



ALL AMATEURS WILL CELE-BRATE OPENING NIGHT. OVERHAUL YOUR STATION NOW. DON'T DELAY. WRITE FOR DESCRIPTIVE BUL-LETIN and proposition on supersensi-tive receiving apparatus, smooth running rhoostats, knobs, levers, switches, con-tacts, etc.

Audiotron Sales Co. 1940 Leavenworth St. San Francisco

MARKO STORAGE BATTERIES ARE GCOD-TRY ONE Paul M. Marko & Co., Inc. 1402-1412 Atlantic Ave. Brooklyn, N. Y.

WIRELESS TELEGRAPHY

Our 14 weeks course prepares you for MERCHANT MARINE paying \$10 per month and expresses. RADIO INSTECTORS receive \$1.200 to \$3,500 per year. Our instructors are licensed by U. S. govern-ment; school fully equipped and largest of its kind in America. Tuition small and payable weekly. We guarantee to qualify you. Board and room in Wash-ington at reasonable tates while taking the course. Particulars on request. SERVICE RADIO SCHOOL, 902 Pa. Ave. N. W., Washington, D. C.

ELECTRICAL EXPERIMENTER

a convenient method of testing for cotton a convenient method of testing for cotton and wool. One glass contains a solution of Caustic Potash or Caustic Soda into which is immersed a sample of the wool to be tested. A precipitat indicates the relative amount of cotton and other substances present. Likewise when cotton is immersed in an acid, the precipitat will show the relative amount of adulterants. See Fig. 7.

tive amount of adulterants. See Fig. 7. It is easy to determine heavily-weighted silk material by burning a small sample. Pure silk burns rapidly, smells like wool, and produces a small amount of brittle, curled-up ash. Material which is heavily-weighted will have an ash which is stiff and which often holds the shape of the sample. Cotton is frequently mixt with silk. It is easy to detect cotton in silk by the microscope, as the fibers of silk are round and smooth, while the cotton fibers are ribbon-like and fuzzy. See Fig. 8. Cheap but heavy silks are usually loaded with lead in granular form. A chemical test for lead will readily reveal its presence.

OUESTIONS AND ANSWERS

Ques. No. 5. Edward J. Walsh, Lexington, Ky., wants to know how he can remove lodin stains from light clothing.

Ans. You fail to state whether the material from which you desire to remove the stains is starched or unstarched. This is an important factor. Stains which are pres-ent in unstarched material produce a brown or yellow stain. Whereas on starched ma-



Fig. 21. Removing lodin Stains from Light or Other Colored Cloths By Application of Ammonia. The Ammonia May Be Applied With a Glass Rod or Sponge, and Should Be Immediately Washed Out as Soon as the Iodin Stain is Removed.

terials, the presence of starch causes the stain to become deep blue or black.

For unstarched stains, sponging with Ammonia, or alcohol, the latter being fre-quently used on materials which water would injure. See Fig. 21.

Starch, such as prepared for laundry pur-poses may be used for washable materials. Immerse the stained parts in the starch and hoil. It first turns blue and then disappears. Flour may be used in the same manner as the starch.

For starched materials, the stains may be immersed in a dilute solution of Sodium thiosulfate (known photographically as "Hypo") and then rinsed thoroly. Sodium sulfite (not sulfate) may be used in the same manner as the thiosulfate. Another method is to soak the stains in dilute am-monia (sp. gr. 0.95) until they disappear.



Be A CERTIFICATED ELECTRICIAN

THIS IS YOUR

CHANCE OF A LIFE TIME I am Chief Engineer of the great Chicago Engineering Works. I am in close official touch with the electrical world. know how badly we need trained electriwork as experts. Right now there is such a need for executive electricians that I am making a special effort to help meet the demand. I am publishing this special announcement to secure a certain number of ambitious men whom I will personally train by mail for the wonderful oppor-tunities that are open.

I WILL MAKE YOU a Trained Electrician

I don't care bow young or old you are, just as long as you can read and write and have a spark of ambition. I don't care where you live or what you do. I don't care if you don't know a blessed thing about electricity. Just give me a little of your spare time for a short period and I'll show you the quick way to success in electricity. You can qualify to earn \$36 to \$100 a week with opportunities for greater earnings.

I Train You by Mail!

Your spare time will do. No interfer-ence with your regular duties. I under-stand just what you must know and I have devised a wonderful way of instruct-ing by mail. I positively guarantee your satisfaction satisfaction.

Free Wonderful Electrical


Wonderful Outfit

Absolutely free. Not a penny cost to you now or later. To those who act at once I will give a wonderful set of Electrical Equipment with my compliments. Write me at once. I have only a limited number of sets to be given free. Drop me a post card or letter.

Write! You will have to act quick to Write me today for full particulars. Drop me a post card. Write Now.

CHIEF ENGINEER COOKE. Chicago Engineering Works, Dept. 525

441 Cass Street, Chicago, Illinois




HOW THE FRENCH LOCATED SUBMARINES.

(Continued from page 9) major problems, if not indeed the predominant one, to be met with in working out a more selective and accurate form of submarine listening device was that, whatever its form, it should be susceptible of operating and functioning on any vessel while it was under full headway, and further, that the indications given by the instrument of the direction of such sounds should be sufficiently accurate to permit the commander of the vessel on which it was installed to set a straight course for the indicated spot where the submarine lay in wait for its prey. Contrary to general opinion, many authentic instances are on record where submarines were surprised in this way during the war and sent to the bottom, sometimes by armed merchantmen or converted yachts, and again by fast destroyers or submarines. The English in particular seem to have obtained very gratifying results in fighting the U-Boats with their own submarines.

their own submarines. Lieut. Walser designed his apparatus after first carefully studying a well known, yet heretofore overlooked, principle of physics, viz: that sound, identical to light, upon passing thru one medium into another, is refracted. The orthodox theory concerning the complex light beam or ray from a given object states that they comprise a number of component waves, which may be considered as parallel when their source is situated a sufficient distance, and which parallelism is upset only when an obstruction is placed in their path, when they are thus caused to enter a new medium having a density of a different value from that in which they were propagated. Lieut. Walser had the forethought to perceive that sound waves must follow the same theory. To prove his theory, he interposed in the path of sound waves a device which would respond to various vibrations, and which formed what we might term an *acoustic* lens. As has been found in explaining the theory of light transmission, a similar effect takes place in sound transmission thru the air or water and other mediums, and the result of thus interposing such an acoustic lens or vibrating member causes the individual waves composing the complex wave propagated from a given source to come to a focus. This has the two-fold effect of intensifying the individual waves and also of isolating them precisely from other sounds emanating from the sources foreign to the one being localized. Naturally, the different sources of sound will create a corresponding number of foci, of which the geometric focus can be ascertained by mathematical computation. In a similar manner from the position of the sound focus which corresponds to any individual source of sound, the definite direction of that source can be readily estimated.

The accompanying illustrations show the "Walser submarine detector" gear as installed on French vessels, and the detail view shows how the sound detecting lenses, which are fitted into large steel bulges or "blisters", secured to the hull of the vessel, are connected to two trumpets, which may he traversed in a circle above them, so as to accurately localize the varions sounds heard from different vibrating diaframs comprising the lenses. One trumpet picks up and localizes the sounds from the *port* lens, and the other the sounds picked up and intensified by the *starboard* lens. The spherical segments supporting the multiplicity of lenses is indicated by A in the detail figure. This segment is provided with a circular series of openings, B, each of which contains a sensitive vibrating diafram, C. The general effect of this arrangement is to focus all of the sounds picked up, the focal points all lying on a circle, I. As aforementioned, the vessel fitted with this apparatus has two of these lenses, one to *port*







No eraving for tobacco in any form when you begin taking Tobacco Redeemer. Don't try to quit the cobacco habit un-sided, It's nlosing fight against heavy olds and means n serious shock to the nervous system. Let the tobacco habit quit YOU. It will quit you, if you will just take Tobacco Redeemer, according to direc-tions for two or three days. It is a most marvetously quick and thoroughly reliable remedy for the tobacco habit.

Not a Substitute

Not a Substitute Tobacco Redeemer contains no hahlt-forming drugsof any kind. It is in no aense a subsituto for tobacco. After finishing the treatmenty ou have obsolutely no desire to use tobacco again or to continue the use of the remedy. It makes not a particle of difference how long you have been using tobacco, how much you use or in what form you ure it-whather you smoke cigare, cigarettes, pipe, chew plug of fine cut or use anuff, Tobacco Redeemer will positive to rate of the remerkent of the total to 72 hours. This we absolutely guarantee in every case or money refunde. Write today for our free bookletshowing tystem end positive proof that Tobacco Redeemer willquickly free you of the habit. Newell Pharmacal Company, Dept. 521 St. Louis, Mo.

ا الله الله الي الله النبار بزين الله ا



Photo Craft Magazine,

Ann Arbor, Mich.


ELECTRICAL EXPERIMENTER

and one to starboard of the keel. Just over these two lenses, there is built a specially solid sound-proof room or cabin, in which the operator of the submarine detector is located. The arrangement of the appa-ratus is such that the operator can sit in the center of the cabin with the listening helmet on his head, and by means of two ear trumpets, D_i in the diagram, any sounds, passing thru the lenses can be quickly picked up and localized for direction. One trumpet takes care of the sounds from the port lens and the other the starboard lens. By means of the large rotating drum,

which appears just to the right of the op-crator, the edge of said drum being calibrated, so that as the handle of the drum is turned the trumpets over the lenses are rotated about the respective focal circles rotated about the respective focal circles of any sounds received. The control drum, which is manipulated by the operator, re-volves the trumpets, D, which are pivoted on a fork, E, thru the movement, H. Jrepresents the counterweight, which by means of cord, K, maintains the trumpet in such a position that its axis is always pointed toward the center of the spherical lenses. The function of the counterweight The function of the counterweight, lenses. L, is to maintain the balance of the movable arm on which the trumpet is supported, while the weights, M, M', cause this arm to oscillate about the pivots, N, N', in such a way that the rolling of the vessel is counterbalanced, thus tending to keep the mouth of the trumpet in the same hori-zontal plane at all times. The complete apparatus is carried by the metal frame marked O.

With the apparatus in use, the operator hears the sound with the greatest intensity and sharpness when the trumpet axis is in line with the focus of that particular sound. He can also hear a certain sound when the trumpet is anywhere in the vicinity of the focal point. The operator proceeds in any event to explore the various foci by manipulating the central control drum, which re-volves the trumpets around the focal cir-cles. This centralized control drum having been calibrated beforehand, it becomes a simple matter for the observer to accurately locate the direction of a certain sound, or more strictly speaking.—its origin, as soon as he has manipulated the trumpet to the proper focal setting, so as to hear the received sound with the greatest intensity and clarity. By a quick calculation based upon the value of the minimum intensity of the sound received, the range of the submarine can be approximately calculated. It is then a comparatively simple matter to steer a straight course for this spot, and if the object of the search turns out to be a submarine, then the destroyer will pass over it and discharge depth bombs upon it.

Of course the wiseacre will say, it is all very well to locate a submarine and then steering a course so indicated for the object of dropping several earloads of "ash cans" (depth bombs, in navy vernacular) upon it, but what about the movements of the U-Boat, which may have paddled off a mile or so from the spot so dear to the heart of the naval officer. This problem would seem to be solved by the fact that contrary to the usual apparatus utilized for such purthe usual apparatus utilized for such pur-poses heretofore, the operator may keep right on taking the soundings of the sub-marine, while the vessel is under full head-way and moving toward it. The sensa-tions experienced by the submarine detec-tion officer located in his steel-bound cubbyhole down near the keel of the on-rushing vessel, as the sound of the submarine's engines and propellers pound louder and louder in his ear trumpets, probably can be better imagined than described, for the submarine commander may have a "card up his sleeve" and be just about scrappy and clever enough to lay for the on-coming destroyer or war vessel and discharge a torpedo at it or open up with a broadside from some nifty "seven inchers."



83





Wireless Course in 20 Experimental Elec- No. 1. How to Make Wire-tricity Course in 20 less Sending Apparatus Lessons

By S. Gernsback, A. Lescarbourg and H. W. Secor, E. E.

By S. Gernsback, M. Leschtoudrs and H. W. Secor. E. E. A course that tells yon everything yon can possibly want to know about "Wireless" starting off in lesson No. 1 by explaining the Principles of Electricity. The second and third lessons are devoted to magnetism. motors, generators and wiring. And then, by simple, easy states, this wonderful Course takes you into "Wireless". The mysteries of "Wire-less" are unfolded to you by the use of such simple- langtage so skill-fully used that of necessity you must understand every word. The subject is not treated superfleially, however, for there is a whole lesson devoted to the Theory and Mathematics devoted to the Theory and Mathematics elesson (Narrow 20) is devoted to a history of Wireless and the men who developed it,

Size of book is 7 x 10¼ in.. i60 pages, 350 illustrations, 30 tables. Flexibla cloth cover....per copy \$ 50 Stiff cloth cover.....per copy 1.00 Stiff cloth cover.....per copy 1.00 Postpald

tricity Course in 20 Lessons By S. Garasback and H. W. Secor. E.E.

A Course of the theory and prac-tice of Electricity for the Experi-menters. This is undoubtedly one of the most camplete and com-prehensive treatises of this special subject ever published. The book is written by the same authors as the famous "Wireless Course in 20 Lessons".

20 Lessons . Every phase of experimental elec-tricity is treated comprehensively in plain English, It is a book not only for the beginner but for every experimenter and student of Elec-tricity. New Experiments are de-scribed and explained and nearly every application of Electricity in modern life is given in simple language.

Tha book rontains 128 nages and more than 400 illustrations. Postpald

THE EXPERIMENTER PUBL. CO. Book Dept. 233 Fulton St., New York

No. 2. How to Make Wireless Receiving Apparatus By 20 Radio Experts.

Two Remarkable Books Book No. 1 contains 100 pages, size 7 x 5 in. and 88 illustrations, paper bound. Book No. 2 contains 100 pages, size 7 x 5 in. and 90 illustrations, paper bound.

paper bound. These two books have been written and published entirely for the wire-less enthusiast who wants to make his own radio apparata. They contain more information on how to make it than any other books we know of. Only strictly modern radio apparata are described in these books and the illustrations and descriptions are so clear and simple that no trouble will be ex-perieuced in making the instru-ments. ments.

Book No. 1—How to make Wireless Sending Apparatus25c

THE THOUGHT RECORDER (Continued from page 12)

ent upon wave motion, it should not be surprising therefore that thoughts or active thinking should give rise to wave motion as well.

This theory is greatly strengthened by the fact that it has been proven beyond doubt that active thinking necessitates an expendi-ture of energy. If you sit perfectly quiet in a chair without expending any visible muscular energy, and if you concentrate very hard upon a certain problem, it is not very hard upon a certain problem, it is not infrequent that perspiration appears on your forehead from the simple effort of thinking. Of course, this is rather a com-plex phenomenon, as the perspiration is not produced directly, but rather indirectly by the nerve centers working upon the human organs, principally the heart. Nevertheless, we know that thinking proper calls for an expenditure of energy in the brain itself. That this energy is considerable can also be shown experimentally.

shown experimentally. It therefore cannot come as a surprise that the act of thinking should give rise to a direct wave motion, sending out from the brain certain waves in an analogous manner, to the spoken word which produces sound waves of a certain wave length. It is quite probable, however, that thought waves are simply another form of ether waves, the same as radio waves or light waves. Just as light rays traverse thru a thick glass pane without suffering any ap-preciable loss, just so will thought waves probably pass readily thru the human skull. If once we admit this theory it follows that it should be possible to detect such waves, and the only thing we need to know about them are the wave length and other impor-tant characteristics. We may take it for granted that the human brain, sensitive as it is, probably is not at all sensitive to these waves, and that by suitable apparatus it should become possible to detect such waves. It is quite probable, however, that thought waves.

Just what apparatus are necessary to detect thought waves, or the effects therefrom, the writer does not venture to predict, but the writer does not venture to predict, but there is no doubt that the apparatus will be eventually found. Very little is known about the emission of the thought waves, and as a matter of fact the entire mechan-ism which produces thoughts is practically an unknown quantity, but every effect can be translated and recorded if once we understand its fundamentals. Thus fifty years ago the recording of the

Thus, fifty years ago the recording of the voice would have appeared just as fantastic as the recording of thought appears today. People then rightly said, how could it be possible to hold the spoken word; it goes into the air and vanishes instantly. But once acoustics were better understood, it became a simple matter for the inventor of the phonograph to record the woice. the phonograph to record the voice. Simi larly, the day will come when thoughts will be recorded in an analogous manner. A11 that is necessary, as stated above, is suitable apparatus, and this should be easy to find.

apparatus, and this should be easy to find. The writer, in suggesting the audion as a thought-wave detector, does not do so be-cause he thinks that it is suitable in all re-spects, or even feasible. His main idea is to set the stone rolling, and get other people to think about the problem, when sooner or later something surely will emerge. The writer has suggested the audion because it is known as one of the most sensitive elecwriter has suggested the audion because it is known as one of the most sensitive elec-trical detecting apparatus for wave motion which we have today. If thoughts give rise to electrical waves, then by winding a few turns of wire on a headband and slipping it over the head, it should be possible to de-tect the presence of thought waves in the audion. On the other hand, too, the audion is enormously sensitive to capacity effects, as is well known. Thus, for instance, an oscillating audion is so sensitive that when the human hand is approached to it at a distance of even two feet, the presence of the hand will be heard plainly in the telephone receiver. If this is the case, the disturbance created in the mind should certainly make its presence felt in the audion, for thinking being first of a chemical nature, the act certainly must give rise to capacity effects. But let us assume that active thinking does not give rise to waves, electrical or otherwise, then the mere chemical action (and resulting capacity effects) should produce a disturbing influence upon the audion. These variations, if ever so slight, could then be amplified by the use of an audion or other amplifier, and the resultant effect be sent into an Einthoven string galvanometer. The small mirror attached to the string of the galvanometer will send its luminous penell upon a light-sensitive paper tape which moves at a certain rate of speed in front of the mirror. The result will be a wavy line traced upon the paper tape traveling on will pass thru its fixing tank, and from there will emerge from the outside of the machine after it has past thru a small drying chamber heated by electrical coils.

From this, it will be understood that a man sitting in front of his Thought Recorder will be able to actually see on a tape his recorded thoughts, the same as the telegrapher working on a trans-Atlantic cable watches his tape and its wavy line produced by the Syphon recorder, emerging from the latter. Of course, it will be necessary for everyone to learn the "thought alphabet" just as the stenographer today must learn the various characters, or as the child is taught how to read and write, and as the cable operator must learn how to read the Syphon recorder "alphabet." All this, however, is simple, and is only an educational feature once the apparatus has been invented.

The objection naturally comes to the mind immediately that even if we have a machine to record the thoughts, all we will get on the tape will be a jumble of confused thoughts, and we might get a lot of things on the tape that were not meant for recording or registering at all. Such criticism, of course, is beyond controversy for the simple reason that when you write a letter by hand or on the typewriter, you have also at first a lot of confused thoughts, but you do not record such thoughts even by hand or by machine. It often happens after you have written down certain thoughts that you must change them. The same is true of the thought recorder, of course.

Here the man who is doing the recording has a push huiton in his hand, shown at A in our illustration; if he does not press the button nothing is recorded. Once he wishes to record his thoughts in an orderly manner, he pushes the button and the tape begins moving simultaneously—he will begin thinking in an orderly and slow manner the subject he wishes to record. He will think just as hard and just the same as if he were to pen down his thoughts by hand. The machine will then do the rest. If he thinks the wrong thoughts, naturally the wrong thoughts will be recorded, exactly the same as if he had written them by hand. There is no difference. In our illustration, our artist has endeavored to show what will happen in the future business office when the thought recorder comes into universal use. The business man of tomorrow will dictate his correspondence on the thought recorder, while his stenographer, who is perfectly familiar with his "thought writing," will type out the correspondence from the tape, which is kept moving by electric motors, in front of her eyes. A foot pedal stops or starts the motor, and there is also a reversing attachment so the tape will run backwards should she wish to re-read a certain portion of the tape.



EXPERIMENTAL

BY S GERNSBA H.W. SECOR

SECON

RICI

HOW

MAKE

SENDING

May, 1919

OFFER No. 1 Wireless Course The most comprehensive Wireless Course ever printed. Contains 160 pages, 350 il-lustrations. Size of book 63/4"x10". Very fine flexible cloth cover. FREE with a year's subscription. Add 5c for postage

OFFER No. 2 Experimental Electricity Course This masterpiece contains 160 400 illustrations. Size

pages, 400 illustrations. Size of book 5"x9". Printed on extra thin paper, so book can be slipped into pocket. Hand-some flexible cloth cover. FREE with a year's subscription. Add 5c postage

OFFER No. 3 How to Make Wireless Sending Apparatus By 20 Radio Experts How to Make Wireless Receiving Apparatus By 20 Radio Constructors

These books are by far the most successful wireless books on the market. Size of each book 5"x7", well bound on good book paper. Covers in two colors. We really in two colors. We really cannot praise these books too highly. , Each book contains 100 pages and from 88 to 90 illustra-tions. BOTH books FREE with a year's subscription. Add 5c for postage

This is a very limited offer. It may be withdrawn at any time, due to the tremendous cost of paper, which IS JUST DOUBLE WHAT IT WAS ONE YEAR AGO. We have only a limited supply of these fine books on hand; after they are gone we cannot reprint the books until conditions become normal again. Now is your chance.

The publishers of this journal have earned an enviable reputation of giving more than 100 cents' worth for each dollar spent with them. Profit by this liberal opportunity NOW; it may never be made again.

OFFER HERE'S THE

Subscribe to the ELECTRICAL EXPERIMENTER for one year, at the regular subscrip-tion price of \$2.00 per year (Canada, foreign and N. Y. C. \$2.50) and we will send you either books shown in one of the above offers. If you subscribe for two years, two offers will be given, etc.

If you are a subscriber at present take advantage of this wonderful opportunity anyway. If you do, we will extend your present subscription.

EXPERIMENTER PUB.

This Offer Limited.

MAIL

Act Now.

NEW YORK CITY

CO.

TEAR Gentlemen: Please enter my subscrip-tion to the ELECTRICAL EXPERIMENTER for the term of year..for which I en-close herewith \$.... You will also send me at once FREE your book.... as per offer No..... No..... as per offer

Name.....

N

5-19

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

223 FULTON STREET





greatly from the intensity of the received impulses because the electric niveau between the mountains is raised, as I have explained in connection with my lightning protector in the EXPERIMENTER of February.



Fig. 17. Illustrating influence of Obstacle in the Path of Transmission as Evidence Against the Hertz-wave Theory.

Again in Fig. 19 two transmitting circuits, one grounded directly and the other thru an air gap, are shown. It is a common observation that the former is far





observed from day to day the effect is found to increase greatly with the damp-ness of the ground, and for the same reason




Fig. 20. Disproving the Hertz-wave Theory by Two Transmitters, One of Great and the Other of Small Energy.

ELECTRICAL EXPERIMENTER

also the transmission thru sea-water is

An illuminating experiment is indicated in Fig. 20 in which two grounded trans-mitters are shown, one with a large and the mitters are shown, one with a large and one other with a small terminal capacity. Sup-pose that the latter be 1/10 of the former but that it is charged to 10 times the po-tential and let the frequency of the two circuits and therefore the currents in both antennas be exactly the same. The circuit antennas he exactly the same. The circuit with the smaller capacity will then have 10 times the energy of the other but the effects on the receiver will be in no wise proportionate.

The same conclusions will be reached by transmitting and receiving circuits with wires buried underground. In each case the actions carefully investigated will be found to be due to *earth currents*. Numerfound to be due to *earth currents*. Numer-ous other proofs might be etted which can be easily verified. So for example oscilla-tions of low frequency are ever so much more effective in the transmission which is inconsistent with the prevailing idea. My observations in 1900 and the recent transmissions of signals to very great distances are another emphatic disproval.

The Hertz wave theory of wireless trans-mission may be kept up for a while, but 1 do not hesitate to say that in a short time it will be recognized as one of the most remarkable and inexplicable aberrations of the scientific mind which has ever been recorded in history.

TO ALL RADIO AMATEURS

We have received many thousands of communications from radio amateurs for the past few months asking us about the status of their radio stations, and when they will be allowed to operate them again.

Inasmuch as there has been no offieial information as to the reopening of amateur stations, during the armistiee, we can only say that in all likelihood, amateurs will not be allowed to operate until actual peace has been signed. In his executive order of April the 6th, 1917, President Wilson closed all radio stations in the United States by an act approved in the Radio Law of August 13, 1912.

Such a measure, according to law, is only for the duration of the war, there being at present no legislation which prevents any station, amateur or otherwise, from operating after peace has actually been deelared. Therefore, the minute newspapers announce that peace between the United States and the Central Powers has been signed, all amateur stations automatically revert to their former status, and amateurs need not wait for permission to operate their stations, once peace has been deelared.

EDITOR.

WRINKLES, RECIPES & FORMULAS.

(Continued from page 42) If carbon dioxid is to be generated, fill tube A with marble chips and tube B with dilute hydrochloric acid.

It is evident that the parts of the genera-tor can be easily cleaned and new chemicals The completed apparatus is shown put in. 7 in Fig. 3.

Contributed by S. WEISINGER, JR.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.



Strengthen Your EYES!

Preserve Your Most Precious Possession

Your sight is your most preclous gift. Weak eyesight means weak power of ob-servation, eye strain, eye disease, and un-told inconvenience. Take no chances with your eyes-you cannot get along without them Make them stronger every day instead of weaker. Let us send you Bernarr Macfadden's wonderful new Course in "Strengthening the Eyes." Send no money—just mail coupon. Send no

Glasses Do Not Remove the Cause of Eye Trouble

Instead, the eyes come to depend on this more every day Glasses are eye crutches! They simply bolater up the eres-they do not strengthen them 1 has been definitely proten that practically all lefects of the eyes can be cured without glasses. Most people now wearing glasses can be freed ifom the incomparisone, and expense of constant breakages, by strengthening and correcting the r vision through the simple, yet effective eye educational exercises recommended by Mr Macfadden.

Eye Defects Removed

This remarkable new Course teaches you how to use your eyes without strain at all distances—how to do without glasses—how to remedy cross eyes or squint eyes—how to restore the normal sight—how to restore perfect control to eye nertes and muscles.

Beneficial Results at Once

No drugs, medicines or operations, The Course includes a simple, yet thoroughly scientific system of eye educational exercises which strengthen the eyes exactly as the muscles of the body can be strengthened through body exercises, Re-sults are immediate, and improvement continues daily. On-worman writes: "I notice a great improvement in my eyes since learning to use them sight." Another user says, "Your Eye Strengthening Course 'I fine. My eyes are already im proving." Still another writes, "Words cannot express my guest.)

Send No Money

Let us send you this new Course "Strengthening the Eyes" on five days' approval. There are twenty-eight simple little lextons which will show you the way to strengthen such pre-serve your sight—the sift of the gody! Try the exercise-then return the Course if not satisfied and you will owe nothing. If, however, you feel that the Course will help your eyes wonderfully, send only \$5.00.



87

May, 1919 **** EXP FOR F. all Re 4500 KHMS 53/4 (←3/4"→) 3% -1413631 3% **(4)**%) We have in the past held many extraordinary sales, but we believe offering. The goods which we offer on this page are all standard telephone apparatus. Every piece we are offering is equipment that for one reason or another was discontinued by the telephone companies. If you wanted to buy any of the pieces which we offer herewith, from asking for it. You can readily ascertain this for yourself by looking over our wonderful prices. We have bought a large block of these goods and have a large quantity We have bought a large block of these goods and have a large quantity of every item on hand. Immediate shipment can be made on all of the goods in practically any quantity within reason. Shipment within twenty-four hours will be made if you use the coupon at the bottom of this page. This coupon saves you several days and your order will then be considered a rush order. We guarantee every piece to be as repre-sented, and we will refund the money if goods are not exactly as claimed by us. claimed by us. NO. 5 REPEATING COIL (Transformer). This is a standard small repeating coil and is used by all telephone companies. It has 4 different windlugs and eight contacts. Entirely enclosed in iron. The re-sistance being respectively 72 and 120 chms, and 50 and 100 chms. Diagram is furnished. Can be used for wireless, for boosting signals, etc. No. 5 Repeating coil—shipping weight, \$0.50 2 lbs. Price NO. 1 TELEPHONE RELAY, 1500 ohms—has two silver-contact springs and is very sensitive. Can be used wherever a sensitive relay is needed. It is ad-justable and can be used for a variety of No. I Relay—shipping weight, 2 lbs. \$1.50 \$1.50 NO. 6 ½ M.F. CONDENSER. This is a standard telephone condenser and has ½ microtarads. Con-denser comes in neat metal casing. This condenser is used in connection with spark colls to absorb spark and make the sound of buzzer more steady. Is also used by every experimenter in connection with wireless where a fixed capacity is needed. Several of these condensers should be in every experimenter's laboratory. No. 6 Condenser, ½ M.F.—shipping \$0.50 Used for the same purpose as No. 7 Telephone Re-ceiver. No. 8 Standard Telephone Receiver— \$0,75 shipping weight, 3 lbs, Frice. \$0,75 ormer). This is a very fine little transformer and is used extensively in connection with telephone work. It is in reality an A.C. transformer for which you would pay \$5.00 if you had it made to order. The primary has 0.15 obms, secondary 2000 ohms. It can be used for a variety of purposes that will sug-gest themselves to every experimenter. Can be used successfully to boost wireless signals. Also in con-nection with audions, etc. An A-1 instrument. Size 3 x 3 inches. No. 9 Impedance Coil—shipping weight. \$0.65 NO. 3 STANDARD RESISTANCE wound with German silver wire-4.500 ohms, can be used as a choke or plain resistance, and has many other uses that readily suggest themselves to the experimenter. No. 3 Standard Resistance as de-\$0.40 scribed-shipping weight, 4 oz. Price......\$0.40 No. 6 Condenser, ½ M.F.—shipping \$0.50 weight, I lb. Price..... NO. 4 HORSESHOE MAGNET, size 3¹/₄ inches wide x 5 inches high. Will lift about 1 lb. Quality such as used on magnetos, which means the best. No. 4 Horseshoe Magnet — shipping \$0.30 weight, 2 lbs, Price. NO. 7 DOUBLE POLE BELL TELEPHONE RE-CEIVER-hard rubber casing with 4 ft, cord and tips. Standard 75 ohms-very powerful magnets. This receiver can be used in connection with any ordinary 10 11 REPEATING 10" 9 4% 5 3 NO. 10 MICROPHONE AND BRACKET. An A-1 sensitive microphone of the carbon grain type. Has instrument being 10 inches long. This microphone, in function with our No. 7 or 8 Receiver and No. 16 Kinger Bex, will constitute a complete telephone out-fit, good to speak 50 miles or more, at a remarkably low price. Mo. 10 Microphone and Bracket-ship- \$1.00 No. 11 REPEATING COIL (Transformer). A standard repeating coil used for telephonic work. The coil windings are encased in an iron tube 24 inches in diameter. There are eight terminals for invaluable in connection with radio work to buost up imake audion work, etc. Many interesting 120. 145, 175 ohms. No. 11 Repeating coil sestances are: 100, 120. 145, 175 ohms. No. 11 Repeating coil-shipping weight. 8 b. Price. polarized and has a powerful magnet. It works on 66.6 cycles and any magneto will operate it if run at a certain speed. A very finely built instrument. Re-sistance of each coil being 200 ohms. Can be con-verted into a polarized relay by substituting a very fue leaf spring instrument with which to experiment. No. 14 Harmonic Ringer — shipping \$1.60 NO. 15 RINEER withou. Bells-630 ohms. This also is a polarized ringer and has an adjustable armature. The adjustment is due means of the top screw. A beaufind hitts mean means of the iop screw. A beaufind hitts mean means of the screw with their weight in pold; the powerful magnet are worth their weight in pold; the powerful magnet the entire instrument. No. 15 Ringer-shipping weight, 2 lbs. \$0.80 NO. 12 POLARIZED RINGER with Bells. The resistance of the two coils is 1250 ohms each. The armature is perfectly adjustable. Bell will work on any magneto. We also furnish blue print with ringer showing how a first class polarized relay can be made by anyone using only a few pieces of metal and screws. No. 12 Polarized Ringer with Bells— **C1** EA No. 12 Polarized Ringer with Bells- \$1.50 shipping weight, 2 lbs. Price...... NO. 14 HARMONIC RINGER. This ringer is also Price No. 55 5-bar magneto, 110 <text> No. 16 Western Electric Ringer Box 100 Voit A. C. GeneratorImage: State of the state of Volt A. C. Generator

Pric NO. 33 3-BAR GENERATOR, same as described above except that it has only 3 bars \$2.00 aomen

small

No. 66 6-BAR GENERATOR, same as No. 55 except that it has one more magnet and the ature is somewhat larger and more powerful. This is the biggest type made and is extremely armature is somewhat larger and how powerful, No. 66 6-har Generator-shipping weight, 30 lbs, Price, The Livest Catalog in America'' is waitin \$4.50



No. 16 Western Electric Ringer Box-ship-ping weight, 15 lbs. Price..... \$4.50

251 Futton St., New Tork Ony	
I enclose herewith 6 cents in stamps or coin, to wer postage, for which please send mo your lates yclopedia Catalog No. 20 as described.	o t
AME	
DDRESS	
FATEE. E. 5-1	9.


Г

Г 00 C

N.

A

S'




ELECTRO IMPORTING COMPANY

My Inventions

(Continued from page 65)

engineers of a defect involved in the trans-formation by the new method, namely, the loss in the spark gap. Subsequent investi-


like that governing the conversion of me-chanical energy. We may drop a weight from a certain height vertically down or



Mechanical Analog of Tesla Oscillation Transformer (Testo Cail)

This revolutionary improvement was exhibited and explained by Tesla for the first time in his lecture before the American institute of Electrical Engineers May 20, 1891. It has made possible to penerate automatically damped or undamped selfal first and the selfal to penerate automatically damped or undamped methods of a second of the selfal first time in his lecture before the American mental in many great achievements and its use has become universal. The underlying principle may be briefly stated as follows: A source of electricity is made to charge a condenser and when the difference of potential at the terminals of the actumulated energy to be discharged through a circuit under resonant conditions. this resulting in a long series of lacehronous imputses. These are either directly used or converted to any desired volume or pressure by means of a second circuit Inductively linked with the first and tuned to the same. The above dispram is taken from Tesla's lecture before the Franklin Institute and National Electric Light Association in 1893 and shows more elaborate arrangements of circuit Inductively linked with the first and tuned to the same. The above dispram is taken from Tesla's lecture before the Franklin Institute and National Electric Light Association in 1893 and centrifugal pump, the superstate an alternating and a fait currery as prestriction of papers illicitor of the electric fund. The cylinder with its electric transition and the wide ports around the cylinder, through which the fuld can excease, perform the function of the sire of the test fund and a continuous current pereator. As the fuld is lorced into the cylinder, the explained the pressoure so that the force of the operated spring ascerts list and the science of the discharged by the spring pression the sole of a continuous current pereator. As the fuld is lorced into the cylinder, the superstood, Suppose first that the water is admitted to the cylinder from the centrifugal pump, this corresponding to the compressed spering ascerts list a

gation showed that no matter what medium is employed, be it air, hydrogen, mercury vapor, oil or a stream of electrons, the efficiency is the same. It is a law very much



carry it to the lower level along any devious path, it is immaterial insofar as the amount of work is concerned. Fortunately however, this drawback is not fatal as by proper ever, this drawback is not fatal as by proper proportioning of the resonant circuits an *efficiency of 85 per cent* is attainable. Since my early announcement of the invention it has come into universal use and wrought a revolution in many departments. But a still greater future awaits it. When in 1900 I obtained powerful discharges of 100 feet and flashed a current around the globe, I was reminded of the first tiny spark I ob-served in my Grand Street laboratory and was thrilled by sensations akin to those I felt when I discovered the *rotating mag-netic field*. nctic field.

Typewriter Sensation



FREE TRIAL Use as You Pay Only \$4.00 a month until the low total price of \$53.15 is paid,

and the machine is yours.

This is absolutely the most generous typewriter offer ever made. Do not rent a machine when you can pay \$4.00 a month and own one. Think of it—Buying a \$100.00 ma-chine for \$53.15. Cash price, \$50.35. Never before has anything like this been attempted.

Standard Visible No. 10 Smith Premier

Smith Premier Perfect machines, Standard size, full 84 fine of writing completely visible at all times, has the tabulator, the two-color ribbon, with bearing type bars, ball bearing carriage ac-modern operating convenience. Comes to you with everything convenience. Comes to you with everything convenience. Comes to you with everything convenience. Comes to you endoge the server of the server of the server ing book and instructions, ribbon, practice pager—onthing extra to buy. You cannot constructed typewriter until you have seen it, have sold several thousand of these perfect information of satisfied customers had this beautiful rectrated type writer until you have days free trial. If will sell theilf, but if you are out satisfied that this is the greatest type writer you ever saw, you can return it a fire you ever aw, you can return it a fire you try the you F. Os Risk—Put in

You Take No Risk—Put in Your Order Now

When the typewriter arrives deposit with the ex-press agont 29.15 and take the machine for fire days trial. If you are convinced that it is tho best typewriter you ever saw, keep it and send me \$4.00 a month until our hargain price of \$53.15 is paid. If you don't want it, return it to the express agent, receive your \$9.15 and return the machine to me. I will pay the return express charges. This machine is guaranteed just as if you paid \$100.00 for it. It is standard. Over one hundred thousand people own and use these typewriters and think them the best ever manu-factured.

typewriters and think them the best ever manuf-factured. The supply at this price is very limited, the orice will probably be raised when my next advertise-ment appears, so don't detay. Fill in the coupon today-mail to me-the typewriter will be shipped promptly. There is no red take. I employ no solicitors-no collectors-no chaitel mortgage. It is simply understood that I retail the to the machine until the full \$53.15 is paid. You cannot lose. It is the greatest typewriter opportunity you will ever have. Do not send me one cert, Get the coupon in the mails today-sure.

Harry A. Smith, 758, 218 N. Wells St., Chicago

H. A. SMITH, 758, 218 N. Wells St., Chicago, III, Ship me a No. 10 Smith Premier F.O.B. Chicago, as described in this advertisement. 1 will pay you the \$44.00 balance of the special \$33.15 purchase price, at the rate of \$4.00 per mouth. The tilde to remain in you until fully paid for. It is under-stood that I have five days in which to examine and try the typowrite. If I chose not to keep It I will carefully repack it and return It to the ex-press agent. It is understood that you give the standard guarantee for one year.

Namo Address

C.P.A




May, 1919



Transmitting Violin Music

90

Fig. 1 shows how the music of a violin can be transmitted by means of the Skinderviken button. The button may be attached to any part of the violin and if it is not de-



sired to drill a hole into the violin which may be valuable, there are numerous places where the button can be attached by means of a small nut, or if this is

A-G DRY CELLS

Θ

Θ

Θ

Θ

BASE TAST

not desired a small lump of sealing wax into which the thread part of the button is quickly prest before it cools, will do nicely. Music can thus be transmitted from one room to another.

Transmitting Piano Music


Fig. 2 shows how to transmit piano music at a distance. The button is attached to the front sounding board by drilling a very fine hole into the panel, or should this not be desired, it can be attached by sealing wax as described under Fig. 1

The wire can, of course, be concealed as desired. An interesting stunt can be performed by interposing a battery into the line, and the receiver shown in our diagram can then be the ordinary house telephone receiver. Piano music can then be transmitted to your friend who may be hundreds of miles distant, and the music will be absolutely clear. The same stunt can also be performed, of course, with the violin as shown in Fig. 1.



Fig. 3 shows how an ordinary telephone receiver can be made into a loud talker. Very often it is desired to have a telephone


conversation come in so loud that every one in the room can hear it clearly. Our illustration shows how this can be done. The telephone receiver connected to the incoming line is attached to the top of the base board as shown. The only alterations will be as follows: The cap is unscrewed and its hole is enlarged somewhat to take the Skinderviken button as shown. A thin iron nut is then attached, necessary on account of the pull exerted upon it by the telephone receiver. If the telephone receiver is a single pole type, the arrangement as shown in diagram is O. K. If a double pole receiver is used, a small iron plate instead of the nut must be used, as otherwise the pulling effect will not be so good, altho still appreciable. It is important that the nut does not touch the telephone pole piece, as otherwise the transmission will not take place. It will be necessary to underlay the diafram with a few paper washers in order to raise it sufficiently. After the Skinderviken button has been attached, it is necessary to enclose it in a sort of sound-proof box as shown in illustration. This box may be a



turned wooden box, but an old telephone receiver shell will do nicely. It should be attached by means of sealing wax as shown, making it entirely sound-proof. The two transmitter wires are then connected to a loud talking receiver

which may be an ordinary pony telephone receiver (single pole), which must be wound to five ohms or otherwise the results will not be satisfactory. By winding the receiver spool full and evenly with No. 26 enamel wire, you will get about five ohms. The battery between the standard receiver and the

5 ohm receiver must be ascertained by experiment, usually from four to six volts and sometimes as high as ten volts are required. It should be noted that from the Skinderviken but-



ton does not easily burn out and can stand about one ampere continuously. The more battery current part on, the trans-the voice. The important part now to consider is the transmitter horn, which must be made of white bristol board, the matter norn, which must be made of white bristoi board, the same as used on visiting cards. Buy it at any stationery store. The horn may be from 14 to 30 inches long, and the opening at the small end should be about $\frac{1}{2}$ inch. It can be attached by means of sealing wax to the receiver cap. On the loud talker, the ordinary receiver diafram will do, altho one a trifle heavier works better. No magnet is used in this receiver as the pull on the diafram is aborts a magnetic as well as

pull on the diafram is electro-magnetic as well as OLD RECEIVER CASE OF WOOD BOX the transmission of the voice. This device talks SKINDERVIKEN very loud.

a Telephone Extension

How to Make Fig. 4 shows how you can make a telephone extension to an existing telephone system. Suppose you are a telephone subscriber

and you wish to have another extra phone somewhere in the building for someone else to listen in : all you need is a Skinderviken button mounted on a cigar box as shown. When the receiver is taken off the hook, it is placed on top of the cigar box directly over the transmitter button and from there the usual line runs thru a battery to the receiver. The distant party can then hear what is being said. If it is desired to have him reply also, in that case it will be necessary for him to talk

into a Skinderviken transmitter and an extra line with a tele-phone receiver near the house phone. The party who makes the connection would then naturally have to take the receiver and place it over the mouthpiece so that the party at the other end of the wire could hear what is said. This arrangement is not shown in the diagram, but it is self-evident.

Practice Set

CAP WITH

DIAPHRASE

16" CARDSOARD

Fig. 3

"Howler," and Fig. 5 shows an interesting instrument called "Howler". It is used in connection with telegraph practice instruments. It gives a loud clear musical tone every time

the telegraph key is depresst. From two to three dry cells are used. The construction is somewhat similar as explained in No. 4 and the illustration is self-explanatory. The underlying idea is that the single pole telephone receiver works the Skinderviken transmitter which in turn again oper-ates the telephone receiver, giving rise to a clear note; the same as if you take an ordinary telephone receiver of your house phone and place it over the transmitter mouthpiece, only you will find that the tone of the device described above is much bet-

ter and clearer. This instrument probably constitutes one of the best and simplest learner's outfits. It can, of course, also be used as a radio test buzzer, simply by connecting one of the transmitter wires to the detector. It works very well indeed.




Fig. 5

SKINDERVIKEN BUTTON COMPLETE \$1.00 PREPAID Skinderviken Telephone Equipment Co. Address us as STECO, 2118-2136 N. Clark St., Chicago, Ill. or New York City, N. Y.

NDDPA1110 SM

OU can easily make a highly Y sensitive detectophone by using a Skinderviken Transmitter Button to collect the sound waves. You can build your own outfit without buying

expensive equipment. Think of the fun you would have with such an instrument! It's very simple, too, and inexpensive.

You can install an outfit in your home and hear the conversation being held all over the house. You can connect up different rooms of a hotel. Our outfit was used by secret service

operatives during the War. It is being used on the stage. So much for its commercial adaptations! You can procure apparatus of the same type.


One of the main advantages of the Skinderviken Transmitter Button lies in its ultra - sensitiveness. You can place it



in any position Fig. 4 you like. It is the greatest invention in micro-phones and has won recommendations from men of high standing in the scientific world. It is being used all over

the world. You can mount it most anywhere. In figures 3, 4 and 5 are shown some un-usual and practical methods. Card board boxes, stove pipes, stiff calendars and hun-dreds of other places will suggest themselves to you. The buttons cannot be seen by any one in the room as they are so small and light. Only a small brass nut is exposed to the view.

Full directions for connecting up the button for use as a detectophone are given in booklet No. 4 which is sent with each button. Figures 1 and 2 of this advertisement, two of the many illustrations









All equipment is GUARANTEED. The appa-ratus is the same as sold by us to large telephona companies. 110 volt telephone generators.\$1.75 Weight 61/2 lbs.

4 bar 2.25	16	8 lbs.
5 bar 2.75	4.8	10 lbs.
Ringers 80 ohm35	44	1 lb.
" 1000 ohm75	68	1 lb.
Silk cords, 6 ft. 3 cond, .20	64	3 oz.
" " 6 ft. 4 cond20	44	3 oz.
" " 3 ft. 2 cond10	84	1 oz.
Transmitters complete with		
Steco transmitter hutton	\$1.50	12 07.



in booklet No. 4, show

the circuit connections

The only instruments needed to complete a detectophone outfit, in addition to a Skinder-

viken Transmitter Button are a receiver, bat-

induction coil.

MONG electrical experimenters the button has created a sensation. It is not uncommon to receive unsolicited letters like



these: "I received transmitter button today and I wish to inform you that it works great and is


the best I have ever seen or heard of for the price. I will certainly recommend it to my friends. I wish to thank you for your good service.

"I have been using one of your transmitter buttons, and it has proved to be worth more than its value in my experimenting." "I received one (Transmitter Button) some time ago, and they are just O. K. for ex-perimentary." "I have been using

one of your transmitter buttons for experimental work and it certainly lives up to all you say for it and then some."

then some." Any field by us to large the sound of the s

resh cell or two worn out cells. We have the utmost faith in our transmitter inition. We guarantee satisf₄-ciory service or we will refine the purchase price. Boys — Young and old—send in a dollar bill RIGHT NOW! You can't lose. If you're not satis-fied, you receive your dol-lar back. Isn't that fair? Send a 3c stamp for a copy of Booklet No. 4.



Transmitter Button mounted the same but with Induction Coll.



(Use Pencil) Enclose sufficient postage for mailing STECO, 2134 North Clark St., Chicago, Illinois, or New York Cily, N. Y. E. E. 5-19 Gentlemen :-- Please enter an order for prepaid Wt....lbs. Wt....lbs. Wt....lbs. Wt....lbs. Wt....lbs. Skinderviken transmitter buttons......@ \$1.00 Ship to .35 1.50 1.25 Transmitters wi Telegraph Keys Send Bookiet No. 4, [] prepaid

May, 1919



Liquid Silk Automobile Polish, finish lasts as long as new car, or money back. Sample 25c. prepaid. Liquid Silk Mfg. Co., Delanson, N. Y.

Ford power Mechanical Products greatly in-crease ability Ford Cars, Sedans, Trucks, Trac-tors, Racers, "4 Speed Forward Auxiliary Trans-mission"; Donble Power, High, Low; Reverse; Powerful Motor Brake descending hills; "Abso-lute Neutral." Easy winter cranking. "Full-power" "16-Valve Cylinder Head," 20%-64% Power increase, government test. Other Ford Power Devices coming. Opportunity agent, dealer, owner, Send for trial plan K. Victor-Ford Trans. Mirs., 246-248 W. 54th, New York.

Fords run 34 miles per gallon with our 1919 carburctors. Use cheapest gasoline or half kerosere. Start easy any weather. Increased power. Styles for all motors. Runs slow high gear. Attach yourself. Big profits for agents. Money back guarantee, 30 days trial. Air-Fric-tion Carburetor Co., 270 Madison St., Dayton, Ohio. tion Ohio.

Aeronautics.

Flies 2,000 Feet-Manhattan Racer, 26" wing spread, made finest materials, strictly a speed and distance aeroplane for amateurs. Great for spring and summer outdoor sport. Complete materials, knockdown, carved propellers, assem-bling and flying instructions, \$3,50 Postpaid in U. S. Blueprint only, 35c. Postpaid. Blueprint Bleriot racer, guaranteed 600 foot flyer, 35c. Postpaid. Hec Aeroplane Co., 6 West 48th Street, New York City, N. Y.

Motorcycles.

Motorcycles from \$25 up-New and second-hand. Easy terms, large list to choose from, all makes. Send 4c. stamp for Bulletin "A." Peer-less Motorcycle Co., Watertown, Mass.

Telegraphy.

Telegraphy (both Morse and wireless) and Railway Accounting taught thoroughly and quickly. Big salaries now paid. Great oppor-tunities. Oldest and Largest School-est. 45 years. Catalog free. Dodges Institute, 7th St., Valparaiso, Ind.

Stamps and Coins,

100 Different Stamps 10c., 200, 25c. Michaels, 5600 Prairie, Chicago.

Free-Packet Valuable Stamps to Applicants 50% Approval. Benj. Forbes, 160 Devilliers, Pittsburgh, Pa.

300 Different Stamps, 35c; 100 different U. S. Ic. C. Reitter, Box 1054, Detroit, Mich.
78 Different Stamps to approval applicants. Inclose 5c. Harland Burgett, 419 Spring St., Enclose 5c. Lima, Ohio.

For Sale-Twenty large American cents, all different dates, for only \$1.55. Old coins bought up to 1916. Catalogue, 10c. Savage, 436 Melville St., Rochester, N. Y.

St., Rochester, N. Y. Stamps-61 all different free. Postage, 3c Mention paper. Quaker Stamp Co., Toledo, Ohio. Stamps-Send 25c. for our collection. Some fine ones. Facastenhz, 425 LaGrave, Grand fine ones. Rapids, Mich.

California Gold, Quarter size, zrc.; Half-dollar size, 53c.; Dollar size, \$1.10; Large cent, 1820, and catalogue, 10c. Norman Shultz, Kings City, Mo. 500 Finely Mixed United States or Foreign Stamps, 12c. Philatelic Star, Madison, N. Y.

Old Money Wanted.

We Buy and Sell Old Coins. \$2 to \$500 each paid. Keep All Old Money; you may have valu-able coins. Send 10c. for New Illustrated Coin Value Book, 4 x 6. Guaranteed prices. Get posted. Clarke Coin Co., Box 110, Le Roy, N. Y.

Magic-Card Tricks-Sensational Escapes-Jokes-Novelties. Everything in the amusement line. Large illustrated catalog of a thousand tricks free. Write today. Largest amusement goods manufacturers in the world. Heaney Magic Co., Desk zoo, Berlin, Wisconsin.

Co., Desk 200, Berlin, Wisconsin.
 Leading Magical Magazine! All magicians like it! You will, too! Why? The value is there.
 Sample, 100; Why? The value is there.
 Black Art Hindoo Experiments, 1919 Edition, 25c, Invisible Ink. Free Trick. Catalogue each order. Linhorst Magic X Shop, St. Louis.
 1000 Stage Tricks with 500 illustrations. Cata-logue 10c; small catalogue free. Hornmann Magic Co., Sta. 6, 170 Eighth Avenue, New York.
 Tricks, Puzzles, Jokes, Toys, Games, Novelties, Doll and Cane Racks, Plays, Wigs, Stage Sup-plies, Escapes and Illusions. Large 1917 catalog free. Oakes Magical Co., Dept. 549, Oshkosh, Wis.

Wis 100 Kinds Wire and Steel Puzzles. Catalog and leader, 100.; postpaid. Western Puzzle Works, St. Paul, Minn.

77 S. Spencer Street, Aurora, Ill. Feb. 6, 1919.

Editor E. E.

Lattor E. E. Dear Sir:—The small od I had in the Fobruary issue is surely bringing some great results, about six letters each day from all over the United States and Canada. I would like to know the price of one insertion of the one-inch ad I am in-closing also cost of six insertions. Please answer quickly.

r quickly. Yours truly, Howell Rang. Howell Rang.

Exchange Ads.

Exchange Ads. For Sale—Single barrel shotgun, 110 v. Port-able electric heater, Hawkins' Guides, Zeno chewing gum vending machine, and other arti-cles. For description and prices, send three-cent stamp. Earl Brown, 514 Virginia Ave., Martinsburg, W. Va. Wanted-Small motion picture machine for home, price about \$10. Donald Porter, Frazee, Minnesota.

Sell-Motorcycle engine: telescope; chemicals; electric motor. Shank, 521 Jefferson St., Dayton,

For Sale-1 K.W. Packard transformer, round detector and amplifier bulbs. Will buy old type General Electric Induction Fan Motor. Harry Weber, 1113 Walnut St., Dover, Ohio. Wanted-Rifle telescope sight and Kraig rifle or carbine. A. L. Chamberlin, Box 132, Daven-port, Iowa.

port, Iowa. Bargains-Cyclopedia Applied Electricity, \$15.00; Popular Science Library, \$10.00; Excellent condi-tion. First money order takes same prepaid. T. H. Blacknall, Box 107, Raleigh, North Carolina. Sale-Regenerative Receiver, Storage Battery, other apparatus. Write for description. Thomp-son, 36 John St., Worcester, Mass. For Sale-Twin Motorcycle, or engine, New Sayville Rotary spark gap, \$7.00. Two Portable Wireless Sets, spark coils, wireless and elec-trical instruments. H. Gary, 600 Main St., Aurora, Ill. Wanted-Smith motor wheels. Johnston of

Wanted-Smith motor wheels. Johnston, 9 Rutherford, Binghamton, N. Y.

 Kuthertord, Binghamton, N. Y.

 Wanted-Small Graflex camera. A. Hofman,

 P. O. Box 809, City Hall Sta., N. Y.

 For Sale-Wireless instruments. Vincent Na-talish, 68 West 56th St., New York City.

 Head Set-New Brandes distance phone-3,000

 Ohm, \$3:50, sell \$800. Send stamp, large list Receiving Electrical apparatus. Dare, 94 Clinton Ave., Brooklyn, N. Y.

 For Sale-Omnjørandh five dials clock driven

For Sale-Omnigraph five dials clock driven wireless code, quenched gap, polarized relay 5 ohms, stepup transformer. Will accept no less than \$25 for outfit. Pastime Theatre, Union Hill, N. J.

Sell-Variety of articles, apparatus, etc. Write wants. Send stamped envelope. Vernon Palen, Sparta, Wisconsin.

wants. Send stamped chicker. Sparta, Wisconsin. "Multi-Audi-Fone", brand new, \$15. Try this with your Audion or any detector. C. Francis, Box 1504, Providence, R. I. Wanted-Quick! Volumes 1, 2, and 3 "Elec-trical Experimenter" either bound separate or any odd copies purchased. Good prices offered. Write for particulars and price to Box 70, Care Electrical Experimenter. For Sale-Receiving set \$10.85; consists of 15.

Electrical Experimenter. For Sale-Receiving set \$10.85; consists of 15, and 7 inch double slider coupler, cat-whisker, detector, 14 point loading coil 17 and 3 inch. Have other wireless things. Send for list quick-George Faunce, 5 Green Street, Millville, N. J. Cheap-Cyclopedia Applied Electricity. Stamps, Coins, junk. Howorth, University, Miss. Exchange-Cycle-car for Smith Motor Wheel or bicycle engine or \$50. Send stamp for par-ticulars. Carl Mayo, Orleans, Mass. Wanted-Whimshurst Static Machine. All let-ters answered. J. Picucci, 670 57th St., Brook-lyn, N. Y. For Sale-Shaw Motor attachment, \$20. Harold

For Sale-Shaw Motor attachment, \$20. Harold Lambert, Haverstraw, N. Y.

Lambert, Haverstraw, N. Y. Typewriter-Like new-For sale or exchange. John Galbreath, Rogers, Ohio. For Sale-25 Watt Dynamo parts, \$10. ½ K.W. Transformer Coil, \$5. Electro Oscillation Trans-former, \$5. Loose Coupler, \$2. Navy Receiving Transformer, \$15. Blitzen Variable Condenser, \$3. Murdock Variable Condenser, \$3. Variable Condenser, \$2. Ground Switch, \$1.50. 2000 ohm phones, \$2.50. Home Medical Apparatus, \$3.50. Post Card Projector, \$3.50. Bell Ringing Trans-former, \$1.50. \$30 Mecanno, \$20. All in good order. First drait or money order takes them. Burrows Rogers, Cainsville, Mo. Sell or Exchange-Ford Gray & Davis Starting and Lighting system; Shaw bicycle motor at-tachment. Want Dynamo ½ K.W. or larger, 24 to 60 volts direct current, or screw cutting lathe 8" swing or larger. Frank Pantel, Mus-catine, Iowa. For Sale-Blueprints of motor, windings, sce

For Sale-Blueprints of motor windings, see d under Blueprints, etc., this issue. Charles . Chittenden, 811 West 181 St., Kansas City, Mo.

I have wireless apparatus and other things for sale. Write for list now. George Sharp, 73
 Everett Ave., Providence, R. I.
 Sale-Send stamp for list of wireless instru-ments, all bargains. Geo. Sprouls, 5624 Pale-thorpe St., Philadelphia, Pa.
 Sale-Way Star Beacagned Star C. Cilleric

thorpe St., rhiladelphia, Pa.
Sell-New \$50 Phonograph, \$25. C. Gillespie, 72
Woodward, Buffalo, N. Y.
Sell-Motorcycle engine, \$10,00; Magneto, \$3,00;
Spark coils, \$1.50; Generator, \$1,25; Motor, 75c.
Harley-Davidson Motorcycle, \$30,00. Ruben Hilborn, Brown City, Michigan.
Wanted-½ K.W. transformer, Packard or Thorderson. Clyde Stream, 2537 Elmwood, Kansas City, Mo.

Thorderson. Cly Kansas City, Mo.

Kansas City, Mo. Boys! Big mechanical Engineering Set. Con-tains three motors. All for \$75.00, cost a lot more. Send cash in registered letter. Russell McQuilkin, Millport, Col. Co., Ohio. Pocket Tester for electricians, trouble-shooters and maintenance men. For use in place of lamps on 90 to 500 volt lines for locating shorts, grounds, opens and blown fuses. Size 2½" x 5", in neat leather case with leads for testing, \$1.50 postpaid. Falls Electric Shop, Cuyahoga Falls, Ohio.

Sell-White Cross Vibrator. Almost new, half price. Write Wm. Waldrip, Attico, Ind.

Sale-Swop. Whole Laboratory! Electrical Bargains. Write for list. All answered. Chas. Derrick, Grampian, Pa.

For Sale-\$60,00 Regina Vacuum Cleaner with attachments, \$25,00. P. Crawford, 13 Ten Broeck St. Albany, N. V. Sell-5 H.P. 2 cylinder gasoline engine, \$46. Will exchange for screw cutting lathe. Herbert Sicklesteel, 802 12th St., Detroit, Mich.

Scenery for Hire. Collapsible Scenery for all Plays. Amelia Grain, Philadelphia, Pennsylvania.

Agents Wanted

Agents W auted Easy, Pleasant Work for mechanics, shop men, clerks, during spare hours, will add many dollars to their salaries. Also want persons who can give full time. Big wages assured. Novelty (utlery Cu., 308 Bar St., Canton, Ohio. Insyde Tyres, inner armor for automobile tires, double mileage and prevent punctures and blow-outs. Quickly applied. Costs little. Demand tremendous. Profits unlimited. Details free. American Automobile Accessories Co., Dept. 54, Cincinnati, O.

Cincinnari, O. Mechanical Novelty for Old and Young. Bar-rel of Laughs-Amusement and Fun Every-holy possible customer. Samples with particu-trs, etc. Rullet Co., Hartford, Conn. Klean-Rite Marvelous Washing Compound. Whirlwind seller. Great Repeater. Big Profits, Shupments prepaid. Specid offer and samples free. Bestever Products Co., 2450-L5 Polk St., Chango, Ill. US Delle refinitions chandeling. brack.

Archiver Products Co., 220-25 Fork St., Cheago, Ill.
 310 Daily refinishing chandeliers, brass heds, automobiles by new method, without capital or experience. hree particulars and proofs. Write today, Gunmetal Co., Ave. D. Decatur, Ill.
 Miracle Motor-Gas amazes motorists. 3c. worth equals gallon gasoline. Eliminates carbon. 300% profit. Isom, Idaho, wires: "Slup 500 packages, Made 570 yesterday." Samples free. Chas. A. Butler, See'y, Dept. 70, Toledo, Ohio.
 "History of the World War," hy Francis A. March, brother of General March. Authentic, complete 750 pages—illustrated—official photographs. Freight paid—credit Victory Publishing fortunes. Free Outfit. Victory Publishing Company, 640 Manhattan Bldg., Chicago, Illinuis.

Install Farm Lighting Plants. Big Profits. Get our Agency Plans at once. Wolkee Co., Louisville, Ky.

Cameras, Supplies—Photo Developing.

Kodakers: How would you like to get a 9 x ii enlargement of your best negatives free? Drop us a card right now asking about it. Films developed at ice, per roll, prints 3c., 4c. and 5c. each. Satisfaction guaranteed. Ford's Foto Studio, Ellensburg, Washington Mail Us 15c with any size Film for develop-ment and 6 velvet prints. Or send 6 negatives any size and 15c. for 6 prints, 8 x 10" mounted enlargements 35c. Prompt, perfect service. Roa-noke Photo Finishing Co., 255 Bell Ave., Roanoke, Va.

Frane's Brownatone 25c. Tones 250 pictures beautiful brown; easy as washing prints. Frane, Eureka, III.

Eureka, III. Special Trial Offer, Your next Kodak film de-veloped, 5c. Prints 2c, each. Moser & Son, 1910 St. James Ave., Cincinnati, O. Clean, Neat, Perfect Kodak Finisbing at the lowest prices. Work returned the same day re-ceived. Send film for sample print and copy of Catalog on Developing, Printing, Enlarging and Hand Coloring, also copy of Photo Craft Maga-zine, which will help you make better pictures. Photo Craft Co., Box 60, Ann Arbor, Mich. Make real mystic photos without camera or plates by using Star Photo Papers. No experi-ence necessary. Complete outht for making 15 pictures, 25c. Abrams Co., 1305 Peoria 'St., Chicago.

Any six or eight exposure film up to Post Card size developed and printed, 10c, or enlarge-ment, 8 x 10, your favorite negative, 20c. Special Introductory offer to show high quality work. Associated Photo Co., Dept. 12, Cineinnati, Sta. A.

Chemicals.			
Chemicals and Labora analysis and experiment Frane, Eureka, Ill.		tor 5C	

Chemicals or Chemical apparatus – We have just what you need. Our lists are without end. State your requirements. We also make up ex-perimental sets of any value. The particulars of our standard sets will be furnished upon re-quest. Zeigler Experimental Laboratory, Roches-ter, N. Y.

Stammering.

Stammering permanently eradicated at home. Cure positively guaranteed. Particulars free. Cheshire Training System, Keene, N. H.

For Advertisers.

For Advertisers. Unheard-of Trial Offer! Inch display or 30-word classified advertisement ten weeks, \$1.00. Record Advertiser, Box 2E. Houston, Va. "Quick-Action Advertising Ilow it is Building Business for the Progressive Advertisers of America"; A little story of results told hy the advertisers themselves-not the publisher. You will be interested in reading this little booklet which we have prepared for prospective adver-tisers, a copy of which will be gladly mailed to you upon request. It tells you how to talk husiness with 1.000000 intelligent. interested and know what they want and who have the money to huy it. Write for particulars and rates today. Douglas Wakefield Coutlee, 225 West 30th St., New York.

Business Opportunities.

Make Die-Castings. Sketch, Sample, Booklet, and Proposition, 12c. Byrd & Blair, Bux 227E, Erie, Pa.

Why Sell Perfumes and Toilet Goods for hers? Make your own; get all the profits, articulars, Laboratory Box 1316 X- Memphis,

Manufacturer desires electrical specialties, Devices or supplies having possibilities of large sales wanted. What have you? North Phila, Pa., P. () Box 286. Earn. North

Earn Money at Home. "The Reliable Plan" Ils how, Ten cents. Edw. C. Maher, Dover, tells how. New Jersey.

New Jersey. Victory-Mechanical Toy Soldier window at-traction. 30 inches high. Salutes, turns head, nicely dressed officers, privates, Uncle Sam, etc. Electrically operated. Does sume stant every half minute or oftener as set and will salute soldier and pay no attention to other if de-sired. Representative wanted in each city and town. Write for prices. The John M. Biggs Co., Box 324, Chattanoga, Ten. Dollars Yearly in Your Back Yard. No gin-seng, mushroom dope. New ideas. Investigate. Particulars free. Metz, 313 East 80, New York. Enter a new husiness. Earn \$3000 to \$6000

Particulars free. Metz, 313 East 89, New York. Enter a new husinesse. Earn \$3,000 to \$6,000 yearly in professional fees making and fitting a loot specialty, openings everywhere with all the trade you can attend to; easily learned hy any-one at home in a iew weeks at small expense; no further capital required; no goods to buy; job hunting, soliciting or agency. Address Stephenson Laboratory, 18 Back Bay, Boston, Mase. Ma

Build Up an Income in Oil-Others are doing it-Why not you? Today is the opportunity. Join our casy monthly payment plan now-it may mean hundreds in profits. Write for in-formation. National Oil Drilling Co., Dept. K, Houston, Texas.

\$30.00 a week evenings. I made it with a small mail order business; continued my regular job daytime. Free Booklet tells how, z cents postage. Albert W. Scott, Cohoes, N. Y.

Patents for sale. To buy or sell patents ad-dress Patent News-II, Washington, D. C., only inventors' newspaper published.

Install Farm Lighting Plants. Big Profits Get our Agency Plans at once. Wolkee Co., Louisville, Ky.

Louisville, Ky. "Quick-Action Advertising-How it is Building Business for the Progressive Advertisers of America"; A little story of results, told by the advertisers themselves-not the publisher. You will be interested in reading this little booklet, which we have prepared for prospective advertisers, a copy of which will be gladly mailed to you upon request. It tells you how to talk business with 1,000,000 intelligent, inter-ested and responsive Americans every month-men who know what they want and who have the money to buy it. Write for particulars and rates today. Douglas Wakefield Coutlee, 225 West 30th Street, New York. Are you in search of a formula to produce a

Are you in search of a formula to produce a certain preparation? If so, perhaps we can help you. We are ever on the alert and closely fol-lowing the development of the industrial arts in all its branches. Our standard price for each formula or process issued is Thirty-five cents. Let us hear from you. Industrial Methods Bureau, 320 Fifth Ave., New York City.

Iceless Refrigerators. Particulars for stamp. Jachman, Box 57, Fullerton, Penn. Bachman, Box

Hurry: Our First Issue. Plans and specifica-tions for building National Advertising Weather Service. Sales talk picture of finished machine, etc. Profit \$150.00 for manufacturer. Protected territory. Descriptive literature, terms and pic-ture 25 cents. None free. National Sales Co., Box 421, Lima, Ohio.

Start a profitable business manufacturing "Puffed Crisp". Delicious confection. Whirl-wind money-maker. Machine, Instructions com-plete \$6.50. Samples toc. Bestever Products Co., 2426-E5 Polk St., Chicago.

Want to make \$30 a week in spare time? Particulars, 200. Walker, Box 465, Dayton, Ohio.

Opportunity—I have a comprehensive, electrical idea; available for development, that should revolutionize a certain industry. Interesting research is bere afforded experimenters and in-ventors in something new, useful and worth-while for amateur and experienced electrical people. Postpaid three dollars. Roy Y. Hughes, Electrician, Mitchell, South Dakota.

Big possibilities in new profession. Easy to learn in comparatively short time. Field of practice unlimited. Many so engaged earning \$2,500.00 to \$10,000.00 a year. Exceptional oppor-tunities for women. Write to Howard College, \$7 S. Ashland Blvd., Chicago, Illinois.

Collections.



For Men.

Razor Blades sharpened right. Single edge 2.3 ents, double edge 3.3 cents. Keenedge Shop, 7 south roth, Philadelphia, Pa.

Help Wanted.

Help W anted.
 30 Men-Women, 18 or over, wantel immediately. U. S. Government positions. Commen essa month. Vacations. Common education sufficient. Hundreds Permanent Peace Positions. Write immediately for hat. Franklin Institute, Dept. E. &, Ruchester, N. Y.
 Wanted Ambituous Workers to start Collection Bureaus. He independent make big mecomeyearly. We train and refer business to you "Scientific Faces" free. National Collection Bureau, Dept. 20, 65 Maynard, Collimbus, O.
 Dollars Saved-Used correspondence courses, bought and sold. MacMichael Educational Bureau, Victor, N. Y.
 Be a Detective. Good income Excellent oportunities to travel. Particulars free. Write American School of Criminology, Dept. E, Detroit, Mich.
 Make Die-castings. Sketch, Sample. Book-

Make Die-castings. Sketch, Sample, Book-let and Proposition, ize. Byrd & Blair, Box 227F, Erie, Pa.

Books.

Books. Books for Real Live People. Lists free. J. E. Sheridan, 417 E. 1518t St., New York. Dear Reader-II Occult, New-Thought and Sci-entine books appeal to you, send for my catalog, it's free. I have books on Personal Magnetism, Concentration, Spiritualism, Chairvoyance, Seer-ship, Will, Mind, Hypnotism, Mesmerism, Char-acter Reading, Healing, Mysticism, Success, Salesmanship, Mechanics, Entertainment, etc. A. W. Martens, J-40, Burlington, Iowa. 24 Money-Making Formulas, 25c. \$15 course in candy making-6 complete lessons for 5oc. Both books 6oc. Alton Studio, Alton, Iowa. Where to Buy Right; How to Advertise; n-expense 2--25c. Box 115, San Francisco, Califi Invisible Inks-30 formulas, 15c. Horton P. Jones, Perry, Ia.

Invisible Inks-go formulas, 15c. Horton P. Jones, Perry, Ia. "Nature Book" facts every married and en-gaged person should know, 35c. Central Com-pany, 500 Ninth Avenue, New York. World-Romic System, Masterkey to All Lan-guages. Six Textbooks, \$1.44. French Chart, 37c; Spanish, 37c; Aviation Dictionary, \$1.50. French-English Aviation Dictionary, 6rc. Languages, 13 West 47th, New York.

Biglish Aviation Dictionary, 6ic. Languages, 143 West 47th, New York.
To Get Better Pictures: Read the Amateur Photographers' Weekly; illustrated; weekly prize competitions; print eriticisms; many unique features; §1.50 per year; three months useription zec. Abel Publishing Company, 401 Caxton Bidg, Cleveland, Ohio.
Old E. E. Back Numbers: We have some valuable old E. E. Back Numbers on hand as follows: Soft, Oct., Nov., Dec., price each 35c. 1016–Jan., Feb., March, April, May, June, July, Aug., Sept., Oct., Nov., Dec., price each 35c. 1017–Jan., April, May, Aug., Nov., Dec., each 35c. 1017–Jan., April, May, Aug., Nov., Dec., 1019–Jan., May, 35c; 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–Jan., May, 35c; 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–Jan., May, 35c; 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–Jan., May, 35c; 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–Jan., July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–Jan., May, 35c; 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–Jan., May, 35c; 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, July, Aug., Sept., Oct., Nov., Dec., each 35c. 1018–June, 40000, 10000, 1000000, 100000, 100000, 1

Health.

Health.
 Tobacco or Snuff Habit Cured or no pay; \$1.00 if cured. Remedy sent on trial. Superba Co., SA, Baltimore, Md.
 Pyorrhea-II. E. Kelty D. D. S., M. D., pyor-rhea specialist for 15 years, has developed a suc-cessful home treatment for pyorrhea. Purifying, healing, preventative. Full month's treatment and booklet \$t.00. Circular itee. Dr. H. E. Kelty, 106 Gladwin Ave., Leonia, N. J.
 Cigarette, pipe or chewing habit conquered. Nature's method. Guaranteed. Write for free brochure. Edw. J. Woods, TA-300, Station F. New York.

Formulas.

500 Formulas, Resulvering Mirrors, Renewing Dry Batteries, Luminous Paint, Mechanics' Soap, 250. Catalogue 2c. Ideal, 5501-E North Robey, Chicago UL Chicago Ill

Chicago, Ill. 20,000 Formulas, \$1.00 postpaid. List 4c. Oscar C. Hanson, Mentor, Minn. Consult Us when in need of definite and re-liable data concerning any trade formula or industrial process. Our standard price for each tormula or process issued is Thirty-five cents. Write us now. Industrial Methods Bureau, 320 Fifth Ave., New York City, N. Y.

News Correspondents.

Earn \$25 Weekly, spare time, writing tor news-papers, magazines. Experience unnecessary; de-tails free. Press Syndicate, 566 St. Louis, Mo. Continued on page 94

For Inventors.

For Inventors.
 Inventors. Protect your Idea before exposing it. Advice Free. Inventor's Patent Service, Park Row Building, New York City.
 600 Mechanical Movements, also illustrations and explanations of 50 perpetual motions. My book, Inventors' Universal Educator, 4th edition, tells how to procure and sell a patent for your new invention. Government and other costs. Covers the matter from A to Z. 140 pages ele-gantly bound. Contains noted Court decisions on Patent cases. Mechanical Movements greatly assist inventors-suggest new ideas that might prove of great aid in perfecting inventions. Tells how to select an attorney. Has valuable informa-tion regarding Patent Sharks, Selling Agents and Brokyrs. Price %1. Postage free. Fred G. Diet-erich, 603 Ouray Building, Washington, D. C.
 Inventions Commercialized. Cash or royalty.

Inventors commercialized. Cash or royalty. Adam Fisher Mfg. Co., 205 St. Louis, Mo. Inventors join National Institute of Inventors, World Building, New York City; membership society 1,000 strong; will help protect, develop, finance and market your invention. Absolutely no charge. Write for booklet.

Patent Attorneys

Patent Attorneys. Patents Procured-Trade Marks Registered-A comprehensive, experienced, prompt service for the protection and development of your ideas. Preliminary advice gladly furnished without charge. Booklet of information and form for disclosing idea free on request. Richard B, Owen, 130 Owen Bildg., Washington, D. C., or 2278-T Woolworth Bldg., New York. M. F. Miller, Ouray Building, Washington, D. C. Patent Attorney, Mechanical and Elec-trical Expert. Best quality of work and results. Moderate charges. Advice free. Millions spent annually for ideas! Hundreds

Moderate charges. Advice free. Millions spent annually for ideas! Hundreds now wanted! Patent yours and profit! Write today for free books-tell how to protect your-self, how to invent, ideas wanted, how we help you sell, etc. American Industries, Inc., 212 Patent Dept., Washington, D. C. Inventions Patented. Trade-marks Registered, Labels, Prints and Publications Copyrighted, reasonable fees; correspondence solicited; de-tailed information free; booklets. Jaynes & Jaynes, 702 Kellogg, Washington, D. C. Protect Your Invention. Personal Service. Send sketch for honest advice. J. Reaney Kelly, 732 C, Woodward Bldg., Washington, D. C. Patent Your Own Inventions. Save attorney's

232 C, Woodward Bldg., Washington, D. C.
 Patent Your Own Inventions. Save attorney's fees; we prepare applications; furnish full instructions and give satisfaction. Free information. Carl Larsen Co., Park Row Building, New York City.
 James N. Lyles-Patents, trade-marks, copyrights. 734-D Eighth St., N. W., Washington, D. C.

Patents—My fee payable in monthly install-ments. Send sketch for advice. Booklet free. Frank Fuller, Washington, D. C.

John M. McLachlen, Atty. at Law, Patents, Trade Marks, Copyrights, 410 McLachlen Bldg., Washington, D. C.

Washington, D. C. Patent Attorney, Electrical Engineer, Mechan-ical Expert; Thorough Personal Service. Frank Ledermann, 21 Park Row, New York.

Printing.

100 Quality Printed Envelopes, size 634, 50c. Postpaid. Name cards same price. R. Wiese, Postpaid. Nan Atlantic, Iowa.

100 Engraved Style Visiting Cards 50C; 100 Emblem Cards 70C. H. Gregory, Warwick, N. Y.

Wireless.

Complete receiving sets \$8.50, \$9.50 and up. Instruments, parts, minerals. Circular for stamp. Inquiries invited. Jenkins, 923 Purchase Street, New Bedford, Mass.

Stroments, parts, minerais. Circular for stamp. Inquiries invited. Jenkins, 923 Purchase Street, New Bedford, Mass.
 Switch Points. Binding Posts, Switch levers, and small parts, send 2c for catalogue describing these and other goods. A. W. Bowman & Co., 23 Church St., (Harvard Square), Cambridge, Mass.
 Before you build that new set get our free rivelar on switches and contact points. Hard rubber knobs used. Eureka Secondary Co., 6939 S. May St., Chicago, Ill.
 Radio Apparatus of Quality-Manufactured to Your own specifications. Radio Engineering Company, Baltimore, Md.
 Bargains-34" Wireless Coils complete, guaranteed, 900, except postage. Also Wireless Coils without vibrators, 45c, except postage. A. Dubs, 1534 Pitkin Ave., Brooklyn, N. Y.
 Our Universal Radio Receiving, Detector, and Transmitting apparatus. The best that science and skill can manufacture. If interested write for catalogue. Universal Radio Mfg. Corporation. Elmira, N. Y.
 Mateurs! Drou Sa postal and receive interesting information that is of vital importance to you and future amateur radio. American Institute of Radio Engineering, Omaha, Nebr.
 Gold Catwhisker is best for mineral detectors. Hard drawn 18 Kt. Gold Wire 26 B. & S. 3½ inches, Soc. Sterling silver, 15c. Geo. Schuler, Jr., 126 W. 46th St., New York City.

Patents for Sale.

Automobile Direction Indicator, Electrically operated. Just Patented. Manufacturing cost low. Ability to Finance means money. Royalty or contract. Investigate. L. A. & A. Own-bey, 1210 East 5th St., Chattanooga, Tenn.

Miscellaneous.

Wanted-Small Gasoline and Steam Engines. Cash paid for 1 to 4 cylinder light weight Motors. 14 to 10 H.P. Johnston, West End, Pittsburgh, Pa.

Motors. 4 to 10 H.P. Johnston, West End, Pittsburgh. Pa. Blacksmith, Listen! Prepare for big wages in Navy and Arsenal with Toy's Modern Methods doing hard jobs easy. Forging and making solid welds, hardening and tempering to a standard, with colored tempering charts. All for one dol-lar. Sample free. W. M. Toy, Sidney, Ohio. Snow Plow. Removes snow from sidewalks, etc. Easy to raise or lower. Thoroughly tested. Can also be used as toy. A. H. Tallyn, Benson, Ill. Be a Top Notcher-Get into the 100% Class. Be Prosperous, Powerful, Happy. Our system has shown thousands HOW. It can show YOU. No guesswork. Proved. A true-to-life Person-ality Sketch and first lesson on Happier Living for 10c. and birthdate. Thomson-Heywood Co., Dept. 350, Chronicle Bldg., San Francisco, Cal. For Sale-Choice Silver Black breeding foxes. Reid Bros., Bothwell, Ont., Canada. Julian's Liquid Fishing Lure. Doubles your catch. Trial bottle, One Dollar. George Julian, Albany Building, Boston, Mass. Special-Cardboard tubing. impregnated, 5" diameter. 200 per foot. Postage extra. Maier, 335 East 93d St., New York. Plastography Instruction with model or mould, \$2.00, Success awaits you. P. B. Spahr, York, Penn.

Penn.

 Fenn.

 Fancy Mice-30 Varieties; send stamp for list, or 50c for book giving full information on varieties, housing, breeding, etc. Holman's Mousery. Dedham, Mass.

 Music composed to words. Bauer Bros. (for-merly of Sousa's Band), Oshkosh, Wis.

 Marvelous! Send for our time-saving multipli-cation table. Products of any amounts readily calculated. Handy pocket size card. Price to cents (coin) by mail. Remittance with orders. Tabluated Information Card Co., 2040 Chestnut St., Philadelphia, Pa.

 "Opportunity Adlets" bring quick results. Our too,600 circulation, net. Other firms are making money-so can you. For proof address Classified Department, Electrical Experimenter, 233 Fulton St., New York City.

Motors, Engines and Dynamos.

Motors, Engines and Dynamos. Small Motors and Generators: 1000 New Motors and Generators from Bankruptcy Stock, ½ H. P. A. C., \$18,50 each; ½ H. P., \$30.00. Battery Charging Sets-Robbins & Myers new outfits, all sizes, \$30.00 each and up. Charging, Lighting and Moving Picture Arc Generators, \$10.00 each and up. Motors for all phases of current. Im-mediate delivery. Less than ½ regular prices. Write for late bulletin. Johnston, West End, Pittsburgh, Penna. For Sale-Motors, all sizes. Write your wants. We have them. E. Billstone, Jamestown, N. Y. Gas Engines for every purpose. Marine, row-boat, stationary and motorcycle. Engines from \$10 up. Guaranteed one year. Write United Motor Repair & Supply Co., 305-309 Broadway, New York. 500 Watt Motors, Modern, Efficient, cost me

New York. 500 Watt Motors, Modern, Efficient, cost me §10. Investigate! Duplicate! Clark, Barnes Road, Newton, Mass. 50-H.P. Gasoline Engine, 4 cylinders, alumi-num, cost \$1,500. Will take \$450. Geo. B. Boutelle, 324 N. Eutaw St., Baltimore, Md. 10 Volt, 20 Ampere Dynamo, brand new, under half price. Call Saturday evening, 354 Convent Ave., New York.

Novelties.

Latest Fad, \$1.00. Blanket flag sofa pillow. Covered with 24 flags, 8 shield of arms, satine lined. Fletcher & Fletcher, 1711 S. Oregon Ave., St. Louis, Mo. Agents write for particulars. Snappy girl pictures. You will like them and want more; 20 for 25c. Write today. Smith's Novelty, (Dept. 5) 6735 Elizabeth, Chicago, II.

For the Hair.

I was Bald. Obtained hair growth by an In-dian's ointment containing genuine bear oil and rare plant juices. Many others have good hair-growing results. Will send box, postpaid, with recipe, 10C. John Hart Brittain, 150 E. 32nd St., BA-300. New York.

Personal.

Are you self-conscious-embarrassed in com-pany-lacking in self-control? These troubles overcome. C. E. Veritas, 1400 Broadway, New York City, N. Y.

Electrical Supplies & Appliances.

Electrical Supplies & Appliances. Make Your Own Transformers. Costs a few cents to make. Will ring bells, buzzers, etc. No batteries required. Guaranteed, instructions, 25c. Abrams Co., 1305 Peoria St., Chicago. Iostall Farm Lighting Plants. Big Profits. Get our Agency Plans at once. Wolkee Co., Louisville, Ky. Repairing and rebuilding Galvanometers, Volt-meters, Ammeters on any electrical instruments. V. W. Bradbury, Winnsboro, La. Propellers for Air Propulsion. Practice and Professional blades made to order. Crawford Motor and Aeroplane Manufacturing Co., Pitts-hurgh, Pa.; New Orleans, La. Inventors' and Manufacturers'. Experimental work, models, tools, instruments, light ma-chinery. Over twenty years' specialized experi-ence working from samples, blue prints, rough sketches, explanations. Customers' supervision in machine shop permitted. Manufacturers' and Inventors' Electric Co., 20D Gold St., New York. Get the proper apparatus for your experiments. Get the proper apparatus for your experiments. Coils, Electro-magneto, Solenoids, Resistances, Inductances and Condensers, designed and con-structed to your order. J. E. Fast, 5840 W. Erie St., Chicago, Ill.

Problems and advice in Radio, Mathematics, Electricity, Chemistry, etc., answered by experts for \$1.00 and up. Paragon Technical Bureau, 320 East Fifth Street, New York City.

by Store and up. Paragon Technical Bureau, 329
 East Fifth Street, New York City.
 10 Security Ford Locks, new, at \$3,50 each, regular \$5.00 locks; 100 ampere combination Ford Locks for switch at \$2.00 each, new, regular price \$3,250; one Palor Cut 6" Electric Fan, new, at \$4.25; one telephone, new, 50c; one Premo Camera, No. 1-3/2 x 4/4 Second-Hand at \$6.00. Electrical, Optical and Technical Supplies. H. C. Hancock, Bogota, N. J.
 Lock! Save Money! Heavy aluminum to x 12 sheets, fifty cents; inch strip, 12c. ft. Heavy 1/2 inch brass strip, 18c. ft.; 3/4 inch, 10c. ft. Postpaid. Robert Duffield, Detroit, Mich.
 Zic. in coin will answer that question on Storage Batteries. Henry G. Oakes, 8t Triangle St., Buffalo, N. Y.
 Lock! Penlites exact representation of fountain pens, 65c.; 61/2" tubular flashlight, \$1.05. Postage 5c. extra on either. Extra batteries sold. J. McLardie, 424 Edgewater, Dayton, Ohio.
 Will buy and sell anything electrical, chemical or mechanical. Send for Jist and send in list and prices. Box 255. North Bennington, Vermont.
 24 Dry Cells Recharged for 4c. Instructions, 10c. Walker, Box 465, Dayton, Ohio.

Blue Prints.

Blue Prints. Blue Prints of Motor windings. 108 A.C. con-nections, 132 D.C. armature windings, complete 240 diagrams \$5.00 cash. Send 25C. for 12 samples or write for particulars. Charles L. Chittenden, 811 West 18th Street, Kansas City, Mo. Blue Prints: 3/2 H.P. Gas Engine, 30C; 4/4 H.P. Steam Engine, 50C; 4/6 H.P. Boiler and Engine, 70C; all 3 for \$1.00. Circulars on Castings and Engines for stamp. Universal Gas Motor Co., 364 Monadnock. Chicago.

Instruction.

Typewriting learned easily and quickly at home by Modern Fingering Gymnastic Method. New discovery by long experienced typewriting instructor makes expert typists. Demand in-creased salary. Complete course, twelve lessons, five dollars. Guaranteed. Enroll today. School of Modern Method Typewriting, Warren, Ohio. Over 100 Branches thoroughly taught by mail. For "Free Tuition", apply Carnegie College, Rogers, Ohio.

Song Poems Wanted.

Write the Words for a Song. We write music and guarantee publisher's acceptance. Submit poems on war, love, or any subject. Chester Music Co., 918 So. Michigan Ave., Room 265, Chicago. You Write the Words for a Song-Submit poems on war, love, or any subject. Chester Music write music, guarantee copyright and assist in securing publisher. Metropolitan Studios, Room 13, Morton Bldg., Chicago, Ill.

Phonographs.

Build Your Phonograph. "Perfection" high-quality spring and electric Motors, Tone Arms, Reproducers. Wonderful results. Big saving. New catalog and building instructions mailed for ten cents. Indiana Phonograph Supply Co., Indianapolis, Indiana.

Build Your Own Phonographs and manufacture them for profit. Drawing instructions, Parts, Price List, Blue Prints, etc., complete, sent free upon request. Write today. Associated Phono-graph Co., Dept. E-1, Cincinnati, Ohio.

Letter Specialists.

Letters That Land Orders and Money Orders-written for \$4.00; three for \$10.00. Guaranteed. Criterion Service, Dept. 3, West New York, New






Now made simple and perfectly safe

R

120 2010000

TREAT YOURSELF With The Wonderful Health Restorer



All at practically no cost-The great benefits of the **Violet Ray treatments** heretofore only procurable at big expense from physicians and beauty specialists are now available in your own home. Look over list of treatments below. Send for particulars.

How Violet Ray Benefits

Electricity from your light socket is transformed into health and beauty-giving Violet Ray—powerfully effec-tive, yet gentle, soothing, perfectly safe. Voltage is raised from ordinary lighting current to *thousands of volts*, giving tremendous penetrative force. The irresistible, revitalizing pow-

revitalizing pow-ers of *Renulife* Violet Ray are carried at once to

carried at once to every nerve cell, fibre and part of body. Blood is enriched and purified by a flood of oxygen, giving added vitality and strength. As-similation and digestion improved---functions restored to normal--extra supply of fresh blood quickly brought to area treated, removing congestion and supplying nourishment. While re-lieving pains and aches, the manifest re-sults of disorders, it removes the deep-seated cause; com-bines the benefits of electricity. vibra-

electricity, vibra-tion, exercise, stimulation and



Offered on a Most Liberal

TRIAL PLAN

Learn the Wonderful Benefita by Actual Use

Science has modified electricity that the weakest may stand its force with-out fear or pain. Every tissue and fibre is saturated, patient experiencing only a sensation of relief, as if standing in a ray of sunshine. Violet Ray high frequency has no comparison with old, crude, electrical batteries and shocking current. Every iar and

Every jar and shock is removed.

May, 1919

AT GENERATORS AT GENERATORS AT GENERATORS AT GENERATORS AT GENERATORS AT GENERATORS AT A CONTRACT AND A C

Send for Book-let, "Health via Violet Ray."



.

COUPON FOR BOOK

and Special Information

STOULINE BLOCYFIC

oddet we touch brieft on some of Renults Cenerators. Directions for treatment for venues summing for on of detail in the spearment char one for use secomponying early pr

REIRAIGEA OF THE FACE Apply to thread from uses and source of park UNICESTICH (Trace 12-13 10, 20, 21-33 CONSTURATION, Trace 13-13) 12-14 12-13

VOUSRESS, Trace one or 19 also by one two one from 15 to 17 read 10 17 also per enter exclusion from 15 to 17 read 10 17 also per enter exclusion of the 20 also frame enter the 10 read also per enter ente

DEUXE FALLING HAIR CAAY HAIR AND ALD ALLANGETS (DARTNA AND A CONFLEXION: In odiano to eppiying in love and such creat her subproved dependent in area 12.53 With treat let adjusted duration in gene 12.13 FO STRENGTHEN LURGS AND OFVELOP CMSST 1.14, https://www.streat.20.2 1.14, https://wwww.streat.20.2 1.14,

APBREVIATED TREATMENT CH USING ELECTRODE No 1 RNEUMATISM: Teres area at pass through this love of bothers also apply to 11 k2 20-25

Unequaled for scalp and hair



Brings beauty par-lor to your home



Inhaling ozone. For Catarrh, throat and lungs. Marvelous local results with general tonic effect



Treatment for gen-eral debility, nerv-ousness, etc.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

Science has modified electricity that

Painless Electricity

Electrical Man verv Wants These Books and we ship fhem for your inspection

HAWKINS

ELECTRICAL

GUIDE

N=8

TELECRAPH

WIRELESS

BELLS

LIGHTING

2201 70 2552

Flexible Covers Handy Pocket-Size **Volumes** HAWKINS

ELECTRICAL

GUIDE

NEL

ACHETIS!

C CTIG

HAWKINS

ELECTRICAL

GUIDE

Nº2

DYNUNCS

MOTORS

TESTING

IST

HAWKINS

ELECTRICAL

GUIDE

N=3

DIFIEIN

SVETERS STORAGE

GATTIENES

17

HAWKDE

HLFORKAL

GUIDE

N=4

ALTERMATING

CHARMES

Automotic S

-

Just what you need to know to succeed in ELECTRICI

HAWKINS

ELECTRICAL

GUIDE

N=6

A.C. SYSTEMS CIRCUIT BREAKERS MEASURING INSTRUMENT

1884

HAWKINS

ELECTRICAL

GUIDE

N=5

A.C. Notors

CONVERTERS

CULLET

1267

HAWKINS

ELECTRICAL

GUIDE

Nº7

A.C. WIRING

POWER STATIONS TELEPHONE WORK

1885 2200

E VERY electrician, every engineer, every mechanic should know about these wonderfully helpful instructive books, which give in plain words a complete working knowledge of electrical engineering in all its phases.

You run into some new electrical problem almost every day. The information you need to help you in your every day work is in

WK GUIDES ELECTRICAL

These books place electricity at your finger ends. They cover every imaginable subject, principle, theory, problem, trouble, and way of doing things electrically. Every subject is indexed so that you can turn right to it. They are a study course and a reference guide in one, written in plain every day language—no wasted words —only what you need to know—chock full of up-to-the-minute electrical knowledge. The guides are a complete course in electrical engineering. They will help you in every detail of the day's electrical work. You can't ask an electrical question that Hawkins Guides can't answer.

Pocket-Size Flexible Covers

What Electrical Men Say Helped Him Make Good

Helped Him Make Good "It is only right for me to recom-mend highly the Hawkins Guides, for they have been of the streatest assist-ance to me in placing me in my present position as. Superintendent of Construction Department of one of Ohio's largest Electrical Companies. I would like to see every main have a set of Hawkins Guides." Geo. Knecht, Columbus, Ohlo.

In the Naval Electrical Dept.

"The Hawkins Guides are great help to me in the Naval Electrical Department, which they cover very thoroughly "C. J. Cornell, U. S. Receiving Ship, Brooklyn, N. Y.

Superintendent

"I am now superintendent of the Dunnille Hydro Electric Systems, and Hawkins Guides were a great help to me in holding down a re-st-snible position." W. E. Swartz, Dunnville, Ontario.

Wireless Operatora

"I have worked wireless for t vears-but I wish I had these boo years are, as they have saved me great deal of trouble," II Marshall, Steamer M & B No. 2. Walkerville, Ont.

The books are small enough to slip into your coat pocket—handsomely bound in flexible black covers. You can carry each volume with you until you have mastered its contents. 3,500 pages of actual information and 4,700 illustrations. Once you see these books and put them into actual use you will never again want to be without them. Try it at our expense.

SEND NO MONEY

It will cost you nothing to receive these books—to look them over—ask them all the questions you can think of —use them in your work—study them—pick up some information that will increase your earning ability. We will ship you the entire set of 10 volumes entirely FREE. This is a skin of our confidence in the guides. Fure golds does not object to being tested. Keep them for seven days and if you do not decide that you can't get along without them, return them to us and owe us nothing.

When you decide to keep them you only have to pay \$1.00 down and remit the balance of \$2.00 on the easy parament of \$1.00 a month till paid for. Use this coupon to get the books. It will pay you many times over.

THEO. AUDEL & CO. 72 Fifth Ave. New York, N.Y. SEND NO MONEY- USE THE COUPON

READ THIS PARTIAL LIST OF CONTENTS

HAWKINS

ELECTRICAL

GUIDE

N=10

MODERN

ELECTRICITY

REFERENCE

HAWKINS

ELECTRICAL

GUIDE

N-9

RAILWAYS

MOTION

CHITION

MES

Havins Electrical Guine Astronomics Currents Astronomics

Carnos user

10

Volumes

3500

Pages

4700

Pictures

\$1 Per Volume

\$1 Per Month

No. 1 Contains 34* page, 38% illustrations. Electrical signs and symbols static and current electricity elis conductors and insulators—resistance and conductivity—onagnetism—induction coils—dynamo principles — elasses of dynamos—armatures—winduge=commutation—

-primary cells conductors and insultations—resistance and conductivity—magnetism—induction coils—dynamo principles brushes, etc.
 No. 2 Contains 348 pages, 394 illustrations. Motor calculations—brake horsepower-selection and iostaliation of dynamo and motors galvanoineters standard cells—current messurement resistance measurement voltmeters watti-messurement resistance measurement voltmeters watti-meters watt hour meters—operation of dynamos—operation of motors, etc.
 No. 3 Contains 300 pages, 423 illustrations. Distribu-side, outside and underground wring—sign flashers—likht-ning protection—rectifices—alternation principles—alternator construction—windings, etc.
 No. 4 Contains 270 pages, 614 illustrations. A. C. Motors construction—windings, etc.
 No. 5 Contains 320 pages, 614 illustrations. A. C. Motors construction, connections, tesis—construction, contections, etc.
 No. 6 Contains 320 pages, 412 illustrations. A. C. Motors construction, connections, tesis—constructurent dia-grams—the power factor—alternator principles—alternator construction, connections, tesis—constructurent dia-grams—the power factor—alternator principles—alternator construction, connections, tesis—constructures—tectifies—ence construction, connections, tesis—constructures—tectifies—discut the current systems evitching devices—free direcs—fore factor indicators—witching protector apparatus—regulating devices estudinous condensers—indicating devices—fore theres—fore factor indicators—wate form measurement -witch boards, etc.
 No. 8 Contains 320 pages, 329 illustrations. Alternating care and repar—telephones, etc.
 No. 9 Contains 320 pages, 320 illustrations _ turbines; management, selection, location, etcring, testing ond terps—listing protector apparatus—regulating devices estudinous condensers—indicating devices—fore theres—fore inters as a seguine lighting systems, electric vehicles, etc.
 No. 8 Contains 322 pages, 329 ill

-Also a complete 126-page ready reference index of the complete library. This index has been planned to render easily ac-cessible all the vast infor-mation contained in the 10 electrical guides. There are over 13.-500 cross refer-ences. You find what you want to know in-stantly,

stantly, Signature....

Reference.

THEO. AUDEL & CO. 72 Fifth Ave. New York, N.Y.

...... E.E. May

Please submit me for examination Hawkins Electrical Guides (price \$1 each), Ship at once, pre-paid, the 10 numbers. If satispaid, the 10 numbers, at factory I agree to send you \$1 within seven days and to further mail you \$1 each month until paid,

Occupation..... Employed by.....

Residence...









ese Are urs That Count he Ho

OST of your time is mortgaged to work, meals and sleep. But the hours after supper are yours, and your whole future depends on how you spend them. You can fritter them away on profitless pleasure, or you can make those hours bring you position, money, power, *real success* in life. Thousands of splendid, good-paying positions are waiting in every field of work for men *trained to fill them*. There is a hig job waiting for *you*—in your present work or any line you choose. Get ready for it! You can do it without losing a minute from work or a wink of sleep, without hurrying a single meal, and with plenty of time left for recreation. You can do it in one hour after supper each night, right at home, through the International Correspondence Schools.

Yes-You Can Win Success in an Hour a Day

Hundreds of thousands have proved it. The designer of the Packate, Twin Sir, and hundreds of other Engineers, climbed to success through I.C.S. help. The builder of the great Equitable Building, and hundreds of Architects and Contractors, won their way to the top through U.S. space-time study. Many of this country's fore-most Advertising and Sales Managers prepared for their present positions in spare hours under I.C.S. instruction. For 28 years men in offices, stores, shops, factories, mines, railroads in every line of technical and

commercial work-have been winning promotion and increased salaries through the I.C.S. Over 100,000

---- TEAR OUT HERE --**INTERNATIONAL CORRESPONDENCE SCHOOLS**

Box 6186, SCRANTON, PA.

Explain, without obligating me, how I can qualify for the position, or in the subject, before which I mark X.

ADVERTISING BALESMANSHIP Traffic Management BBUNESS (Complete) Commercial Law Certified Public Accountent Higher Accounting Railway Accountent BOKKEEPER Stenographer & Terty ark X. ELECTRICAL ENGINEER Electricie
Electricie
Electric Warhing
Electric Lighting
Electric Tracioo
Electric Machine Designer
Telegraph Engineer
Telegraph Engineer
Architectural Draftamao
Contractor and Builder
Building Foreman
Builder
Building Foreman
Contractor and Builder
Build
 DECHANICAL ENGINEER

 Mechanical Draitaman

 Nachine Designer

 Boliermaker or Designer

 Foolmaker

 Foolmaker

 Backsmith

 Sheet-Netal Worker

 Bistenary Firzman
 BOOKKEFFER Stenographer & Typlat Good English Window Trimmer Sbow-Card Writer Stop Painter Oth Is SERVICE Railway Mail Glerk Mail Carrier CANTOONIST Ulustenor Sheet. Metal Worker STEAM ENUINER GAS ENGINE HOPERATING GAS ENGINE OPERATING Refrigeration Engineer UVIL ENGINEER Surveying and Mapping R. R. Constructing Bridge Engineer SHILF DRAFTSMAN Structural Draftsman Structural Draftsman Structural Confismer Maining Engineer NAVIGATION Addited LTERE Addited LTERE Addited LTERE Fruit Growing Fruit Growing UVERSTAN CARTOONIST Illuaristor Perspective Designer Bookcover Designer TACHER Common School Subjects High School Subjects Mathematics Automobile Repairing Aato. Liectrical Work CHEMIST
 Analystical Chemist
 Analystical Chemist
 Mins FOREMAN OR ENGINEER
 Cost Mining
 Metal Mining
 Metal Mining
 Metal Mining
 TEXTILEOVENEEROR SUPT.
 Cotton Manufacturing
 Woolen Manufacturing Name

Occupation

Street and No.

City ______ Ganadians may send this Coupon to International Correspondence Schools, Montreal, Can.

Employer_

men are getting ready right now in the I.C.S. way for the bigger jobs ahead.

Your Chance Is Here!

No matter where you live, the I.C.S. will come to No matter what your handicaps, or how small your you. means, we have a plan to meet your circumstances. No matter how limited your previous education, the simply written, wonderfully illustrated I.C.S. textbooks make it easy to learn. No matter what career you may choose, some one of the 280 I.C.S. Courses will surely suit your needs.

Make Your Start Now!

When everything has been made easy for you-when one hour a day spent with the I.C.S. in the quiet of your own home will bring you a bigger income, more comforts, more pleasures, all that success means, can you afford to let another single priceless hour of spare time go to waste? Make your start right now! This is all we ask: Without cost, without obligating yourself in any way, put it up to us to prove how we can help you.

Just Mark and Mail This Coupon

THE CAREY PRINTING CO. INC.